RELEASE NOTES – LABEL MATRIX v8.50.00
15 December 2009

Table of Contents

System Requirements
New Features & Enhancements
New Device Support
Fixed Defects
Known Limitations
Compatibility with other TEKLYNX Software

System Requirements

Windows 2000 SP4
Windows XP SP2
Windows Server 2003
Windows Vista
Windows Server 2008
Windows 7

Installation requires administrator's privileges.

Back to Top

New Features & Enhancements

8.50.00

- **Windows® 7 support** – LABEL MATRIX 8.50.00 can be run on the Windows 7 operating system.
- **Additional language support** – The product now supports Traditional and Simplified Chinese languages.

8.30.00

- **Print to Picture** – This option creates a picture file of the label in a supported graphic file format (.bmp or .jpg). You will be prompted for file type, resolution (dots per inch, or DPI), color definition, and a file name for the new graphic file.

8.20.00

- **New bar code** – The product now includes the Australia Post 4-State Bar Code.
- **Printer selection modification** – Windows-installed printers can be hidden in the **Select Printer** window using the **Display only LABEL MATRIX printers** option on the **Preferences** tab on the **Application Options** window.

Back to Top

New Device Support

The following devices and their associated drivers have been added in this version:

v8.50.00

Manufacturer	Model
GAINSCHA	Gainscha GP3120T
CAB	Hermes A2 (300 dpi) Hermes A2 (600 dpi) A2+ (600 dpi) A4+ M (300 dpi) A4+ M (600 dpi) Hermes+ 2 (300 dpi) Hermes+ 2 (600 dpi) Hermes+ 4 (200 dpi) Hermes+ 4 (300 dpi) Hermes+ 4 (600 dpi) Hermes+ 4.3 (200 dpi) Hermes+ 4.3 (300 dpi) Hermes+ 6 (300 dpi) XD4 (300 dpi)

v8.30.00

Manufacturer	Model
INTERMEC	Intermec PF8d Intermec PF8t (200 dpi) Intermec PF8t (300 dpi) PB21 IPL Mode (203 dpi) PB22 IPL Mode (203 dpi) PB31 IPL Mode (203 dpi) PB32 IPL Mode (203 dpi) PB51 IPL Mode (203 dpi) PB21 FP Mode (203 dpi) PB22 FP Mode (203 dpi) PB31 FP Mode (203 dpi) PB32 FP Mode (203 dpi) PB51 FP Mode (203 dpi) PB21 DP Mode (203 dpi) PB22 DP Mode (203 dpi) PB31 DP Mode (203 dpi) PB32 DP Mode (203 dpi) PB51 DP Mode (203 dpi)

COGNITIVE	Cognitive AdvantageDLX DBD24-2085-xxx Cognitive AdvantageDLX DBT24-2085-xxx Cognitive AdvantageDLX DBD42-2085-xxx Cognitive AdvantageDLX DBT42-2085-xxx
TALLYGENICOM	TallyGenicom 7005 DT2 (203 dpi) TallyGenicom 7005 DT4 (203 dpi) TallyGenicom 7005 TT4 (203 dpi)
ZEBRA	Zebra GK420d EPL Zebra GK420t EPL Zebra GX420d EPL Zebra GX420t EPL Zebra GK420d ZPL Zebra GK420t ZPL Zebra GX420d ZPL Zebra GX420t ZPL Zebra GX430t ZPL

v8.20.00

Manufacturer	Model
BRADY	Brady BBP81 (200 dpi) Brady BBP81 (300 dpi) Brady BBP81 (600 dpi) Brady BBP 11 24 Brady BBP 11 34
CITIZEN	Citizen CLP-521z Citizen CLP-621z Citizen CLP-631z
SATO	Sato CT408i Sato CT412i Sato CT424i Sato GL408e (Gen2 Support added) Sato GL412e (Gen2 Support added)
TALLYGENICOM	TallyGenicom 7006 DT2 (203 dpi) TallyGenicom 7006 DT2 (300 dpi) TallyGenicom 7006 TT2 (203 dpi) TallyGenicom 7006 TT2 (300 dpi) TallyGenicom 7006 DT4 (203 dpi) TallyGenicom 7006 DT4 (300 dpi) TallyGenicom 7006 TT4 (203 dpi) TallyGenicom 7006 TT4 (300 dpi) TallyGenicom 7008 DT2 (203 dpi) TallyGenicom 7008 DT2 (300 dpi) TallyGenicom 7008 TT2 (203 dpi) TallyGenicom 7008 TT2 (300 dpi) TallyGenicom 7008 DT4 (203 dpi) TallyGenicom 7008 DT4 (300 dpi) TallyGenicom 7008 TT4 (203 dpi)

	TallyGenicom 7008 TT4 (300 dpi)
ZEBRA	Zebra 110xiIII Plus UHF (203dpi) Zebra 110xiIII Plus UHF (300dpi) Zebra 110xiIII Plus UHF (600dpi) Zebra 110xiIII Plus HF (203dpi) Zebra 110xiIII Plus HF (300dpi) Zebra 110xiIII Plus HF (600dpi) Zebra MZ220 Zebra MZ320 Zebra RW 220 Zebra RW 420 Zebra RW 220 EPL Zebra RW 420 EPL Zebra RW 220 ZPL Zebra RW 420 ZPL

Back to Top

Fixed Defects

Version	Ticket ID/ Defect ID	Description
8.50.00		
	17923	GS1 Data Matrix wizard is no longer missing identifiers.
	18017	Data Matrix bar code is now read correctly. A bracket symbol { is no longer added.
	18062	GS1 Databar symbols are now named according to updated standards.
	18066	“Selected printer driver is not supported” message is no longer displayed.
	18072	GS1 Data Matrix is now compliant with GS1 standards. “]d2” is now read correctly by the server.
8.20.00		
	14469	Counter increments properly when set to Labels using OLE Automation.
	14852	Underscore is now recognized in variable names.
	14860	Warning messages for database connection issues are reformatted.

Back to Top

Known Limitations

- Please note that if using Windows 2008, you may need administrator's rights to perform some actions like adding a printer with a non-direct access or creating a

System DSN datasource. Please verify that you have sufficient rights before performing these actions.

- The LABEL MATRIX installation may upgrade your system with 3rd-party components and files that are not yet Windows Server 2008 compliant because they may lack versioning information (like company name or version number) and/or they may lack a digital signature.

Back to Top

Compatibility with other TEKLYNX Software

LABEL MATRIX 8.50.00 is compatible and fully tested to work with the following TEKLYNX software packages:

- BACKTRACK 6.00
- Pocket LABEL MATRIX

Back to Top

Copyright 2009 Braton Groupe sarl. All rights reserved. TEKLYNX and its products are trademarks or registered trademarks of Braton Groupe sarl or its affiliated companies. All other brands and product names are the trademarks of their respective owners.

This release notes document is for informational purposes only. Product specifications are likely to change.