# LABELVIEW™ Label Design Software

**Version 8.01**

TEKLYNX® International
Copyright 2006

June 15, 2006
RN-0018.00

## PRODUCT RELEASE NOTES

# LABELVIEW™ Version 8.01

LABELVIEW 8.01 delivers new functionality, fixes and corrections, new printer drivers, and printer-specific fixes and corrections that have been made since the release of version 8.0. This release notes document highlights the features and corrections made in version 8.01; the release notes for previous versions can be found on the TEKLYNX website at www.teklynx.com.

LABELVIEW 8.0 is available in three main editions: Basic, Pro and Gold. All editions are shipped with an English Installation Guide, Quick Start Guide and CD.

## New Features

- New "Keyless Activation" software-based security scheme eliminates the need for a hardware key attached to the computer's port.
- For network (multi-user) versions, you now have the option of running the license management utility as a service (called License Service or SLicenseCtrl.exe).
- "Stretch to Fit" feature now supports the When Printed and Database data sources.
- Added the ID 422 (Country of Origin) to the drop-down list for UCC/EAN-128 Multi bar codes.
- Added support for native Data Matrix for Sato 400, Sato 410, and Sato 420 printers.

## New Printer Drivers

LABELVIEW 8.01 includes new drivers for the following printers:

**Native (V) Drivers**

**Datamax**

Datamax M-4206

Datamax M-4208

**Extended (X) Drivers**

**Argox**

Argox X-1000+D

**Avery**

Avery AP 7.t (203 dpi)

Avery AP 7.t (300 dpi)

**Datamax**

Datamax EX2

Datamax H-4212X

Datamax H-4310X

**EasyPrint**

EasyPrint COMMUNICATOR

EasyPrint CM 2" UniControl

EasyPrint CM 5" UniControl

EasyPrint IM 5" UniControl

EasyPrint IM 2" UniControl

EasyPrint SCM UniControl

EasyPrint SIM UniControl

EasyPrint TM 2" UniControl

EasyPrint TM 5" UniControl

**GODEX**

GODEX EZ-1100

GODEX EZ-1200

GODEX EZ-1300

GODEX EZ-2200

GODEX EZ-2300

**PAXAR**

PAXAR 9416M

**Sato**

Sato CT400

Sato CT410

**TEC**

TEC B-SA4 (203 dpi)

TEC B-SA4 (300 dpi)

**Toshiba**

B-852

B-SA4 (203 dpi)

B-SA4 (300 dpi)

B-SP4D

B-SV4D

B-SV4T

B-SX4

B-SX5

**Validated Technology**

VT360C

**Zebra**

Zebra 112 PAX4 (LH)

Zebra 112 PAX4 (RH)

Zebra 113 PAX4 (LH)

Zebra 113 PAX4 (RH)

Zebra 172 PAX4 (LH)

Zebra 172 PAX4 (RH)

Zebra 173 PAX4 (LH)

Zebra 173 PAX4 (RH)

Zebra R112 PAX4 (LH)

Zebra R112 PAX4 (RH)

Zebra R113 PAX4 (LH)

Zebra R113 PAX4 (RH)

Zebra S4M ZPL (203dpi)

Zebra S4M ZPL (300dpi)

Zebra S4M EPL (203dpi)

Zebra S4M EPL (300dpi)

# Fixes and Corrections

## General

- When installing on Windows Server 2003 and some Windows XP environments, in order for the online registration and other web site links to work from the program's Help menu, the TEKLYNX web site must first be added to your list of "Trusted Sites" in Windows. For detailed instructions on adding TEKLYNX to your Trusted Sites on a 2003 machine, search on "Trusted site" in the LABELVIEW online Help.
- All download commands are now sent in uppercase.
- Changed File menu wording - "Download Label to Printer" has been changed to "Download Label to Keyboard".
- Fixed issue with incorrect default installation directory for Italian and Spanish versions of Windows.
- The Date/Time Offset feature is now included in the Basic edition of the software.
- Fixed issue with fiscal date stamp where date would incorrectly roll over to next day.
- Fixed issue with date stamp where date offset was not working correctly.
- Fixed issue with decimal/hexadecimal conversions.
- Fixed issue with a serial file not converting or incrementing correctly.
- Program now shows correct page layout and Start Position for Avery label sheets.
- License Manager now refreshes correctly when users log on and off. Note: If the user list is not refreshing correctly to reflect the actual user status, verify that the users who are logging out have the required permissions needed (Modify rights) to delete their user listings as they log out.

## Bar Codes

- Data Matrix - Resolved issue where if a linked expression followed a linked object, the linked expression was being ignored.
- UCC/EAN-128 Multi - The AI 99 for Intra-Company (Internal) has been re-added and is now available for selection.
- UCC/EAN-128 Multi - Fixed issue with linked fields not being updated correctly.
- UPC-A Plus 2 - Fixed WYSIWYG problem with UPC-A Plus 2 bar codes and use of the Customize Font option.

### Database

- Fixed OLE DB issue where the memo field was being dropped from an Access database.

### RFID

- Fixed issue with extended (X) drivers where the variable list was not being updated correctly if the RFID source was a hidden text field.
- When an RFID tag has a link to a serial file field, the serial file field now increments correctly.

## Printer Specific Fixes and Corrections

**Extended (X) Drivers**

- Fixed issue with extended (X) drivers where the variable list was not being updated correctly if the RFID source was a hidden text field.

**Century**

- Century Falcon 4 (X) - Fixed issue with the Print Quantity command causing the driver to reset the print quantity at every interval of 256 (i.e., 256, 512, 1024...).

**Citizen**

- CLP (X) drivers – Made change to use correct multiplier for EAN and UPC bar codes.

**Datamax**

- Datamax M 4208 (V) - Fixed issues with corrupted bar code and text field settings.

**Sato**

- Sato CL408e (V) / M84Pro (X) 2 - Fixed font issues when switching back and forth between printers.
- Sato CT Series - Removed the "Clear Print Buffer" setting for the native (V) and extended (X) Sato CT series printers.
- Sato Ultralabel CT 420 - Modified extended (X) driver setup to default to print speed of 2, heat to 5, and Direct Thermal printing.

**TSC**

- TTP 344M (V) - Fixed issue with Date and Time stamps which occurred when "Download Format to Printer" was selected.

**Zebra**

- Zebra 110 Xi III (X) and Zebra 170 Xi III (X) - Fixed issues with printing a multiplier of 3 for a 1.900 x 1.00 label with an EAN-13 plus 5 bar code.
- Zebra 113 PAX 3 (RH) (X) - Issue with the drivers sharing values (Direct Thermal or Thermal Transfer setting) has been fixed and now works correctly with Direct Printing selected.
- Zebra 170 Xi III Plus (X) via USB001 and Zebra 170 Xi III Plus (X) via USB002 - Issue with the drivers sharing values (Adjust Vertical Origin setting) has been fixed and now works correctly with Direct Printing selected.
- Zebra 2746e (V) - Fixed issue with Date and Time stamp when source is set to Printer.
- Zebra TLP 2824 (X) - Fixed issue with vertical line appearing next to a graphic.

Copyright 2006 Braton Groupe sarl. All rights reserved. TEKLYNX and LABELVIEW are trademarks or registered trademarks of Braton Groupe sarl or its affiliated companies. All other brands and product names are the trademarks of their respective owners.

This release notes document is for informational purposes only. Product specifications are likely to change.