RELEASE NOTES – LABELVIEW v8.20.00
12 September, 2008

Table of Contents

System Requirements
New Features & Enhancements
New Device Support
Fixed Defects
Known Limitations
Compatibility with other TEKLYNX Software

System Requirements

Windows 2000 SP4
Windows XP SP2
Windows Server 2003
Windows Vista
Windows Server 2008

Installation requires administrator's privileges.

Back to Top

New Features & Enhancements

8.10.06

- **Works with Windows Server 2008** – LABELVIEW has received "Works with Windows Server 2008" certification for 32- and 64-bit systems

Back to Top

New Device Support

The following devices and their associated drivers have been added in this version:

v8.20.00

Manufacturer	Model
BRADY	BBP81 200 BBP81 300 BBP81 600
ZEBRA	MZ 220 MZ 320
TALLYGENICOM	7006 DT2 (203 dpi) 7006 DT2 (300 dpi) 7006 TT2 (203 dpi) 7006 TT2 (300 dpi) 7006 DT4 (203 dpi) 7006 DT4 (300 dpi) 7006 TT4 (203 dpi) 7006 TT4 (300 dpi) 7008 DT2 (203 dpi) 7008 DT2 (300 dpi) 7008 TT2 (203 dpi) 7008 TT2 (300 dpi) 7008 DT4 (203 dpi) 7008 DT4 (300 dpi) 7008 TT4 (203 dpi) 7008 TT4 (300 dpi)

v8.10.06

Manufacturer	Model
CITIZEN	CLP-631
DATAMAX	M-4206 Mark II M-4210 Mark II
DOMINO	CM5 IM5 V100 V200 V300+ 2" CM V300+ 5" CM V300+ 2" IM V300+ 5" IM V400 2" V400 5"
SATO	GL408e GL12e CT408i CT412i

	CT424i
ZEBRA	ZM400 (600 dpi) ZM600 (6000 dpi) 110XiIII Plus UHF (203 dpi) 110XiIII Plus UHF (300 dpi) 110XiIII Plus UHF (600 dpi) 110XiIII Plus HF (203 dpi) 110XiIII Plus HF (300 dpi) 110XiIII Plus HF (600 dpi)

Back to Top

Fixed Defects

Version	Ticket ID/ Defect ID	Description
8.20.00		
	13150	Using the UCC/EAN 128 Multi with AI of 21 does not increment correctly
	14276	DataWatch prints blank fields
8.10.06		
	BLUI-6NQQDS	Fixed issue occurring when a bar code is linked to an OLE DB text field with 256 or more characters for the field length.
	15994	Fixed issue occurring when linking a text field to a 2D bar code, which would result in an "Error 1058: Invalid item in expression" message.
	17586	When Printed fields will no longer clear after printing if the "Clear After Print" setting is set to NO.
	17753	Label inventory units of measurement now work correctly when using a network path.

Back to Top

Known Limitations

- Please note that if using Windows Server 2008, you may need administrator rights to perform certain actions such as printer installation/selection. Please verify that you have sufficient rights before performing these actions.
- The LABELVIEW installation may upgrade your system with 3rd-party components and files that are not yet Windows Server 2008 compliant because they may lack versioning information (like company name or version number) and/or they may lack a digital signature (please see the readme file for file names and locations).

Back to Top

Compatibility with other TEKLYNX Software

LABELVIEW 8.20.00 is compatible and fully tested to work with the following TEKLYNX software packages:

- Backtrack 6.00
- Pocket LABELVIEW
- LABEL ARCHIVE 2.04

Back to Top

Copyright 2008 Braton Groupe sarl. All rights reserved. TEKLYNX and its products are trademarks or registered trademarks of Braton Groupe sarl or its affiliated companies. All other brands and product names are the trademarks of their respective owners.

This release notes document is for informational purposes only. Product specifications are likely to change.