



LABELVIEW 2025 Release Notes

Version 2025.00.00

Table of Contents

System Requirements	3
Virtual Environment	3
LABELVIEW 2025 New Features, Improvements and Fixes	4
LABELVIEW 2024 New Features, Improvements and Fixes	5
LABELVIEW 2022 New Features, Improvements and Fixes	7
LABELVIEW 2021 New Features, Improvements and Fixes	9
LABELVIEW 2019 New Features, Improvements and Fixes	11
LABELVIEW 2018 New Features, Improvements and Fixes	15
LABELVIEW 2015 New Features, Improvements and Fixes	20
LABELVIEW 2014 New Features, Improvements and Fixes	22
LABELVIEW 2012 New Features, Improvements and Fixes	24
LABELVIEW 10 New Features, Improvements and Fixes	26
LABELVIEW 9 New Features, Improvements and Fixes.....	27
LABELVIEW 8 New Features, Improvements and Fixes.....	28
New Device Support.....	33
Known Limitations	72
Appendix - LABELVIEW Electronic document licensing.....	76

System Requirements

This product has been tested on the following Windows® operating systems:

- Windows®11 x64 Version 24H2 (Build 26100.3476)
- Windows® 10 x86/x64 Version 22H2 (Build 19045.5608)
- Windows® Server 2025 Version 24H2 (Build 26100.3476)
- Windows® Server 2022 Version 21H2 (Build 20348.3328)
- Windows® Server 2019 Version 1809 (Build 17763.7009)
- Windows® Server 2016 Version 1607 (Build 14393.7876)

Requires at least one printer driver installed on computer.
Installation requires **Administrator** privileges.

Virtual Environment

This product has been tested on the following Virtual Environment platforms:

- VMWare ESXi 8.0
- VMWare ESXi 6.0 vCenter 6.0 vSphere Client 6.0
- Citrix Hypervisor 8.2.0 Cumulative Update 1
- Microsoft Hyper-V Server 2022
- Oracle VM Virtual Box 7.1.6
- VMware Workstation 17.6.2

Note: To run LABELVIEW on a virtual machine, a VM license must be purchased. Please assess your technical environment requirements and needs surrounding Virtual Machine usage.

[Back to Menu](#)

LABELVIEW 2025 New Features, Improvements and Fixes

LABELVIEW 2025.00.00

New Features and Improvements	Version
NEW Electronic document licensing Refer to LABELVIEW Electronic document licensing appendix for detailed information. The trial version includes access to the native PDF/electronic output feature (eOutput). The eOutput add-on is available for purchase with a production license.	2025.00.00
NEW Support of new regulation GS1 Digital Link in GS1 Wizard	2025.00.00
NEW Windows Server 2025 Support - LABELVIEW 2025 can be run on the Windows Server 2025 operating system	2025.00.00
Label object properties - Allow view/read-only access to all label objects and variable properties for use with Runtime edition	2025.00.00
OData database connection - OData performance optimization	2025.00.00
Label templates - New Label Templates (VDA norm (automotive), and others)	2025.00.00
.NET Platform - Update to .NET 8 Framework	2025.00.00
IEC 61406 barcode Improvements	2025.00.00
Security improvements ensuring stronger data integrity (Secure Hash Algorithm - SHA-1 replaced with SHA)	2025.00.00
Installer - Default application installation improvements and control (Adobe and Access)	2025.00.00

Defect ID	Fixes	Version
91457	SQL LIKE not correctly accepted in SQL Query Builder	2025.00.00
91373-91915-91246	Non-printable logos from 2021 are printed with 2024.00.00	2025.00.00
91273	Decrementing counter adds leading zeroes	2025.00.00
90874	Picklists cannot be reordered	2025.00.00
90868	Open file issue with the command line (full path of the file was required)	2025.00.00
90853	Picture stretching when rotated	2025.00.00
93368	OnChangeFieldData is not fired when lookuptable value changes	2025.00.00
93137	Unstable VBA script on after print	2025.00.00

[Back to Menu](#)

LABELVIEW 2024 New Features, Improvements and Fixes

LABELVIEW 2024.00.00

New Features and Improvements	Version
NEW Licensing – Add options to easily renew/manage software license	2024.00.00
NEW Cloud printing - Leverage both the Zebra and SATO cloud printing functionality	2024.00.00
NEW Printing object - The object printing can optionally be printed based on a condition	2024.00.00
NEW Print Preview Rotation – New rotation button on Print Dialog to rotate preview clockwise and counterclockwise	2024.00.00
NEW OData and oAuth2.0 - Add support to OAuth 2.0 standard for OData database connection	2024.00.00
Network License Manager - Enhance User management: - Using Web License type, administrators will be able to disconnect any user in case of inactivity or other removal requirement - New option to define a user as permanent to maintain user license even if client software session is closed.	2024.00.00
Network License Manager installation – During installation: - Ability to define the user for the service - New option to select HTTPs mode	2024.00.00
Network License Manager - Ability to define Secondary license server	2024.00.00
Barcode - Add support for ISO/IEC 61406 regulation for QR CODE and DATAMATRIX barcodes	2024.00.00
GS1 Standard - Updated GS1 barcodes to meet GS1 General Specifications version 24.0	2024.00.00
When printed variables - Ability to show a When Printed variable once and retain data for future label printing	2024.00.00
Settings – “Load printer settings with the label” option can be specified per label or per application	2024.00.00
Settings – New option to print all database records by default	2024.00.00
Settings - New option to easily activate logs and traces	2024.00.00
Settings – New “Label designer font substitutions” dialog where font substitution rules can be managed	2024.00.00
Formula - Formula dialog box enhancements	2024.00.00

Ticket ID/ Defect ID	Fixes	Version
60226	Pasting variable in a paragraph only pastes the variable name	2024.00.00
67004	SQL statement with columns left, right or index does not work	2024.00.00
68832	WYSIWYG issue on PDF printer	2024.00.00
68833	Paragraph length changes after saving/reopening label	2024.00.00
68834	Variable definition in paragraph is lost after copy/paste of part of the text	2024.00.00
70040	Positioning incorrect when copying a text object while using the grid	2024.00.00
70577	Form input improvement	2024.00.00
70869	Improvement to "Copy all as an image"	2024.00.00
71905	Custom Counter does not accept upper and lower case characters in the counting sequence	2024.00.00
72143	Variable images do not update when changing default directory	2024.00.00
74930	Last search value kept when changing datasource	2024.00.00
75995	Font width incorrect when changing the printer	2024.00.00
78385	Improvement when importing Table Lookups via OData with large datasets	2024.00.00
80720	Improvement to Move Last	2024.00.00
82036	Align tools improvement to work with lines	2024.00.00
82623	Printed images are shrunk or stretched when Markem printers are used	2024.00.00

[Back to Menu](#)

LABELVIEW 2022 New Features, Improvements and Fixes

LABELVIEW 2022.00.03

New Features and Improvements	Version
Use in RDP – RDP Client installer is now available on the DVD	2022.00.03

Defect ID	Fixes	Version
74227	VBScript to change size of label does not work	2022.00.03
77035	'Helvetica Bolt' font is wider in design and printout compare to 2019 version	2022.00.03
77480	Carl Valentin DPM III xi107/12: Text Width incorrect	2022.00.03

LABELVIEW 2022.00.01

New Features and Improvements	Version
NEW Automatic extension for offline licenses – If the PC is connected, the extension of license is automatic (like for online licenses).	2022.00.01

LABELVIEW 2022.00.00

New Features and Improvements	Version
NEW Windows 11 Support - can be run on the Windows 11 and Windows 2022 Server operating systems	2022.00.00

Defect ID	Fixes	Version
67771	It should be possible to install NLM even if the setup fails to create a firewall exception	2022.00.00
63239	Some JPG were not displayed 2021 version	2022.00.00
61616	Formula issue: 0^2 result was 1 instead of 0	2022.00.00
64221-60231	Shared file for a variable with counter becomes locked in case cancel printing (next print job fails) or after printing with communication error	2022.00.00
56076-59969	vbscript - Docobject.visible, Variable.DisplayInForm properties were not updated	2022.00.00

59336	VBScript: Line Shape object is drawn incorrectly on the label design area when VBScript is executed	2022.00.00
60565	Form is not updated when variable is changed by VBscript	2022.00.00
52716	Page setup changes after switching printer	2022.00.00
60086	Some otf characters are not displayed correctly	2022.00.00

[Back to Menu](#)

LABELVIEW 2021 New Features, Improvements and Fixes

LABELVIEW 2021.00.02

New Features and Improvements	Version
NEW Licensing - Printer based licensing added	2021.00.02

LABELVIEW 2021.00.01

New Features and Improvements	Version
Operating System - Updated Operating System controls	2021.00.01

LABELVIEW 2021.00.00

New Features and Improvements	Version
NEW Labels and Databases on the Cloud – - Ability to open and save labels on Google Drive or OneDrive - Ability to connect label fields to databases from the Cloud (Google sheets, Microsoft Excel Online, OData Feed)	2021.00.00
NEW Touch2Print – New LABELVIEW tool designed to help you print labels from a Windows OS touch screen device	2021.00.00
Printer dialog box – - Ability to hide/show Windows printers - Ability to see original printer name after renaming - Printer search improvement includes family name in search pattern	2021.00.00
Variables – Ability to easily duplicate variables (excludes Database variables)	2021.00.00
Images from a database field - Add ability to read Images from database using BLOB (Binary Large Object) data types	2021.00.00
Shared variables – - New events at the application level have been added to provide the ability to create a VBScript to load / save shared value from a database - An option has been added to encrypt shared variables files	2021.00.00

Visual Basic Scripts – - VBScript library - now possible to define VBScripts at the application level enabling the use of a script in multiple labels - Variables with a VBScript are better identified in Data Sources view with a VBScript icon	2021.00.00
Form Editor – Wizard available to easily create and add variables onto a customized Form	2021.00.00
Form Designer/Form Viewer Add-ons – These Add-ons are now included as standard in LABELVIEW Pro product range	2021.00.00
Network License Manager - Updated with an option to manage communication between LABELVIEW and the Network License Manager using TCP/IP, in addition to file share	2021.00.00
Table Lookup – Ability to switch between a database query and a Table lookup	2021.00.00
Designer improvements – - New objects snapline option to snap an object to another object(s) or label by any edge - New Aligned distributed option for text alignment	2021.00.00
GS1 Wizard - Add GS1 Composite functionality to the GS1 Wizard	2021.00.00
Printer Code - Ability to see the printer code without printing to file	2021.00.00
SQL Query Builder – Integration of a new powerful SQL Query Builder	2021.00.00
Object specific options – Object specific options are kept on printer port changing	2021.00.00
Image Library – Implemented new image library	2021.00.00
GS1 Standard - Updated to latest application identifiers (GS1 General Specifications v.21.0.1)	2021.00.00
No longer supported - Discontinued support for Windows Server 2008 R2 and Windows 7	2021.00.00

Defect ID	Fixes	Version
42318-54666	The 'Open as read-only' option was missing in Open label dialog	2021.00.00
48407	Some PCX images were not displayed correctly	2021.00.00
52878	Incorrect data record was printed using ASCII table when data file contained empty lines	2021.00.00
54594	Database grid was not updated on print form	2021.00.00
53292-40879-54318	High CPU/processor resource usage with Click Print	2021.00.00
54594	Database grid was not updated on print form	2021.00.00
54637	Crash with some text fonts	2021.00.00
54944-49153	ROP issues related to certain printer settings	2021.00.00
56740-55637	Encoding error in Data Matrix code	2021.00.00
58023	"Too many sessions" message when printing from multiple Excel sheets	2021.00.00

50605	Image object: some supported formats (*.cgm, *.dxf, *.plt, *.svg, *.tiff) don't display in the wizard	2021.00.00
-------	---	------------

[Back to Menu](#)

LABELVIEW 2019 New Features, Improvements and Fixes

LABELVIEW 2019.02.00

New Features and Improvements	Version
NEW Formula - New formula for VDA 6bits encoding	2019.02.00
Dealer DEMO license - Information related to the use of Dealer DEMO license is better displayed Note: The use of a Dealer DEMO license for internal or external label printing for production or sale is strictly prohibited and is a violation of the license agreement	2019.02.00
WYSIWYG - Redesign improvement with overlapping objects, with black/White reversed text and with bold italic Windows font	2019.02.00
High resolution images WYSIWYG - Display improvement with high-resolution images	2019.02.00
PDF images display - Improvement of PDF images display	2019.02.00

Ticket ID/ Defect ID	Fixes	Version
48873	With TSC printers, text with different printer font size was outside the box	2019.02.00
46152-43664-45465	Transparency issue in paragraph when line spacing is reduced	2019.02.00
36456	Cyrillic letters were not displayed correctly with some Printer fonts for "Tec B-SX4" THT Printer	2019.02.00
37723	Using some Windows printers, text with italic option was displayed slightly cut and out of frame	2019.02.00
38871	Black-and-white .wmf Image with background, checked 'Negative' option was displayed incorrectly using a thermal printer	2019.02.00
40125	Polygon shape applied to text object was not displayed using a thermal printer	2019.02.00
49363	Designer interface was not displayed when launched through a Remote Desktop Web Access site	2019.02.00
49562	SQL Query Builder error using SQL Anywhere provider and using variables in the query	2019.02.00

49248	Opening old labels with rectangles having specific positions did not display the rectangles	2019.02.00
49495	Display issue on some system when using the hardware acceleration. An option has been added in cs.ini to switch off the hardware acceleration	2019.02.00
47658	Can't copy and paste into an existing field, a new field was created instead	2019.02.00
49335-49275	Performance viewer gave wrong information in some specific cases with formulas	2019.02.00
51030	If the connected database was updated while the query result dialog was opened, the wrong record may be printed	2019.02.00
51850	With excel database connection, no warning was displayed if column headers contained space, prefix or suffix and database was not connected	2019.02.00

LABELVIEW 2019.01.00

New Features and Improvements	Version
GS1 Standard - Updated to latest application identifiers (GS1 General Specifications Release 19.1)	2019.01.00
Binaries signature - Binaries are now signed for better security and compatibility	2019.01.00
Printer drivers - New protection system for Markoprint printers	2019.01.00

Ticket ID/ Defect ID	Fixes	Version
48562-48556- 48563-48590	Form variables order was not correct when opening lab files made with older versions	2019.01.00
48574	Issue with multiple selection with mouse on print/more panel	2019.01.00
48584-48465	Fonts are no longer continuously scalable	2019.01.00
44858-44857	LABELVIEW 2018 Variables Date was not refreshed with VBScript	2019.01.00
47507-47485	Display problem when using inverse text	2019.01.00
47805-47851	Counter option 'Reset after data source change value' was unable to be selected for Advanced variable	2019.01.00
47904-47890	Colored rectangle was not displayed correctly	2019.01.00
48440-48439	SQL query was not accepted if an INNER JOIN was used	2019.01.00
48465-48464	Object Width + and - icons was not working with Text field objects	2019.01.00
48860- TKX- 155532-GOR2	When a database header has a "/" it was not visible in the Simple Print Database form	2019.01.00

49190-49187	The preview crashes using Chinese language	2019.01.00
-------------	--	------------

LABELVIEW 2019.00.01

New Features and Improvements	Version
NEW Updated the default Trial software mode to LABELVIEW Pro	2019.00.01

LABELVIEW 2019.00.00

New Features and Improvements	Version
NEW Feedback - Added the ability for users to send product feedback through the product, Help > Send feedback	2019.00.00
NEW Form Editor - Ability to customize the 'When printed' form and variables, leveraging several data entry controls such as calendar, radio buttons, checkboxes, images, and more	2019.00.00
NEW GDPR - Alignment with the General Data Protection Regulation (GDPR) privacy policy requirements	2019.00.00
NEW Object options - Added object group/ungroup capabilities (right-click)	2019.00.00
NEW Printer search - Ability to search both, list of all native printer models and previously added printers	2019.00.00
NEW Barcode fit-to-frame - Ability to set barcode width parameters	2019.00.00
Dialog windows - Updated the following GUI dialog windows: Print, About, Objects Order, Shared data sources Management, Printing Log File, Tagged Text Management, Form Customization, RichTextField Input	2019.00.00
GS1 Wizard - Improved the user interface and AI (application identifier) data entry, including the ability to update an existing GS1 barcode using the wizard	2019.00.00
GS1 Standard - Updated to latest GS1 standard and application identifiers	2019.00.00
Image properties - Updated image mode default to 'Zoom'	2019.00.00
Objects order - Enhanced Object order selection and organization functionality	2019.00.00
Object options - Added object alignment functionality (right-click)	2019.00.00
Password - Updated application level password with confirmation field	2019.00.00
Print - Added infinite print to enable an array of print scenarios when used in conjunction with Portwatch and the print form	2019.00.00
Print dialog - Added 'Last used' print dialog start tab selection	2019.00.00

Print dialog - Ability to set printing interface default: General, Form, Database, or Last used	2019.00.00
Picklist search - Ability to search using multiple-character strings	2019.00.00
Printer grouping - Copies of added printer models are now grouped together alphabetically	2019.00.00
UPC-A barcode - Display human readable Check Digit as default	2019.00.00
Security - Added TLS 1.2 encryption for secure internet communications	2019.00.00
No longer supported - Discontinued support for Windows Server 2003 and Windows XP in 2019 moving forward	2019.00.00

Ticket ID/ Defect ID	Fixes	Version
47352-47356	Data Matrix - label display is different than final print	2019.00.00
46476-46523	Application should select native printer driver instead of Windows driver equivalent when same printer name exists (same as in v2015)	2019.00.00
TKX-140491- K4L2-43333	Scroll bar does not allows navigation to entire label when screen is not maximized in some circumstances	2019.00.00
TKX-147377- B8J4-46663	SQL Query Builder issue when using Microsoft Text Driver ODBC driver	2019.00.00
44920-44942	Unable to change Image color using bottom Color toolbar	2019.00.00
44898-44899	Alignment change by script not effective on screen	2019.00.00
44615-44645	Human readable mask not applied when using free positioning	2019.00.00

[Back to Menu](#)

LABELVIEW 2018 New Features, Improvements and Fixes

LABELVIEW 2018.01.01s

New Features and Improvements	Version
NEW USB Protection - Compatibility with SD dongles	2018.01.01s (aka 2018.02)

LABELVIEW 2018.01.01

Ticket ID/ Defect ID	Fixes	Version
43937-43938	XLSX database connection issues	2018.01.01

LABELVIEW 2018.01.00

Ticket ID/ Defect ID	Fixes	Version
42920-42921	View mode name (x) is not respected when drag and drop of variable in paragraph in edit mode	2018.01.00
42936-42937	Drag and drop of variable on a paragraph should end edit of previous paragraph	2018.01.00
42925-42926	Heterogeneous paragraph, texts are not aligned to baseline in v2018	2018.01.00
42102-42103	Wrong PDF format when inserted in LABELVIEW v2018	2018.01.00
40903-41005	WYSIWYG issues on existing label designs	2018.01.00
42041-42043	Stretch Mode None display image too big	2018.01.00
40220-40221	Single Excel database access with different layouts	2018.01.00
41692-41693	Error when trying to create Table Lookup variables one-by-one	2018.01.00
39125-39128	Text field disappears after switching View Mode	2018.01.00
39100-39107	WYSIWYG issue with TTF fonts	2018.01.00
40222-40223	Error when selecting database search, from label form input display	2018.01.00
39528-39592	Barcode with Free Human has wrong values displayed on label design	2018.01.00
40999-41000	Text field edit mode not exit automatically when printing	2018.01.00

39109-39112	WYSIWYG issue when using Windows graphical emulation	2018.01.00
39103-39110	Search in database not triggered by entry key	2018.01.00

LABELVIEW 2018.00.00

New Features and Improvements	Version
NEW Image options - Created an option to launch directly the default image editor through the image by right clicking on the image, and selecting 'Edit' from the image's context menu. Image can be saved to overwrite the existing label image	2018.00.00
NEW License - Quickly confirm available product deactivations for a license in the Help>About screen, or through License Manager for a network license	2018.00.00
NEW Database access - Ability to load data from Access/Excel without requiring a full install of Microsoft Office. The Microsoft Access Database Engine 2010 Redistributable package is included, providing connectivity to MS Access and MS Excel using Office 2000\2003\2007 formats (.mdb, accdb, .xls, .xlsx)	2018.00.00
NEW Formula - An ASCII table is now available to easily select a value and add to a formula	2018.00.00
User interface - The overall user interface is updated with a cleaner design, including updated colors, icons, and toolbars. The navigation icons are configurable to change the size (small or large), or add/remove large icon text	2018.00.00
Formula - Created commonly used barcode specific formulas to easily add associated characters and functions	2018.00.00
Formula preview - The formula properties now has a dynamic preview (including errors) for the selected formula	2018.00.00
Objects - When moving objects on a label, the original location of the image remains viewable to assist with design	2018.00.00
Objects selection - Easily find associated label elements by selecting the desired label element, data source, or object, and all corresponding elements are visually identified	2018.00.00
Shared variables - Shared variables are now easily identifiable by the visible shared icon	2018.00.00
Status bar - The bottom status bar is clickable, providing easy access to associated dialogue boxes (i.e. Printer settings, Help>About, Properties for selected label element)	2018.00.00
Documents panel improvements - - A modified mark (*) in each document tab header is added if the document was changed. It's convenient to the contextual menu is extended with more option like accessing the document properties - A close button (X) on each document tab - Ability to float (label) documents for label-to-label comparison	2018.00.00

Extended object - The process to create extended object is now similar to other objects. After selecting the extended object type, click on label to create the object at this position. Previously, the object was automatically added to the upper-left corner of the label document	2018.00.00
Help menu - The Help menu now contains links to online resources: Administrator's guide, User guide, Tutorial, and Customer Support	2018.00.00
Toolbars - Toolbars are configurable to select docking position (Top/Left/Right/Bottom). NOTE: Toolbars no longer float	2018.00.00
Toolbar options - From the toolbar, the 'Variable name' (Data sources) and 'Object name' dropdown lists display each item with an icon representing its type for easy identification	2018.00.00
Settings - Moving forward, settings will be retained on upgrade. To preserve settings, a generic path will be used - C:\ProgramData\Teklynx\LABELVIEW	2018.00.00
Label/Page setup dialog - Quickly open the 'Label/Page setup' dialog by double click on free label area	2018.00.00
Objects view - Added a context menu for Objects in Objects view, similar to the existing Variable from Data sources View	2018.00.00
Printer settings - The current printer settings are now retained when making changes to printer ports	2018.00.00
Variable properties - The Variable length default value remains 100, however, it can be extended up 65,000 (max int) NOTE: For drivers, the max value remains 32767 to avoid risk and impact on some drivers that use this max value	2018.00.00
The Log file dialog is extended - - Ability to generate a 'Daily based filename' - Ability to select extension of log file	2018.00.00
Document properties dialog Icon updates - - Icons for General, Summary, Statistics and Review available in all products - Icon for Visual Basic Scripting is available for LABELVIEW Pro - Icon for Extended available is available for LABELVIEW Runtime - All Icons are available in LABELVIEW Gold	2018.00.00
Visual Basic Scripting - The icon for VB Scripting tab (properties dialog) is updated if script exists for an object, variable or document. The icon helps identify objects with active VB Scripting	2018.00.00
Object properties - Prevent multiple objects editing through Properties dialog to avoid unintended changes that may break a portion of the selected objects. To avoid this, context menu for multiple selected objects and variable is updated. The "Properties" menu now displays sub-items with names of the selected objects or data sources	2018.00.00

Control variables - Created control variables for watermark text adjusting: @WATERMARKTOPPOS - top watermark text position on the label @WATERMARKLEFTPOS - left watermark text position on the label @WATERMARKFONTSIZE - watermark font size (16 points by default) @WATERMARKFONTNAME - watermark font name to use (Arial by default) @WATERMARKROTATE - watermark rotation (0 by default)	2018.00.00
GS1 barcode properties - Added a GS1 Stackable Checkbox to enable stackable GS1 codes GS1 wizard is updated to the current GS1 specification v18: • Add new items: 8112,416,7020, 7021, 7022, 7023, 22, 714,8013 • Adjust Als size: For AI 91-99 maximum length should be changed from 30 to 90 • Adjust Als description: • For 8006 from "Identification of the Components of a Trade Item" to "Identification of an individual trade item piece" • For 20 from "Variant Number" to "Internal product variant" • Renamed AI: 240 Additional product identification assigned by the manufacturer Old name: Additional Item Identification • Adjust associations: • Update association for AI 8019 with 8017 or 8018 • Update association for AI 17 with 01 or 02 or 255 • Update association for AI 394, 8111 with 255 • Update association for AI 7020,7021,7022 with 01 • Update association for AI 8012 with 01 • Update association for AI 714 with 01	2018.00.00
HIBC Wizard - HIBC Wizard is updated in accordance to current HIBC regulation	2018.00.00
Printer port - A new dialog to create local ports is now available, providing the same functionality as the system dialog. This dialog can be reached in 2 ways: • Open "Printer" dialog, click on "Add" button and then click on "Create new port" • Open "Change printer port" dialog If you run the application without administrative rights, the button "Create new port" will be disabled in all dialogs Only adding additional printer ports using LABELVIEW is allowed. To remove ports, navigate to the system dialog in system settings. You can remove only manually added TCP IP ports. A port cannot be created with unsupported symbols (for example: with the symbol '/'), or with the port name that already exists	2018.00.00

Oracle database - For Oracle database connections, the logic of enumerating tables, views, synonyms, etc., is fully redesigned. Oracle specific SQL queries for system tables are now used. The execution of the specific SQL queries is significantly more efficient than using other provider methods. The SQL Query builder is unchanged (3rd party module)	2018.00.00
Objects - Multiple item selection and management improved, can now: • Drag and Drop all many Samples labels in designer • Perform document switching with very complex labels • Significantly increased performance for multiple Table lookups • Text selection with many linked variables • 'Select All' objects with label that includes many objects (>300)	2018.00.00
License Manager - Product license activation window is now included at the end of the installation process	2018.00.00
Formula - Added the ability to suppress blank rows in a paragraph using the SuppressBlankRows formula within a variable	2018.00.00
Text properties - The font window now shows the most recently used fonts, the current font, and each font is displayed in its corresponding style	2018.00.00
Text properties - Font list is now navigable through multiple character keyboard entry to quickly find the desired font	2018.00.00
Barcode properties - Ability to search for a barcode within the Barcode Wizard	2018.00.00
Barcode properties - Added X-dimension (mils) measurement to barcode properties	2018.00.00
Templates - Added a static File menu option for easy access to the Template folder directory	2018.00.00
Licensing - A Virtual Machine (VM) License is no longer required for the Microsoft Surface Pro	2018.00.00
No longer supported - OLE Object and OCX field are no longer used in v2018. Prior labels with such objects, the object is converted to an image	2018.00.00

Ticket ID/ Defect ID	Fixes	Version
24928- TKX-88803-T3F6	Disabling "Print when enter key is pressed" not working for Direct Printing	2018.00.00
27193- TKX-97908-M3S8	Key Upgrade tool is started when old dongle is connected	2018.00.00
27202- TKX-97370-X5Z5	Network version only sends emails if the License Service Controller is open	2018.00.00
27204- TKX-90337-L6K5	Table Lookup wizard not working with CSV connections	2018.00.00

27208- TKX-92510-N1F0	Database Manager - Database view crashes on print screen	2018.00.00
31651- TKX-101150-B9Z1	Labels are not printed in the requested order when printing from the search option	2018.00.00
31795- TKX-101514-X1J2	Incorrect GHS Symbol naming	2018.00.00
27199- TKX-95639-H9N4	DB connection and free variable displaying issue when both are named equally	2018.00.00

[Back to Menu](#)

LABELVIEW 2015 New Features, Improvements and Fixes

LABELVIEW 2015.01.00s

New Features and Improvements	Version
NEW USB Protection - Compatibility with SD dongles	2015.01.00s aka 2015.02

LABELVIEW 2015.01.00

Ticket ID/ Defect ID	Fixes	Version
24994	Database query with parameter crashes when the value of the parameter is changed	2015.01.00
24917	Label that contains complex formulas hierarchy can takes long time to load and evaluate	2015.01.00
24945	Specific formula DLL crash during call to custom function	2015.01.00
24981-TKX-90393-R3N5	Shared counter not incrementing on first page	2015.01.00

LABELVIEW 2015.00.00

New Features and Improvements	Version
NEW New Barcodes - Grid Matrix and DotCode are now available	2015.00.00

GS1 - New AIs: The following Application Identifiers are now available in GS1 wizard: AI 243/AI 255/AI 427/AI 710-712/AI 8017/AI 8019/AI 8200	2015.00.00
File open dialog - The File open dialog is now based on Windows 8 style	2015.00.00
Pick List enhancement - It is now possible to change pick list values dynamically based on another variable (file, database...)	2015.00.00
RTF enhancement - It is now possible to insert variable(s) in a RTF field Note: Variable name should not contain the \ character	2015.00.00
Tagged Text Management - It is now possible to define font name and color attributes for foreground and background	2015.00.00

Ticket ID/ Defect ID	Fixes	Version
24307-TKX-83120-P2P9	Number of printed labels are incorrect in direct mode with a 2 layered label	2015.00.00
22964-TKX-71556-L8N5	Some TT font are missing in TextArt field	2015.00.00
24366-TKX-83385-X3L7	Error when using table names with spaces in SQL query	2015.00.00
22687-TKX-67907-M0W5	Default margin settings checkbox is missing	2015.00.00
21462-TKX-58309-R4B4	Label is printed around 30% smaller as on screen with Avery DPM6 or 64-04	2015.00.00
21463-TKX-58310-N8F1	Label objects start flickering in content view mode when using database	2015.00.00
21065-TKX-54956-L8X0	Font width changes after edit properties validation	2015.00.00
22687-TKX-67907-M0W5	Default margin settings checkbox is missing	2015.00.00
22899-TKX-70749-T0S2	TextArt outline property crashes with Windows7/8	2015.00.00
22900-TKX-70750-W4H9	MS SQL Server Type bigint does not work	2015.00.00
21789-TKX-64186-T1N9	Upper / lower case problem in When Printed variable	2015.00.00

[Back to Menu](#)

LABELVIEW 2014 New Features, Improvements and Fixes

LABELVIEW 2014.00.00s

New Features and Improvements	Version
NEW USB Protection - Compatibility with SD dongles	2014.00.00s

LABELVIEW 2014.00.00

New Features and Improvements	Version
NEW New formulas - New formulas are available to calculate check digit for Voice code (CRC-16) and PZN	2014.00.00
NEW LABELMATRIX converter - A new converter allows converting labels coming from the LABEL MATRIX designer	2014.00.00
GS1 - QRCode - The GS1 wizard now supports QRCode	2014.00.00
VB Scripts - VB Scripts can be defined at multiple levels (Document, Objects and Data sources) and triggered for different events	2014.00.00
Tagged Texts management - This feature allows you to format parts of text based on tags (such as bold, italic, underline). This can be used, for example, to highlight allergens in compliance with new food labelling standards (European regulation 1169/2011)	2014.00.00
System Event Viewer - License events are logged in the System event viewer. This allows tracking of important information about the License (i.e. License is about to expire, License is expired, License not found...)	2014.00.00
Label import from vector image - The label import capability based on vector format (ie DXF, WMF,...), allows the fixed part of the label to be created in a click (text, image, lines, etc....) only the data source part remains to be created. This is useful when the design of template labels is initially created in a CAD software	2014.00.00
Print dialog - It is now possible to keep the Print dialog box open after the print job to create subsequent print jobs without having to reopen it	2014.00.00
Form Designer and Network License - Form Designer is now supported with Network Licenses	2014.00.00
Database Manager Improvements - Column widths are now persisted to avoid resizing. Added support for default field values when adding a record	2014.00.00
Evaluation mode removed - When no valid license is found the application can no longer be executed	2014.00.00

Network Tolerance - In case of network disconnection, it is possible to define a tolerance period (max. 480 minutes). By default, there is no tolerance (0 minute). If the network is disconnected, the labeling software stops working. Note: The tolerance begins after about 6 minutes of connection to the server and the user token will be locked during the tolerance period	2014.00.00
--	------------

Ticket ID/ Defect ID	Fixes	Version
21292-TKX-56685-X0V6	ClickPrint adds lots of temp files during each launch	2014.00.00
21015-TKX-54462-G1P5	BestBefore formula always display result in English	2014.00.00
20908-TKX-52827-M9Z6	FiletoData function doesn't manage Unicode text files	2014.00.00
20543-TKX-48168-B1Q1	Click Print doesn't display labels with background images correctly	2014.00.00
20209-TKX-43832-W4Y4	Connection issue with the pervasive OLE DB Driver	2014.00.00

[Back to Menu](#)

LABELVIEW 2012 New Features, Improvements and Fixes

LABELVIEW 2012.01.00

Ticket ID/ Defect ID	Fixes	Version
20421-TKX-46668-K6D8	Impossible to select a native printer driver with Database Manager on some computers	2012.01.00
20320- TKX-37377-V7L8	Driver for Avery 64-05 printer prints labels one by one when using page format '2 labels in a row'	2012.01.00
20229-TKX-43832-W4Y4	Application does not work with the pervasive OLE DB Driver	2012.01.00
18765- TKX-27669-W0F6	Combo box in Form Designer does not allow user to select fields from a database	2012.01.00
19327- TKX-35645-M6Q7	Application crashes at print time with huge print log file	2012.01.00
20059- TKX-42049-F9C5	Form customization cannot be set to higher than 510	2012.01.00
20165- TKX-43493-N8X2	New label wizard changes values entered for label size	2012.01.00
19411- TKX-36286-T1R1	Reset counter on variable change malfunction	2012.01.00
19911- TKX-39776-N6Q9	Shared variables management improvement	2012.01.00

LABELVIEW 2012.00.00

New Features and Improvements	Version
NEW Windows 8 Support - LABELVIEW 2012 can be run on the Windows 8 operating system	2012.00.00
Image transparency - It is possible to define for image object a color that will be used to define transparency	2012.00.00
Uniscribe management - This resolves issue with specific language manipulation (Japanese, Chinese, Arabic,...) and when there is mixture of Right to Left (Arabic) and Left to Right text	2012.00.00
Evaluation mode - In Evaluation mode, printing is not possible anymore	2012.00.00

Ticket ID/ Defect ID	Fixes	Version
17616 - TKX-22864-S6M1	Table ALIAS not accepted with where clause	2012.00.00
18043 - TKX-20389-V0Q8	Fields keep old value when query does not return record	2012.00.00
18023- TKX-17061-V0N0	Linked counters update issue with 2 labels per row	2012.00.00
18041 - TKX-20052-Q4P7	HIBC Wizard omits \$\$ when using date format YYJJJ and separate bar codes	2012.00.00
18550-TKX-25914-R4G3	Focus was not on quantity field and new printing box	2012.00.00
18567-TKX-24684-S5C7	Bar width of 2/5 interleave barcode not printed correctly in case of some ratio	2012.00.00
18031-TKX-25387-R9R4	Codabar checksum not calculated correctly	2012.00.00

[Back to Menu](#)

LABELVIEW 10 New Features, Improvements and Fixes

LABELVIEW 10.00.00

New Features and Improvements	Version
NEW Clip mode for Image - This new option allows an image to be clipped to the shape	10.00.00
NEW New Barcodes - Micro QRCode, ISBT128 Wizard, Kix Code, Japanese post, Australian post, Telepen, and Code 1	10.00.00
When Printed - Printing has been made easier when using When Printed variables	10.00.00

Ticket ID/ Defect ID	Fixes	Version
15505	The software does not prompt to save .csq files unless a change to the query has been made	10.00.00
15504	I cannot use the same date characters in the Best Before function as I can in the Date Stamp function	10.00.00
15684	Click Print does not function the same as it did in LABELVIEW 8	10.00.00
15221	There is an error when creating a DBF database	10.00.00
15503	The Arial Unicode bold font is not converting properly	10.00.00
15850	The connection to my SQL database is failing when I create it in Form Designer	10.00.00

[Back to Menu](#)

LABELVIEW 9 New Features, Improvements and Fixes

LABELVIEW 9.00.00

New Features and Improvements	Version
NEW New Wizards: Wizards are available to assist with creating new labels and adding barcodes, images, text, and variables	9.00.00
NEW Form Designer: The Form Designer allows you to create a custom printing interface, which simplifies printing for print users and reduces user error by eliminating the need to search for labels. The Form Designer replaces Label Select by offering a graphical approach to selecting the label and label data	9.00.00
Updated Printing Interface: The Quick Print interface has been updated to include a live preview. As you select database records or enter When Printed text, the preview will update to display the data that will print on the label. The print interface has also been updated to provide quick access to the When Printed inputs that are needed every time you print, but retain the ability to change printer settings and quantity in the same window	9.00.00
Additional Activation Options: Protection method updates have provided additional activation options. You can now activate LABELVIEW from a separate workstation using a USB drive, along with online activation, online by proxy, phone, and e-mail activation. The activation wizard automatically selects online activation if you are connected to the Internet	9.00.00
Layers Feature: The Layers feature has replaced run separators, offering more flexibility and an easy-to-use interface. Layers give you the option to add a unique header and footer to each batch of labels	9.00.00
Data Sources Categories: Data sources can now be organized in sub-categories at a display level (Data Sources view)	9.00.00

Ticket ID/ Defect ID	Fixes	Version
50633-19502 46715-18862	Formula Bestbefore does not work with Julian day (jj)	9.00.00

[Back to Menu](#)

LABELVIEW 8 New Features, Improvements and Fixes

LABELVIEW 8.50.03

Ticket ID/ Defect ID	Fixes	Version
18410	DSN not found error appears when opening older version labels	8.50.03
18700	Modulo 24() needs 13 symbols	8.50.03
18699	Problems occur when using the When Printed field	8.50.03
18697	My human readable font displays incorrectly when using a custom font with UPC-A	8.50.03
18804	The application freezes when resizing fields that use a .OTF font	8.50.03
18664	Aztec barcode only generates up to the first bar character	8.50.03
18442	When using Code 39 Mod 43 with custom font, it strips the last character and check digit on the human readable text	8.50.03
18964	The number 1 is added to the barcode when printing	8.50.03
18373	Counter adding with linked variable to a Code128 does not print in version 8.20.04	8.50.03
18663	The 96XI III (V) driver is not available	8.50.03
16777	The barcode is always left justified with When Printed data	8.50.03

LABELVIEW 8.50.01

Ticket ID/ Defect ID	Fixes	Version
18645	When I print using the new version of the software, the database shows blank	8.50.01
18650	When using an ODBC connection, only the fields used on the label show in the database	8.50.01
18648	When connecting to an Excel spreadsheet with OLEDB, only fields on the label display at print	8.50.01
18646	Software cannot display database	8.50.01

LABELVIEW 8.50.00

New Features and Improvements	Version
-------------------------------	---------

NEW Windows 7 Support: LABELVIEW 8.50.00 can be run on the Windows 7 operating system	8.50.00
Updated GHS Icons: Additional GHS icons are available in LABELVIEW 8.50.03	8.50.00

Ticket ID/ Defect ID	Fixes	Version
13545	Justification does not work with a Comwatch field	8.50.00
14928	UCC/EAN 128 Multi shifts to the right when printing	8.50.00
16381	Job Modifier data is truncated for Sato (X) drivers	8.50.00
16413	Command file Maxicode barcodes from database do not update	8.50.00
17026	PDF417 does not increment with Printer as the increment method	8.50.00
17405	When using a Commwatch field, the other When Printed fields shift to the left	8.50.00
17708	Error 1855 occurs when trying to save a modified label that has a password	8.50.00
18011	RF tag positioning display units change from millimeters (mm) to inches (in)	8.50.00

LABELVIEW 8.20.04

Ticket ID/ Defect ID	Fixes	Version
17530	Cannot use Cyrillic and Polish characters in one label	8.20.04
17094	Black box not printed properly	8.20.04
17321	Select True Type fonts do not display after upgrading from previous version of LABELVIEW	8.20.04
16830	Incorrect Error Correction level in PDF417 barcode	8.20.04
17121	WMF picture display error after upgrade from Version 7	8.20.04
17122	When using Command files, the error log is not created upon failure	8.20.04
16933	Unable to print .bmp and .png graphics under specific circumstances	8.20.04
17379	Issues when creating a GS1 Data Matrix barcode	8.20.04
16964	Cutter will not cut after a batch or print job, only after individual labels	8.20.04
17644	Error 1855 occurs when trying to save a modified label that has a password	8.20.04

17955	Database connection incompatibility between LABELVIEW 6 and LABELVIEW 8 on all DBMS (Data Base Management Systems), including AS400, Oracle, and SQL. NOTE: If you transfer labels to LABELVIEW 8 from older versions using server databases like Oracle, MS SQL, or DB2, note the following: The first schema (in alphanumeric order) that contains the selected Table in the Object Properties will be used. This means that if you have two different schemas that contain the same Table, you must edit the label in LABELVIEW 8, reopen the Database Object Properties, and check its settings for the data source.	8.20.04
-------	---	---------

LABELVIEW 8.20.03

Ticket ID/ Defect ID	Fixes	Version
15188	LABELVIEW crashes when selecting multiple text objects and changing the text properties	8.20.03
15295	When using CommWatch as a key field, the printer only prints out the record	8.20.03
15297	Click Print does not open a label with the correct printer	8.20.03
15310	Command File printing results in dropped label fields	8.20.03
15824	When Printed fields are cleared when using the scrolling option	8.20.03
16027, 16389	When Printed fields are cleared after the label is closed	8.20.03
16032	Modified When Printed fields do not print the new information	8.20.03
16062	gtdbdebgl.dll crash error occurs when opening label with ODBC connection and ODBC error logging turned on	8.20.03
16164	GDI objects increase with each print job sent, leading to printed blank labels	8.20.03
16225	DB field value is incorrect on the first printed label when multiple records are selected	8.20.03
16317	When printing an EAN multi with a counter, the leading zero is missing	8.20.03
16403	When a label has an invalid value assigned to a data field, print errors occur and stop the printing process. An option has been added to suppress the error messages	8.20.03
16480	Multiple records are incorrectly shown after Unselect All	8.20.03
16737	Incorrect data is sent to the printer for the UPC-E barcode	8.20.03
16739	UCC/EAN 128 barcode displays incorrectly using any data source except Fixed	8.20.03
16764	Error when barcode and graphic are both positioned on a label for AutoLabel printers	8.20.03
16789	Information drops from label after 3,000 prints	8.20.03
16851	After 20 print jobs are sent, the database information on the label is missing	8.20.03

17024	TrueType fonts are changed to printer fonts when changing print in same Zebra family (X)	8.20.03
-------	--	---------

LABELVIEW 8.20.01

Ticket ID/ Defect ID	Fixes	Version
13753	Serial file with EAN 128 barcodes have excessive white space on the right side	8.20.01
14501	Error opening file names containing periods	8.20.01
15040	EAN 13 barcode does not display correctly with TEC B-SA4	8.20.01
15180	FNC1 incorrectly placed after data for AI (410)	8.20.01
15910	OLEAutomation:LabelDocument.PrintLabel() no longer selects the correct record for paragraphs	8.20.01
16028	Incorrect records are printed from .dbf files when a quantity is entered	8.20.01

LABELVIEW 8.20.00

Ticket ID/ Defect ID	Fixes	Version
13150	Using the UCC/EAN 128 Multi with AI of 21 does not increment correctly	8.20.00
14276	DataWatch prints blank fields	8.20.00

LABELVIEW 8.10.06

New Features and Improvements	Version
NEW Works with Windows Server 2008: LABELVIEW has received "Works with Windows Server 2008" certification for 32- and 64-bit systems	8.10.06

Ticket ID/ Defect ID	Fixes	Version
BLUI-6NQQDS	Fixed issue occurring when a barcode is linked to an OLE DB text field with 256 or more characters for the field length	8.10.06
15994	Fixed issue occurring when linking a text field to a 2D barcode, which would result in an "Error 1058: Invalid item in expression" message	8.10.06

17586	When Printed fields will no longer clear after printing if the Clear After Print setting is set to NO	8.10.06
17753	Label inventory units of measurement now work correctly when using a network path	8.10.06

[Back to Menu](#)

New Device Support

The following devices and their associated drivers have been added in this version:

New devices in version 2025.00.00

Manufacturer	Model	
AMETIS	AMX4 200	AMX4 300
BROTHER	Brother TD-2310D (203 dpi) Brother TD-2310D (300 dpi) Brother TD-2320D (203 dpi) Brother TD-2320D (300 dpi) Brother TD-2320DF (203 dpi) Brother TD-2320DF (300 dpi) Brother TD-2320DSA (203 dpi) Brother TD-2320DSA (300 dpi)	Brother TD-2350D (203 dpi) Brother TD-2350D (300 dpi) Brother TD-2350DF (203 dpi) Brother TD-2350DF (300 dpi) Brother TD-2350DFSA (203 dpi) Brother TD-2350DFSA (300 dpi) Brother TD-2350DSA (203 dpi) Brother TD-2350DSA (300 dpi)
CAB SQUIX Series	SQUIX 4 M (300 dpi) RFID SQUIX 4 M (600 dpi) RFID SQUIX 4 MP (300 dpi) RFID SQUIX 4 MP (600 dpi) RFID	SQUIX 4.3 M (200 dpi) RFID SQUIX 4.3 M (300 dpi) RFID SQUIX 4.3 MP (200 dpi) RFID SQUIX 4.3 MP (300 dpi) RFID
CAB X Series	XD Q4 (300 dpi)	XD Q4.2 (600 dpi)
CANON	Canon LX-P5510	
EDDING	Edding in-line 12 Edding in-line 25	Edding portable 12 Edding portable 25
EPSON	EPSON ColorWorks C8000e EPSON ColorWorks C8000u EPSON ColorWorks C8010 EPSON ColorWorks C8020	EPSON ColorWorks C8030 EPSON ColorWorks C8040 EPSON ColorWorks C8050
REA	REA JET HR / HR 2.0 2K	REA JET HR / HR 2.0 4K
REINER	REINER jetStamp 1025	
THERMOTEX	TT4-CXQ (300dpi)	TT4-DCQ (300dpi)
TSC	TSC DH220 Series TSC DH220E Series TSC DH240 Series TSC DH320 Series	TSC PEX-2340L TSC PEX-2340LR TSC PEX-2340R TSC PEX-2340RR

TSC DH320E Series	TSC PEX-2360LR
TSC DH340 Series	TSC PEX-2360RR
TSC MA2410P	TSC PEX-2640L
TSC MA3410P	TSC PEX-2640LR
TSC MB241	TSC PEX-2640R
TSC MB341	TSC PEX-2640RR
TSC MF2410	TSC RE300
TSC MF3410	TSC RE310
TSC ML241P	TSC TH220 Series
TSC ML341P	TSC TH240 Series
TSC PEX-2240L	TSC TH240RC Series
TSC PEX-2240LR	TSC TH320 Series
TSC PEX-2240R	TSC TH340 Series
TSC PEX-2240RR	TSC TH340RC Series
TSC PEX-2260LR	TSC TP6821
TSC PEX-2260RR	

[Back to Menu](#)

New devices in version 2024.00.00

Manufacturer	Model	
ALFASERVICE	ALFASERVICE XP2 1000HD ALFASERVICE XP2 2000HD ALFASERVICE XP2 3000HD ALFASERVICE XP2 4000HD	ALFASERVICE XP2 5000HD ALFASERVICE XP2 6000HD ALFASERVICE XP2 7000HD ALFASERVICE XP2 8000HD
CAB X Series	XC Q4 (300 dpi)	XC Q6.3 (300 dpi)
DOMINO	Domino Cx350i 2T Domino Cx350i 4T Domino Vx150i-32mm Continuous Domino Vx150i-32mm Intermittent	Domino Vx150i-53mm Continuous Domino Vx150i-53mm Intermittent Domino Vx50i Continuous Domino Vx50i Intermittent
HONEYWELL	Honeywell OT810 DP mode (203dpi) Honeywell OT810 DP mode (300dpi) Honeywell OT820 DP mode (203dpi) Honeywell OT820 DP mode (300dpi) Honeywell PC300T DP mode (203dpi) Honeywell PC300T DP mode (300dpi) Honeywell PC310T DP mode (203dpi) Honeywell PC310T DP mode (300dpi) Honeywell PC42E-T DP mode (203dpi)	Honeywell PX45 FP mode (203dpi) Honeywell PX45 FP mode (300dpi) Honeywell PX45 FP mode (406dpi) Honeywell PX45 IPL mode (203dpi) Honeywell PX45 IPL mode (300dpi) Honeywell PX45 IPL mode (406dpi) Honeywell PX65 DP mode (203dpi) Honeywell PX65 DP mode (300dpi) Honeywell PX65 FP mode (203dpi)

	Honeywell PC42E-T DP mode (300dpi) Honeywell PC45d DP mode (203dpi) Honeywell PC45d DP mode (300dpi) Honeywell PC45t DP mode (203dpi) Honeywell PC45t DP mode (300dpi) Honeywell PX45 DP mode (203dpi) Honeywell PX45 DP mode (300dpi) Honeywell PX45 DP mode (406dpi)	Honeywell PX65 FP mode (300dpi) Honeywell PX65 IPL mode (203dpi) Honeywell PX65 IPL mode (300dpi)
IMAGE	Markem-Imaje 1050 Markem-Imaje 1200 Markem-Imaje 9040	Markem-Imaje 9042 Markem-Imaje 9410 Markem-Imaje 9450
OPEN DATE	ThermoCode 32S ThermoCode 53 Speed ThermoCode IQ 53-II	ThermoCode TC4 53L ThermoCode TC4 53M ThermoCode TC4 53S
TABS	Toshiba DL1024	
TSC	TSC PEX-2260L TSC PEX-2260R	TSC PEX-2360L TSC PEX-2360R
UBS (United Barcode Systems)	UBS Aplink HRX-GS05 UBS Aplink HRX-GS10 UBS Aplink HRX-GS15	UBS Aplink LCX-36e UBS Aplink MRX-72e
VIDEOJET	Videojet 1880 + Videojet 1880 HR Videojet 1880 UHS Videojet 9560 PL Videojet VJ1580 + Videojet VJ1580 C	Videojet VJ2380 Videojet WSI 1530 Videojet WSI 1620 HR Videojet WSI 1620 UHS Videojet WSI 1630

[Back to Menu](#)

New devices in version 2022.00.03

Manufacturer	Model	
BIXOLON	Bixolon XM7-40-ZT ZPL (203dpi) RFID	Bixolon XT3-40-ZT ZPL (203dpi) Bixolon XT3-43-ZT ZPL (300dpi)
BROTHER	Brother RJ-2030 Brother RJ-2050 Brother RJ-2140 Brother RJ-2150 Brother TD-4210D Brother TJ-4005DN	Brother TD-2030A Brother TD-2125N Brother TD-2125NWB Brother TD-2135N Brother TD-2135NWB

CANON	Brother TJ-4010TN Canon LX-D1300 Canon LX-D5500	Canon LX-P1300
CAB	HERMES C 6L/300	
CAB Mach Series	Mach 1 (203 dpi) Mach 1 (300 dpi)	Mach 2 (203 dpi) Mach 2 (300 dpi)
DOMINO	Domino Gx150i	Domino Gx350i
EPSON	EPSON ColorWorks C4000e EPSON ColorWorks C4000u EPSON ColorWorks C4010 EPSON ColorWorks C4020	EPSON ColorWorks C4030 EPSON ColorWorks C4040 EPSON ColorWorks C4050
FlexPackPRO	FlexPackPRO TRS-500	
GYSSCODING	GYSSCODING GYSS TR 128	
HONEYWELL	Honeywell PM45 IPL mode (203dpi) Honeywell PM45 IPL mode (300dpi) Honeywell PM45 IPL mode (406dpi) Honeywell PM45 IPL mode (600dpi) Honeywell PM45c IPL mode (203dpi) Honeywell PM45c IPL mode (300dpi) Honeywell PM45c IPL mode (406dpi) Honeywell PM45c IPL mode (600dpi)	Honeywell PM45 FP mode (203dpi) Honeywell PM45 FP mode (300dpi) Honeywell PM45 FP mode (406dpi) Honeywell PM45 FP mode (600dpi) Honeywell PM45c FP mode (203dpi) Honeywell PM45c FP mode (300dpi) Honeywell PM45c FP mode (406dpi) Honeywell PM45c FP mode (600dpi)
IMAJE	Markem-Imaje 5940 G	
LEGI	BIMP-B6i (203dpi)	BIMP-B6i (300dpi)
MARKEM	Markem-Imaje SmartDate X45 32mm Continuous Markem-Imaje SmartDate X45 32mm Intermittent Markem-Imaje SmartDate X45 53mm Continuous Markem-Imaje SmartDate X45 53mm Intermittent	Markem-Imaje SmartDate X65 128mm Continuous Markem-Imaje SmartDate X65 128mm Intermittent Markem-Imaje SmartDate X65 53mm Continuous Markem-Imaje SmartDate X65 53mm Intermittent
NOVEXX Solutions	NOVEXX Solutions XLP 514 200dpi NOVEXX Solutions XLP 514 300dpi NOVEXX Solutions XLP 514 600dpi NOVEXX Solutions XLP 516 300dpi	NOVEXX Solutions XLP 604 300dpi NOVEXX Solutions XLP 605 300dpi NOVEXX Solutions XLP 606 300dpi
SATO	Sato S84NX 203dpi Sato S84NX 305dpi Sato S84NX 609dpi Sato S86NX 203dpi	Sato PW4NX Sato PW4NX-J

VIDEOJET	Sato S86NX 305dpi DataFlex 6330 32mm Continuous DataFlex 6330 32mm Intermittent DataFlex 6530 107mm Continuous DataFlex 6530 107mm Intermittent Videojet 9550 (160mm) Videojet 9550 (53mm) Videojet VJ1280	Videojet VJ1580 Videojet VJ1650 Videojet VJ1650 HR Videojet VJ1650 UHS Videojet VJ1660 Videojet VJ1860 Videojet VJ1880
ZEBRA	Zebra ZT111 EPL (203dpi) Zebra ZT111 EPL (300dpi) Zebra ZT111 ZPL (203dpi) Zebra ZT111 ZPL (300dpi) Zebra ZT231 EPL (203dpi) Zebra ZT231 EPL (300dpi) Zebra ZT231 ZPL (203dpi) Zebra ZT231 ZPL (300dpi)	Zebra ZD411 EPL (203dpi) Zebra ZD411 EPL (300dpi) Zebra ZD411 ZPL (203dpi) Zebra ZD411 ZPL (300dpi) Zebra ZD611 EPL (203dpi) Zebra ZD611 EPL (300dpi) Zebra ZD611 ZPL (203dpi) RFID Zebra ZD611 ZPL (300dpi) RFID

[Back to Menu](#)

New devices in version 2022.00.00

Manufacturer	Model	
BIXOLON	Bixolon DX220-ZT ZPL (203dpi) Bixolon DX223-ZT ZPL (300dpi) Bixolon L3000-ZT ZPL (203dpi) Bixolon TX220-ZT ZPL (203dpi) Bixolon TX223-ZT ZPL (300dpi) Bixolon XD3-40d-ZT ZPL (203dpi) Bixolon XD3-40t-ZT ZPL (203dpi) Bixolon XD5-40d-ZT ZPL (203dpi) Bixolon XD5-40t-ZT ZPL (203dpi) Bixolon XD5-40t-ZT ZPL RFID (203dpi) Bixolon XD5-43d-ZT ZPL (300dpi)	Bixolon XD5-43t-ZT ZPL (300dpi) Bixolon XD5-43t-ZT ZPL RFID (300dpi) Bixolon XL5-40-ZT ZPL (203dpi) Bixolon XL5-43-ZT ZPL (300dpi) Bixolon XM7-20-ZT ZPL (203dpi) Bixolon XM7-40-ZT ZPL (203dpi) Bixolon XT5-40-ZT ZPL (203dpi) Bixolon XT5-40-ZT ZPL RFID(203dpi) Bixolon XT5-43-ZT ZPL (300dpi) Bixolon XT5-43-ZT ZPL RFID(300dpi) Bixolon XT5-46-ZT ZPL (600dpi)
BROTHER	Brother RJ-2035B Brother RJ-2055WB Brother RJ-3035B Brother RJ-3055WB Brother RJ-3230B Brother RJ-3250WB Brother RJ-4230B Brother RJ-4250WB Brother TD-2020	Brother TD-4550DNWB Brother TD-4650TNWB Brother TD-4650TNWBR Brother TD-4750TNWB Brother TD-4750TNWBR Brother TJ-4020TN Brother TJ-4021TN Brother TJ-4021TNR Brother TJ-4120TN

	Brother TD-2120N Brother TD-2130N Brother TD-4410D Brother TD-4420DN Brother TD-4420TN Brother TD-4510D Brother TD-4520DN Brother TD-4520TN	Brother TJ-4121TN Brother TJ-4121TNR Brother TJ-4420TN Brother TJ-4422TN Brother TJ-4520TN Brother TJ-4522TN Brother TJ-4620TN
CARL VALENTIN	Compa II 106/24	
CITIZEN	Citizen CL-E720z Citizen CL-E730z Citizen CL-S6621z Citizen CL-S521Ilz Citizen CL-S531Ilz Citizen CL-S621Ilz Citizen CL-S631Ilz Citizen CL-S700Ilz Citizen CL-S703Ilz Citizen CL-S700RIlz Citizen CL-S703RIlz Citizen CMP-20Ilz Citizen CMP-30Ilz Citizen CMP-25Lz Citizen CMP-40Lz Citizen CL-S521Ile Citizen CL-S531Ile Citizen CL-S621Ile Citizen CL-S631Ile	Citizen CL-S700Ile Citizen CL-S703Ile Citizen CL-S700RIle Citizen CL-S703RIle Citizen CMP-20Ilc Citizen CMP-30Ilc Citizen CMP-25Lc Citizen CMP-40Lc Citizen CL-E720d Citizen CL-E730d Citizen CL-S6621d Citizen CL-S521Ild Citizen CL-S531Ild Citizen CL-S621Ild Citizen CL-S631Ild Citizen CL-S700Ild Citizen CL-S703Ild Citizen CL-S700RIld Citizen CL-S703RIld
EPSON	EPSON ColorWorks C4000e EPSON ColorWorks C4000u EPSON ColorWorks C4010 EPSON ColorWorks C4020	EPSON ColorWorks C4030 EPSON ColorWorks C4040 EPSON ColorWorks C4050
FlexPackPRO	FlexPackPRO TRS-500	
GYSSCODING	GYSSCODING GYSS TR 128	
HONEYWELL	Honeywell PX240 (203 dpi) Honeywell PX240 (300 dpi) Honeywell PX240S (203 dpi) Honeywell PX240S (300 dpi) Honeywell PD45 DP mode (203dpi) Honeywell PD45 DP mode (300dpi) Honeywell PD45S DP mode (203dpi) Honeywell PD45S DP mode (300dpi) Honeywell PM45 DP mode (203dpi)	Honeywell PX4ie DP mode (203dpi) Honeywell PX4ie DP mode (300dpi) Honeywell PX4ie DP mode (406dpi) Honeywell PX4ie FP mode (203dpi) Honeywell PX4ie FP mode (300dpi) Honeywell PX4ie FP mode (406dpi) Honeywell PX4ie IPL mode (203dpi) Honeywell PX4ie IPL mode (300dpi) Honeywell PX4ie IPL mode (406dpi)

	Honeywell PM45 DP mode (300dpi) Honeywell PM45 DP mode (406dpi) Honeywell PM45 DP mode (600dpi) Honeywell PM45c DP mode (203dpi) Honeywell PM45c DP mode (300dpi) Honeywell PM45c DP mode (406dpi) Honeywell PM45c DP mode (600dpi)	Honeywell PX6ie DP mode (203dpi) Honeywell PX6ie DP mode (300dpi) Honeywell PX6ie FP mode (203dpi) Honeywell PX6ie FP mode (300dpi) Honeywell PX6ie IPL mode (203dpi) Honeywell PX6ie IPL mode (300dpi)
LEGI	BIMP-B4d (203dpi) BIMP-B4d (300dpi)	BIMP-B4i (203dpi) BIMP-B4i (300dpi)
MARKEM	Markem-Imaje SmartDate X45 32mm Continuous Markem-Imaje SmartDate X45 32mm Intermittent Markem-Imaje SmartDate X45 53mm Continuous Markem-Imaje SmartDate X45 53mm Intermittent	Markem-Imaje SmartDate X65 128mm Continuous Markem-Imaje SmartDate X65 128mm Intermittent Markem-Imaje SmartDate X65 53mm Continuous Markem-Imaje SmartDate X65 53mm Intermittent
MARKOPRINT	Integra PP108 Integra Quadro	Integra One HP Integra One LX
NOVEXX Solutions	NOVEXX Solutions PEM – 04 NOVEXX Solutions PEM – 05 NOVEXX Solutions PEM – 06 NOVEXX Solutions XLP 514 200dpi NOVEXX Solutions XLP 514 300dpi NOVEXX Solutions XLP 514 600dpi	NOVEXX Solutions XLP 516 300dpi NOVEXX Solutions XLP 604 300dpi NOVEXX Solutions XLP 605 300dpi NOVEXX Solutions XLP 606 300dpi NOVEXX Solutions XPA 935 NOVEXX Solutions XPA 936
PRINTRONIX	Printronix T6204e (PGL) (RFID) Printronix T6206e (PGL) (RFID) Printronix T6304e (PGL) (RFID)	Printronix T6306e (PGL) (RFID) Printronix T6604e (PGL) (RFID)
SAVEMA	Savema SVM TR128	
SATO	Sato CL4NX-J Plus 203dpi Sato CL4NX-J Plus 305dpi Sato CL4NX-J Plus 609dpi Sato CL6NX Plus 203dpi	Sato CL6NX Plus 305dpi Sato CL6NX-J Plus 203dpi Sato CL6NX-J Plus 305dpi
TOSHIBA	B-FV4D (203 dpi) B-FV4D (300 dpi) B-FV4T (203 dpi) B-FV4T (300 dpi) BA410T (203 dpi) BA410T (300 dpi) BA420T (203 dpi) BA420T (300 dpi)	B-FP2D B-FP3D B-EP4DL BV410D (203 dpi) BV410D (300 dpi) BV420D (203 dpi) BV420D (300 dpi) BV420D-Linerless (203 dpi)

TSC	TSC TX210 TSC TX310 TSC TX610 TSC ML240C TSC MA2400C TSC ML340C TSC MA3400C TSC MX241P TSC MX341P TSC MX641P TSC MH241 TSC MH341	TSC MH641 TSC MH261 TSC MH361 TSC Alpha-30L TSC Alpha-40L TSC PEX-1121 TSC PEX-1221 TSC PEX-1131 TSC PEX-1231 TSC PEX-1161 TSC PEX-1261
UBS (United Barcode Systems)	UBS Aplink MRX 72 Bicolor	
VIDEOJET	DataFlex 6330 32mm Continuous DataFlex 6330 32mm Intermittent DataFlex 6530 107mm Continuous DataFlex 6530 107mm Intermittent Videojet 9550 (160mm) Videojet 9550 (53mm) Videojet VJ1280	Videojet VJ1580 Videojet VJ1650 Videojet VJ1650 HR Videojet VJ1650 UHS Videojet VJ1660 Videojet VJ1860 Videojet VJ1880
VIPColor	VIPColor VP500 VIPColor VP550	VIPColor VP610 VIPColor VP660
WOLKE	WOLKE m610	
ZEBRA	Zebra ZD410 EPL (203dpi) Zebra ZD410 EPL (300dpi) Zebra ZD410 ZPL (203dpi) Zebra ZD410 ZPL (300dpi) Zebra ZD421 EPL (203dpi) Zebra ZD421 EPL (300dpi) Zebra ZD421 ZPL (203dpi) Zebra ZD421 ZPL (300dpi) Zebra ZD621 EPL (203dpi) Zebra ZD621 EPL (300dpi) Zebra ZD621 ZPL (203dpi) RFID Zebra ZD621 ZPL (300dpi) RFID Zebra ZE511 LH (203dpi) Zebra ZE511 LH (300dpi) Zebra ZE511 LH (600dpi) Zebra ZE511 RH (203dpi)	Zebra ZE511 RH (300dpi) Zebra ZE511 RH (600dpi) Zebra ZE511R LH (203dpi) Zebra ZE511R LH (300dpi) Zebra ZE511R LH (600dpi) Zebra ZE511R RH (203dpi) Zebra ZE511R RH (300dpi) Zebra ZE511R RH (600dpi) Zebra ZE521 LH (203dpi) Zebra ZE521 LH (300dpi) Zebra ZE521 RH (203dpi) Zebra ZE521 RH (300dpi) Zebra ZE521R LH (203dpi) Zebra ZE521R LH (300dpi) Zebra ZE521R RH (203dpi) Zebra ZE521R RH (300dpi)

[Back to Menu](#)

New devices in version 2021.00.02

Manufacturer	Model	
Automated Packaging Systems	AutoLabel Plus 203 dpi AutoLabel Plus 300 dpi	AutoLabel Plus 600 dpi
CARL VALENTIN	Compa II 106/24	
CITIZEN	Citizen CL-E720z Citizen CL-E730z Citizen CL-S6621z Citizen CL-S521Ilz Citizen CL-S531Ilz Citizen CL-S621Ilz Citizen CL-S631Ilz Citizen CL-S700Ilz Citizen CL-S703Ilz Citizen CL-S700RIlz Citizen CL-S703RIlz Citizen CMP-20Ilz Citizen CMP-30Ilz Citizen CMP-25Lz Citizen CMP-40Lz Citizen CL-S521Ile Citizen CL-S531Ile Citizen CL-S621Ile Citizen CL-S631Ile	Citizen CL-S700Ile Citizen CL-S703Ile Citizen CL-S700RIle Citizen CL-S703RIle Citizen CMP-20Ilc Citizen CMP-30Ilc Citizen CMP-25Lc Citizen CMP-40Lc Citizen CL-E720d Citizen CL-E730d Citizen CL-S6621d Citizen CL-S521Ild Citizen CL-S531Ild Citizen CL-S621Ild Citizen CL-S631Ild Citizen CL-S700Ild Citizen CL-S703Ild Citizen CL-S700RIld Citizen CL-S703RIld
HONEYWELL	Honeywell PX240 (203 dpi) Honeywell PX240 (300 dpi)	Honeywell PX240S (203 dpi) Honeywell PX240S (300 dpi)
MARKOPRINT	Integra PP108 Integra Quadro	Integra One HP Integra One LX
NOVEXX Solutions	NOVEXX Solutions PEM – 04 NOVEXX Solutions PEM – 05 NOVEXX Solutions PEM – 06	NOVEXX Solutions XPA 935 NOVEXX Solutions XPA 936
PRINTRONIX	Printronix T6204e (PGL) (RFID) Printronix T6206e (PGL) (RFID) Printronix T6304e (PGL) (RFID)	Printronix T6306e (PGL) (RFID) Printronix T6604e (PGL) (RFID)
SAVEMA	Savema SVM TR128	
TOSHIBA	B-FV4D (203 dpi) B-FV4D (300 dpi) B-FV4T (203 dpi) B-FV4T (300 dpi)	B-FP2D B-FP3D B-EP4DL BV410D (203 dpi)

	BA410T (203 dpi) BA410T (300 dpi) BA420T (203 dpi) BA420T (300 dpi)	BV410D (300 dpi) BV420D (203 dpi) BV420D (300 dpi) BV420D-Linerless (203 dpi)
TSC	TSC TX210 TSC TX310 TSC TX610 TSC ML240C TSC MA2400C TSC ML340C TSC MA3400C TSC MX241P TSC MX341P TSC MX641P TSC MH241 TSC MH341	TSC MH641 TSC MH261 TSC MH361 TSC Alpha-30L TSC Alpha-40L TSC PEX-1121 TSC PEX-1221 TSC PEX-1131 TSC PEX-1231 TSC PEX-1161 TSC PEX-1261
UBS (United Barcode Systems)	UBS Aplink MRX 72 Bicolor	
VIPColor	VIPColor VP500 VIPColor VP550	VIPColor VP610 VIPColor VP660
WOLKE	WOLKE m610	
ZEBRA	Zebra ZD410 EPL (203dpi) Zebra ZD410 EPL (300dpi) Zebra ZD410 ZPL (203dpi) Zebra ZD410 ZPL (300dpi) Zebra ZD421 EPL (203dpi) Zebra ZD421 EPL (300dpi)	Zebra ZD421 ZPL (203dpi) Zebra ZD421 ZPL (300dpi) Zebra ZD621 EPL (203dpi) Zebra ZD621 EPL (300dpi) Zebra ZD621 ZPL (203dpi) RFID Zebra ZD621 ZPL (300dpi) RFID

[Back to Menu](#)

New devices in version 2021.00

Manufacturer	Model	
CAB EOS Series	EOS2 (203 dpi) EOS2 (300 dpi)	EOS5 (203 dpi) EOS5 (300 dpi)
CARL VALENTIN	DPM IV 107/12 DPM IV 128/12 DPM IV 53/12 Dynacode II 107/12c Dynacode II 107/12i Dynacode II 128/12c Dynacode II 128/12i Dynacode II 53/12c Dynacode II 53/12i ILX 103/8 ILX 104/8 ILX 106/12 ILX 106/24 ILX 108/12 ILX 54/12	ILX 56/8 ILX 80/8 ILX 81/12 SPX II 103/8 SPX II 104/8 SPX II 106/12 SPX II 106/24 SPX II 108/12 SPX II 162/12 Vario III 103/8T Vario III 104/8 Vario III 107/12 Vario III 107/24 Vario III 108/12T Vita II 106/24
FlexPackPRO	FlexPackPRO 130cL FlexPackPRO 130cLX FlexPackPRO 210iL FlexPackPRO 210cL FlexPackPRO 210cLX	FlexPackPRO 420iL FlexPackPRO 420cLX FlexPackPRO 500cL FlexPackPRO 500iL
GYSSCODING	GYSSCODING GYSS 128 c	GYSSCODING GYSS 128125 i
NOVEXX Solutions	NOVEXX Solutions XPA 934	
OCS-Wipotec	OCS-Wipotec TQS	
SATO	Sato CL4NX Plus 203dpi Sato CL4NX Plus 305dpi Sato CL4NX Plus 609dpi Sato CT4-LX 203dpi Sato CT4-LX 305dpi	Sato CT4-LX-J 203dpi Sato CT4-LX-J 305dpi Sato HC4-LX 203dpi Sato HC4-LX 305dpi
SAVEMA	Savema SVM 128C	Savema SVM 128x125 I
TSC	TSC DA210 TSC DA220 TSC DA310 TSC DA320 TSC MB240 TSC MB340	TSC PE210 TSC PE310 TSC PEX-1120 TSC PEX-1130 TSC PEX-1160 TSC PEX-1220

	TSC MH240 TSC MH240P TSC MH340 TSC MH340P TSC MH640 TSC MH640P TSC ML240 TSC ML240P TSC ML340 TSC ML340P TSC MX240P TSC MX340P TSC MX640P	TSC PEX-1230 TSC PEX-1260 TSC TDM-20 TSC TDM-30 TSC TE200 TSC TE200e TSC TE210 TSC TE244 TSC TE300 TSC TE300E TSC TE310 TSC TE344 TSC TE4502 TSC TE4503
ZEBRA	Zebra ZD220 EPL (203dpi) Zebra ZD220 ZPL (203dpi) Zebra ZD230 EPL (203dpi) Zebra ZD230 ZPL (203dpi) Zebra ZD510-HC ZPL (300dpi) Zebra ZQ610 CPCL (203dpi) Zebra ZQ610 EPL (203dpi) Zebra ZQ610 ZPL (203dpi) Zebra ZQ620 CPCL (203dpi) Zebra ZQ620 EPL (203dpi) Zebra ZQ620 ZPL (203dpi) Zebra ZQ630 CPCL (203dpi) Zebra ZQ630 EPL (203dpi) Zebra ZQ630 ZPL (203dpi) Zebra ZQ630R ZPL (203dpi)	Zebra ZT411 EPL (203dpi) Zebra ZT411 ZPL (203dpi) Zebra ZT411 ZPL (300dpi) Zebra ZT411 ZPL (600dpi) Zebra ZT411R ZPL (203dpi) Zebra ZT411R ZPL (300dpi) Zebra ZT411R ZPL (600dpi) Zebra ZT421 EPL (203dpi) Zebra ZT421 ZPL (203dpi) Zebra ZT421 ZPL (300dpi) Zebra ZT421R ZPL (203dpi) Zebra ZT421R ZPL (300dpi)

[Back to Menu](#)

New devices in version 2019.02

Manufacturer	Model	
CAB HERMES Q Series	HERMES Q2/300 HERMES Q2/600 HERMES Q4.3/200 HERMES Q4.3/300	HERMES Q4/300 HERMES Q4/600 HERMES Q6.3/200 HERMES Q6.3/300
EPSON	ColorWorks C6000Ae ColorWorks C6000Au ColorWorks C6000Pe	ColorWorks C6500Ae ColorWorks C6500Au ColorWorks C6500Pe

	ColorWorks C6000Pu ColorWorks C6010A ColorWorks C6010P ColorWorks C6020A ColorWorks C6020P ColorWorks C6030A ColorWorks C6030P ColorWorks C6040A ColorWorks C6040P ColorWorks C6050A ColorWorks C6050P	ColorWorks C6500Pu ColorWorks C6510A ColorWorks C6510P ColorWorks C6520A ColorWorks C6520P ColorWorks C6530A ColorWorks C6530P ColorWorks C6540A ColorWorks C6540P ColorWorks C6550A ColorWorks C6550P
HONEYWELL	Honeywell PC42d DP mode (203dpi) Honeywell PC42t DP mode (203dpi) Honeywell PC42t+ DP mode (203dpi) Honeywell PM42 DP mode (203dpi) Honeywell PM42 DP mode (300dpi) Honeywell PM42 DP mode (406dpi)	Honeywell PX940A DP mode (203dpi) Honeywell PX940A DP mode (300dpi) Honeywell PX940A DP mode (600dpi) Honeywell PX940V DP mode (203dpi) Honeywell PX940V DP mode (300dpi) Honeywell PX940V DP mode (600dpi)
PRINTRONIX	Printronix T4204 (PGL) (RFID)	Printronix T4304 (PGL) (RFID)
SATO	Sato SG112-ex	
VIDEOJET	Videojet VJ2340 Videojet VJ2350 Videojet VJ2351	Videojet VJ2360 Videojet VJ2361

[Back to Menu](#)

New devices in version 2019.01

Manufacturer	Model	
DOMINO	Domino M230i	
WASP	WASP WPL25 WASP WPL205 WASP WPL304 WASP WPL305	WASP WPL406 WASP WPL612 WASP WHC25
ZEBRA	Zebra ZQ520 RFID ZPL	

[Back to Menu](#)

New devices in version 2019.00

Manufacturer	Model	
CARL VALENTIN	Compa II 103/8T Compa II 104/8 Compa II 106/12 Compa II 108/12T Compa II 162/12 Compa II 162/12T DuoPrint 107/12 DuoPrint 160/12 Pica II 103/8T Pica II 104/8 Pica II 106/12 Pica II 108/12T	Spectra II 103/8 Spectra II 104/8 Spectra II 106/12 Spectra II 106/24 Spectra II 107/12 Spectra II 108/12 Spectra II 160/12 Spectra II 162/12 Spectra II 216/12 Vita II 103/8T Vita II 104/8 Vita II 106/12 Vita II 108/12T
CITIZEN	Citizen CL-E300 Citizen CL-E300z Citizen CL-E303 Citizen CL-E303z Citizen CL-E321 Citizen CL-E321z Citizen CL-E331 Citizen CL-E331z	
PRINTRONIX	Printronix T820 (PGL) (RFID) Printronix T830 (PGL) (RFID)	
SATO	Sato FX3-LX DT305-Ad Sato FX3-LX DT305-Ln	
TIFLEX	Tiflex Generic	

[Back to Menu](#)

New devices in version 2018.01

Manufacturer	Model	
ALFASERVICE	ALFASERVICE XP1 1000HD ALFASERVICE XP1 1000XD ALFASERVICE XP1 2000HD ALFASERVICE XP1 2000XD ALFASERVICE XP1 3000HD	ALFASERVICE XP1 7000HD ALFASERVICE XP1 7000XD ALFASERVICE XP1 8000HD ALFASERVICE XP1 8000XD ALFASERVICE XP2 1000XD

	ALFAService XP1 3000XD ALFAService XP1 4000HD ALFAService XP1 4000XD ALFAService XP1 5000HD ALFAService XP1 5000XD ALFAService XP1 6000HD ALFAService XP1 6000XD	ALFAService XP2 2000XD ALFAService XP2 3000XD ALFAService XP2 4000XD ALFAService XP2 5000XD ALFAService XP2 6000XD ALFAService XP2 7000XD ALFAService XP2 8000XD
BRADY	Brady I7100-300 Brady I7100-600 Brady I7100-300 P Brady I7100-600 P	
CAB Mach Series	Mach 4S/300B Mach 4S/300C Mach 4S/300P Mach 4S/600B Mach 4S/600C Mach 4S/600P	Mach 4.3S/200B Mach 4.3S/200C Mach 4.3S/200P Mach 4.3S/300B Mach 4.3S/300C Mach 4.3S/300P
FlexPackPRO	FlexPackPRO 130Aei FlexPackPRO 130i FlexPackPRO 130i-hp FlexPackPRO 130c FlexPackPRO 130c-hp FlexPackPRO 130c*250 (renamed) FlexPackPRO 130c*500 (renamed) FlexPackPRO 210Aei FlexPackPRO 210e FlexPackPRO 210i FlexPackPRO 210i*125 (renamed)	FlexPackPRO 210c FlexPackPRO 210c*250 (renamed) FlexPackPRO 210c*500 (renamed) FlexPackPRO 420i FlexPackPRO 420i*125 (renamed) FlexPackPRO 420c FlexPackPRO 420c*250 (renamed) FlexPackPRO 130TRS FlexPackPRO 210TRS FlexPackPRO 420TRS
Gprinter	Gprinter GP-9034Z Gprinter GP-9134Z Gprinter GP-9234Z Gprinter GP-9035Z Gprinter GP-9135Z Gprinter GP-9235Z Gprinter S-Z3301 Gprinter S-Z3302 Gprinter S-Z3311 Gprinter S-Z3312 Gprinter S-Z3321 Gprinter S-Z3322 Gprinter S-Z3331 Gprinter S-Z3332 Gprinter S-Z3341 Gprinter S-Z3342	Gprinter S-Z4351D Gprinter S-Z4352D Gprinter GP-9025Z Gprinter GP-9125Z Gprinter GP-9225Z Gprinter GP-9026Z Gprinter GP-9126Z Gprinter GP-9226Z Gprinter S-Z3201 Gprinter S-Z3202 Gprinter S-Z3211 Gprinter S-Z3212 Gprinter S-Z3221 Gprinter S-Z3222 Gprinter S-Z3231 Gprinter S-Z3232

Gprinter S-Z3351	Gprinter S-Z3241
Gprinter S-Z3352	Gprinter S-Z3242
Gprinter GP-1134Z	Gprinter S-Z3251
Gprinter GP-1234Z	Gprinter S-Z3252
Gprinter GP-1334Z	Gprinter GP-1124Z
Gprinter GP-1135Z	Gprinter GP-1224Z
Gprinter GP-1235Z	Gprinter GP-1324Z
Gprinter GP-1335Z	Gprinter GP-1125Z
Gprinter S-Z4301	Gprinter GP-1225Z
Gprinter S-Z4302	Gprinter GP-1325Z
Gprinter S-Z4311	Gprinter S-Z4201
Gprinter S-Z4312	Gprinter S-Z4202
Gprinter S-Z4321	Gprinter S-Z4211
Gprinter S-Z4322	Gprinter S-Z4212
Gprinter S-Z4331	Gprinter S-Z4221
Gprinter S-Z4332	Gprinter S-Z4222
Gprinter S-Z4341	Gprinter S-Z4231
Gprinter S-Z4342	Gprinter S-Z4232
Gprinter S-Z4351	Gprinter S-Z4241
Gprinter S-Z4352	Gprinter S-Z4242
Gprinter GP-9034ZD	Gprinter S-Z4251
Gprinter GP-9134ZD	Gprinter S-Z4252
Gprinter GP-9234ZD	Gprinter GP-1124ZD
Gprinter GP-9035ZD	Gprinter GP-1125ZD
Gprinter GP-9135ZD	Gprinter GP-1224ZD
Gprinter GP-9235ZD	Gprinter GP-1225ZD
Gprinter S-Z3301D	Gprinter GP-1324ZD
Gprinter S-Z3302D	Gprinter GP-1325ZD
Gprinter S-Z3311D	Gprinter GP-3120Z
Gprinter S-Z3312D	Gprinter GP-3120ZL
Gprinter S-Z3321D	Gprinter GP-3120ZU
Gprinter S-Z3322D	Gprinter GP-3150Z
Gprinter S-Z3331D	Gprinter GP-4120Z
Gprinter S-Z3332D	Gprinter GP-4150Z
Gprinter S-Z3341D	Gprinter GP-9025ZD
Gprinter S-Z3342D	Gprinter GP-9026ZD
Gprinter S-Z3351D	Gprinter GP-9125ZD
Gprinter S-Z3352D	Gprinter GP-9126ZD
Gprinter GP-1134ZD	Gprinter GP-9225ZD
Gprinter GP-1234ZD	Gprinter GP-9226ZD
Gprinter GP-1334ZD	Gprinter S-Z3201D
Gprinter GP-1135ZD	Gprinter S-Z3202D
Gprinter GP-1235ZD	Gprinter S-Z3211D
Gprinter GP-1335ZD	Gprinter S-Z3212D
Gprinter S-Z4301D	Gprinter S-Z3221D
Gprinter S-Z4302D	Gprinter S-Z3222D

	Gprinter S-Z4311D Gprinter S-Z4312D Gprinter S-Z4321D Gprinter S-Z4322D Gprinter S-Z4331D Gprinter S-Z4332D Gprinter S-Z4341D Gprinter S-Z4342D	Gprinter S-Z3231D Gprinter S-Z3232D Gprinter S-Z3241D Gprinter S-Z3242D Gprinter S-Z3251D Gprinter S-Z3252D
GYSSCODING	GYSSCODING GYSS 3240 i GYSSCODING GYSS 3250 i GYSSCODING GYSS 3270 i GYSSCODING GYSS 3250 c GYSSCODING GYSS 3270 c GYSSCODING GYSS 32250 c GYSSCODING GYSS 32500 c GYSSCODING GYSS 5340 i GYSSCODING GYSS 5350 i GYSSCODING GYSS 5370 i GYSSCODING GYSS 5325 i	GYSSCODING GYSS 5370 c GYSSCODING GYSS 53250 c GYSSCODING GYSS 53500 c GYSSCODING GYSS 1075 i GYSSCODING GYSS 1125 i GYSSCODING GYSS 1125 c GYSSCODING GYSS 10250 c GYSSCODING GYSS TR 32 GYSSCODING GYSS TR 53 GYSSCODING GYSS TR 107
HONEYWELL	Honeywell A-4212 (LH) Mark II Honeywell A-4212 (RH) Mark II Honeywell A-4310 (LH) Mark II Honeywell A-4310 (RH) Mark II Honeywell A-4408 (LH) Mark II Honeywell A-4408 (RH) Mark II	Honeywell A-4606 (LH) Mark II Honeywell A-4606 (RH) Mark II Honeywell A-6212 (LH) Mark II Honeywell A-6212 (RH) Mark II Honeywell A-6310 (LH) Mark II Honeywell A-6310 (RH) Mark II
LOGOPAK	Logomatic 8D-2Colors Logomatic 12D-2Colors	
PRINTRONIX	Printronic T6204 (PGL) (RFID) Printronic T6206 (PGL) (RFID) Printronic T6304 (PGL) (RFID) Printronic T6306 (PGL) (RFID)	
Savema	Savema SVM 32*40 I Savema SVM 32*50 I Savema SVM 32x70 I – Cassette Savema SVM 32 C Savema SVM 32 C – Cassette Savema SVM 32*250 C Savema SVM 32*500 C Savema SVM 53*40 I Savema SVM 53*50 I Savema SVM 53*70 I Savema SVM 53*125 I Savema SVM 53 C	Savema SVM 107*75 I Savema SVM 107*125 I Savema SVM 107 C Savema SVM 107*250 C Savema SVM TR32 Savema SVM TR53 Savema SVM TR107 Savema SVM 24 (203dpi) Savema SVM 32 (203dpi) Savema SVM 54 (203dpi) Savema SVM 108 (203dpi) Savema SVM 168 (203dpi)

	Savema SVM 53*250 C Savema SVM 53*500 C	
VIDEOJET	DataFlex 6330 53mm Intermittent DataFlex 6330 53mm Continuous DataFlex 6530 53mm Intermittent DataFlex 6530 53mm Continuous Videojet VJ8520	
ZEBRA	Zebra iMZ220 ZPL Zebra iMZ320 ZPL Zebra ZQ510 ZPL Zebra ZQ520 ZPL Zebra QLn220 ZPL Zebra QLn320 ZPL Zebra ZD620 ZPL (203dpi) Zebra ZD620 ZPL (300dpi) Zebra ZD420 ZPL (203dpi) Zebra ZD420 ZPL (300dpi)	Zebra ZQ310 ZPL Zebra ZQ320 ZPL Zebra QLn220 EPL Zebra QLn320 EPL Zebra QLn420 EPL Zebra ZD420 EPL (203dpi) Zebra ZD420 EPL (300dpi) Zebra ZD620 EPL (203dpi) Zebra ZD620 EPL (300dpi)

[Back to Menu](#)

New devices in version 2018.00

Manufacturer	Model	
AVERY	Avery ADTP1 (203dpi) RFID Avery ADTP1 (300dpi) RFID Avery ALX 734 Avery ALX 735 Avery ALX 736	
CAB SQUIX Series	SQUIX 2 (300 dpi) SQUIX 2 (600 dpi) SQUIX 2 P (300 dpi) SQUIX 2 P (600 dpi) SQUIX 4 (300 dpi) SQUIX 4 (600 dpi) SQUIX 4 M (300 dpi) SQUIX 4 M (600 dpi) SQUIX 4 MP (300 dpi) SQUIX 4 MP (600 dpi) SQUIX 4 MT (300 dpi) SQUIX 4 MT (600 dpi)	SQUIX 4 P (300 dpi) SQUIX 4 P (600 dpi) SQUIX 4.3 (200dpi) SQUIX 4.3 (300 dpi) SQUIX 4.3 M (200 dpi) SQUIX 4.3 M (300 dpi) SQUIX 4.3 MP (200 dpi) SQUIX 4.3 MP (300 dpi) SQUIX 4.3 P (200 dpi) SQUIX 4.3 P (300 dpi) SQUIX 6 (200 dpi) SQUIX 6 (300 dpi) SQUIX 6 P (200 dpi) SQUIX 6 P (300 dpi)
DOMINO	Domino G130i Domino G220i Domino G230i Domino G320i Domino V120i 32mm CM Domino V120i 32mm IM Domino V230i 32mm CM Domino V230i 32mm IM	Domino V230i 53mm CM Domino V230i 53mm IM Domino V320i 128mm CM Domino V320i 128mm IM Domino V320i 53mm CM Domino V320i 53mm IM
EPSON	EPSON ColorWorks C7500 EPSON ColorWorks C7500G EPSON ColorWorks C7500GE	
EUCLID	EUCLID 2" EUCLID 4"	
HONEYWELL	Honeywell A-4212 (LH) Mark II Honeywell A-4212 (RH) Mark II Honeywell A-4310 (LH) Mark II Honeywell A-4310 (RH) Mark II Honeywell A-4408 (LH) Mark II Honeywell A-4408 (RH) Mark II Honeywell A-4606 (LH) Mark II	Honeywell PM43c IPL mode (203dpi) Honeywell PM43c IPL mode (300dpi) Honeywell PM43c IPL mode (406dpi) Honeywell PX4i IPL mode (203dpi) Honeywell PX4i IPL mode (300dpi) Honeywell PX4i IPL mode (406dpi) Honeywell PX6i IPL mode (203dpi)

Honeywell A-4606 (RH) Mark II	Honeywell PX6i IPL mode (300dpi)
Honeywell A-6212 (LH) Mark II	Honeywell PB21 FP mode (203dpi)
Honeywell A-6212 (RH) Mark II	Honeywell PB22 FP mode (203dpi)
Honeywell A-6310 (LH) Mark II	Honeywell PB31 FP mode (203dpi)
Honeywell A-6310 (RH) Mark II	Honeywell PB32 FP mode (203dpi)
Honeywell E-4204 Basic Mark III	Honeywell PB50 FP mode (203dpi)
Honeywell E-4205 Advanced Mark III	Honeywell PB51 FP mode (203dpi)
Honeywell E-4206 Professional Mark III	Honeywell PC23d FP mode (203dpi)
Honeywell E-4304 Basic Mark III	Honeywell PC23d FP mode (300dpi)
Honeywell E-4305 Advanced Mark III	Honeywell PC43d FP mode (203dpi)
Honeywell E-4306 Professional Mark III	Honeywell PC43d FP mode (300dpi)
Honeywell H-4212	Honeywell PC43t FP mode (203dpi)
Honeywell H-4212X	Honeywell PC43t FP mode (300dpi)
Honeywell H-4310	Honeywell PM43 FP mode (203dpi)
Honeywell H-4310X	Honeywell PM43 FP mode (300dpi)
Honeywell H-4408	Honeywell PM43 FP mode (406dpi)
Honeywell H-4606	Honeywell PM43c FP mode (203dpi)
Honeywell H-4606X	Honeywell PM43c FP mode (300dpi)
Honeywell H-6210	Honeywell PM43c FP mode (406dpi)
Honeywell H-6212X	Honeywell PX4i FP mode (203dpi)
Honeywell H-6308	Honeywell PX4i FP mode (300dpi)
Honeywell H-6310X	Honeywell PX4i FP mode (406dpi)
Honeywell H-8308X	Honeywell PX6i FP mode (203dpi)
Honeywell I-4212e Mark II	Honeywell PX6i FP mode (300dpi)
Honeywell I-4310e Mark II	Honeywell PB21 DP mode (203dpi)
Honeywell I-4606e Mark II	Honeywell PB22 DP mode (203dpi)
Honeywell M-4206 Mark II	Honeywell PB31 DP mode (203dpi)
Honeywell M-4210 Mark II	Honeywell PB32 DP mode (203dpi)
Honeywell M-4308 Mark II	Honeywell PB50 DP mode (203dpi)
Honeywell PC23d ESIm (203dpi)	Honeywell PB51 DP mode (203dpi)
Honeywell PC23d ESIm (300dpi)	Honeywell PC23d DP mode (203dpi)
Honeywell PC43d ESIm (203dpi)	Honeywell PC23d DP mode (300dpi)
Honeywell PC43d ESIm (300dpi)	Honeywell PC43d DP mode (203dpi)
Honeywell PC43t ESIm (203dpi)	Honeywell PC43d DP mode (300dpi)
Honeywell PC43t ESIm (300dpi)	Honeywell PC43t DP mode (203dpi)
Honeywell PB21 IPL mode (203dpi)	Honeywell PC43t DP mode (300dpi)
Honeywell PB22 IPL mode (203dpi)	Honeywell PM43 DP mode (203dpi)
Honeywell PB31 IPL mode (203dpi)	Honeywell PM43 DP mode (300dpi)
Honeywell PB32 IPL mode (203dpi)	Honeywell PM43 DP mode (406dpi)
Honeywell PB50 IPL mode (203dpi)	Honeywell PM43c DP mode (203dpi)
Honeywell PB51 IPL mode (203dpi)	Honeywell PM43c DP mode (300dpi)
Honeywell PC23d IPL mode (203dpi)	Honeywell PM43c DP mode (406dpi)
Honeywell PC23d IPL mode (300dpi)	Honeywell PX4i DP mode (203dpi)
Honeywell PC43d IPL mode (203dpi)	Honeywell PX4i DP mode (300dpi)
Honeywell PC43d IPL mode (300dpi)	Honeywell PX4i DP mode (406dpi)
Honeywell PC43t IPL mode (203dpi)	Honeywell PX6i DP mode (203dpi)

	Honeywell PC43t IPL mode (300dpi) Honeywell PM43 IPL mode (203dpi) Honeywell PM43 IPL mode (300dpi) Honeywell PM43 IPL mode (406dpi)	Honeywell PX6i DP mode (300dpi)
MARKOPRINT	X1Jet XR X2Jet XR X4Jet XR	
NOVEXX Solutions	NOVEXX Solutions 64-04 NOVEXX Solutions 64-05 NOVEXX Solutions 64-05 RFID NOVEXX Solutions 64-06 NOVEXX Solutions 64-08 NOVEXX Solutions ALX 734 PMA NOVEXX Solutions ALX 735 PMA NOVEXX Solutions ALX 736 PMA NOVEXX Solutions ALX 924 NOVEXX Solutions ALX 925 NOVEXX Solutions ALX 926 NOVEXX Solutions AP 4.4	NOVEXX Solutions AP 5.4 200dpi NOVEXX Solutions AP 5.4 300dpi NOVEXX Solutions AP 5.6 200dpi NOVEXX Solutions AP 5.6 300dpi NOVEXX Solutions DPM – 04 NOVEXX Solutions DPM – 05 NOVEXX Solutions DPM – 06 NOVEXX Solutions XLP 504 200dpi NOVEXX Solutions XLP 504 300dpi NOVEXX Solutions XLP 504 600dpi NOVEXX Solutions XTP804
PRINTRONIX	Printronix T6204 (VGL) Printronix T6206 (VGL) Printronix T6304 (VGL) Printronix T6306 (VGL)	Printronix T8204 (VGL) Printronix T8206 (VGL) Printronix T8208 (VGL) Printronix T8304 (VGL) Printronix T8306 (VGL) Printronix T8308 (VGL)
SATO	Sato M 8465SE (LH) Sato M 8465SE (RH) Sato PW208mNX Sato PW208NX Sato TXPSX	Sato WS408 DT Sato WS408 TT Sato WS412 DT Sato WS412 TT
THERMOTEX	A4+T (300dpi) SQUIX 4 (600dpi) SQUIX 6 (300dpi) TT4-DT (300dpi) TT4-MX (200dpi) TT4-MX (300dpi)	TT4-SX (200dpi) TT4-SX (300dpi) TT4-SXM (300dpi) TT4-SXT (300dpi) TT5-L (200dpi) TT5-L (300dpi)
TOSHIBA	B-EX4T3-HS B-EX6 T1 (203 dpi) B-EX6 T1 (305 dpi) B-EX6 T3 (203 dpi) B-EX6 T3 (305 dpi)	
ZEBRA	Zebra ZQ310	Zebra ZT610 (203dpi)

	Zebra ZQ320 Zebra ZQ510 Zebra ZQ520 Zebra ZT510 (203dpi) Zebra ZT510 (300dpi)	Zebra ZT610 (300dpi) Zebra ZT610 (600dpi) Zebra ZT620 (203dpi) Zebra ZT620 (300dpi)
--	---	--

[Back to Menu](#)

New devices in version 2015.01

Manufacturer	Model	
Brady	Brady BBP12	
GODEX	Godex DT2 Godex DT2 GEPL Godex DT2 GZPL Godex DT2x Godex DT2x GEPL Godex DT2x GZPL Godex DT4 Godex DT4 GEPL Godex DT4 GZPL Godex DT4L Godex DT4L GEPL Godex DT4L GZPL Godex DT4x Godex DT4x GEPL Godex DT4x GZPL Godex G300 Godex G300 GEPL Godex G300 GZPL Godex G330 Godex G330 GEPL Godex G330 GZPL Godex G500 Godex G500 GEPL Godex G500 GZPL Godex G525 Godex G525 GEPL Godex G525 GZPL Godex G530 Godex G530 GEPL Godex G530 GZPL Godex G535	Godex RT200 Godex RT200 GEPL Godex RT200 GZPL Godex RT200i Godex RT200i GEPL Godex RT200i GZPL Godex RT230 Godex RT230 GEPL Godex RT230 GZPL Godex RT230i Godex RT230i GEPL Godex RT230i GZPL Godex RT700 Godex RT700 GEPL Godex RT700 GZPL Godex RT700i Godex RT700i GEPL Godex RT700i GZPL Godex RT700x Godex RT700x GEPL Godex RT700x GZPL Godex RT730 Godex RT730 GEPL Godex RT730 GZPL Godex RT730i Godex RT730i GEPL Godex RT730i GZPL Godex RT730x Godex RT730x GEPL Godex RT730x GZPL Godex ZX1200i

	Godex G535 GEPL Godex G535 GZPL Godex MX20 Godex MX20 GEPL Godex MX20 GZPL Godex MX30 Godex MX30 GEPL Godex MX30 GZPL Godex MX30i Godex MX30i GEPL Godex MX30i GZPL	Godex ZX1200i GEPL Godex ZX1200i GZPL Godex ZX1300i Godex ZX1300i GEPL Godex ZX1300i GZPL Godex ZX1600i Godex ZX1600i GEPL Godex ZX1600i GZPL
IMAGE	Markem-Imaje 5800 Markem-Imaje SmartDate 5 128mm Continuous Markem-Imaje SmartDate 5 128mm Intermittent Markem-Imaje SmartDate X40 32mm Continuous Markem-Imaje SmartDate X40 32mm Intermittent Markem-Imaje SmartDate X40 53mm Continuous Markem-Imaje SmartDate X40 53mm Intermittent Markem-Imaje SmartDate X60 128mm Continuous Markem-Imaje SmartDate X60 128mm Intermittent Markem-Imaje SmartDate X60 53mm Continuous Markem-Imaje SmartDate X60 53mm Intermittent Markem-Imaje SmartDate X60 53mm Shuttled Cont.	
INTERMEC DEFAULT	Intermec PD43 DP mode (203dpi) Intermec PD43 DP mode (300dpi) Intermec PD43 ESIm (203dpi) Intermec PD43 ESIm (300dpi) Intermec PD43 IPL mode (203dpi) Intermec PD43 IPL mode (300dpi) Intermec PD43c DP mode (203dpi) Intermec PD43c DP mode (300dpi) Intermec PD43c ESIm (203dpi) Intermec PD43c ESIm (300dpi) Intermec PD43c IPL mode (203dpi) Intermec PD43c IPL mode (300dpi)	
INTERMEC FINGERPRINT	Intermec PD43 FP mode (203dpi) Intermec PD43 FP mode (300dpi) Intermec PD43c FP mode (203dpi) Intermec PD43c FP mode (300dpi)	
MARKOPRINT	iJet X1Jet HP X1Jet LX X1Jet MX X2Jet	

	X4Jet X4Jet Plus XB4Jet	
PRINTRONIX	Printronix T8204 (PGL) Printronix T8206 (PGL) Printronix T8208 (PGL) Printronix T8304 (PGL) Printronix T8306 (PGL) Printronix T8308 (PGL)	
TSC	TSC DA200 TSC DA300 TSC TC200 TSC TC210 TSC TC300 TSC TC310	TSC TTP 2410MT TSC TTP 2410MU TSC TTP 2610MT TSC TTP 346MT TSC TTP 346MU TSC TTP 368MT TSC TTP 644MT TSC TTP 644MU
VIDEOJET	DataFlex 6320 32mm Continuous DataFlex 6320 32mm Intermittent DataFlex 6320 53mm Continuous DataFlex 6320 53mm Intermittent DataFlex 6420 107mm Continuous DataFlex 6420 107mm Intermittent DataFlex 6420 53mm Continuous DataFlex 6420 53mm Intermittent	
ZEBRA	Zebra GT800 ZPL (300dpi) Zebra ZD500R (203dpi) Zebra ZD500R (300dpi) Zebra ZE500R-4 LH (203dpi) Zebra ZE500R-4 LH (300dpi) Zebra ZE500R-4 RH (203dpi) Zebra ZE500R-4 RH (300dpi) Zebra ZE500R-6 LH (203dpi) Zebra ZE500R-6 LH (300dpi) Zebra ZE500R-6 RH (203dpi) Zebra ZE500R-6 RH (300dpi)	

[Back to Menu](#)

New devices in version 2015.00

Manufacturer	Model
--------------	-------

Automated Precision	Precision (203dpi) Precision (300dpi)	
BELL-MARK	BELL-MARK EP32c128 BELL-MARK EP32c53 BELL-MARK EP32i128 BELL-MARK EP32i53 BELL-MARK EP32mlp128 BELL-MARK EP32mlp213 BELL-MARK EP32mlp53	BELL-MARK EPS32c128 BELL-MARK EPS32c53 BELL-MARK EPS32i128 BELL-MARK EPS32i53 BELL-MARK EPS32mlp128 BELL-MARK EPS32mlp213 BELL-MARK EPS32mlp53
EPSON	EPSON TM-C7500	
GODEX	Godex RT860i Godex RT860i GEPL Godex RT860i GZPL	
LOGOPAK	LOGOPAK Logomatic 8D LOGOPAK Logomatic 12D	
PRINTRONIX	Printronix M4L ZPL	
SATO	Sato CL4NX 203 dpi Sato CL4NX 305 dpi Sato CL4NX 609 dpi Sato S84-ex 203dpi Sato S84-ex 305dpi Sato S84-ex 609dpi	Sato S86-ex 203dpi Sato S86-ex 305dpi Sato CL6NX 203dpi Sato CL6NX 305 dpi
THERMOCODE	ThermoCode 107XL ThermoCode 32E	
TSC	TSC ME240 TSC ME340 TSC TDP 225W TSC TDP 244 TSC TTP 244M Pro TSC TTP 244ME Pro TSC TTP 342M Pro TSC TTP 342ME Pro TSC TTP 225 TSC TTP 2410M Pro TSC MX240 TSC MX340 TSC MX640 TSC TA200 TSC TA300 TSC TTP 246M Pro TSC TTP 323	TSC TDP 245 PRO TSC TDP 245C TSC TDP 245M TSC TDP 342 TSC TDP 342M TSC TDP 343 TSC TDP 643 TSC TTP 243E TSC TTP 243M TSC TTP 244E TSC TTP 244M Plus TSC TTP 244ME TSC TTP 342 Plus TSC TTP 342E Pro TSC TTP 342M TSC TTP 343 TSC TTP 343E

	TSC TTP 344M Pro TSC TTP 346M Pro TSC TTP 644M Pro TSC Alpha-3R TSC Alpha-4L TSC Alpha-2R TSC Alpha-4R TSC MA240 TSC MA340 TSC MA640 TSC M23 TSC T-200 TSC T-200A TSC T-200E TSC T-300 TSC T-300A TSC T-300E TSC TDP 242 TSC TDP 243 TSC TDP 243E TSC TDP 243M TSC TDP 244CE TSC TDP 244ME	TSC TTP 343M TSC TTP 344 TSC TTP 344C TSC TTP 2410 TSC E200 TSC E300 TSC P200 TSC P300 TSC TA210 TSC TA310 TSC TDP 324 TSC TDP 324W TSC Alpha_4R_W TSC MH200 (renamed) TSC MH300 (renamed) TSC MH600 (renamed) TSC TTP 243 Plus TSC TTP 245 Pro TSC TTP 245M TSC TDP 246CJ TSC TX200 TSC TX300 TSC TX600
VIDEOJET	Videojet 9550 Videojet VJ8510 Videojet VJ8610 Videojet WSI 1510 Videojet WSI 1520 Videojet WSI 1610 Videojet WSI 1610 DH Videojet WSI 1620 Videojet WSI 1710	
ZEBRA	Zebra 105SL Plus (203dpi) Zebra 105SL Plus (300dpi) Zebra ZT220 EPL (203dpi) Zebra ZT220 EPL (300dpi) Zebra ZT230 EPL (203dpi) Zebra ZT230 EPL (300dpi) Zebra ZT410 ZPL (203dpi) Zebra ZT410 ZPL (300dpi) Zebra ZT410 ZPL (600dpi) Zebra ZT420 ZPL (203dpi) Zebra ZT420 ZPL (300dpi)	Zebra ZT410 ZPL (203dpi) RFID Zebra ZT410 ZPL (300dpi) RFID Zebra ZT410 ZPL (600dpi) RFID Zebra ZT420 ZPL (203dpi) RFID Zebra ZT420 ZPL (300dpi) RFID Zebra ZD500 (203dpi) Zebra ZD500 (300dpi) Zebra QLn420 Zebra QLn420 ZPL

[Back to Menu](#)

New devices in version 2014.00

Manufacturer	Model	
OPEN DATE	ThermoCode IQ 53	
ZEBRA	Zebra ZE500-4 LH (203dpi) Zebra ZE500-4 RH (203dpi) Zebra ZE500-4 LH (300dpi) Zebra ZE500-4 RH (300dpi)	Zebra ZE500-6 LH (203dpi) Zebra ZE500-6 RH (203dpi) Zebra ZE500-6 LH (300dpi) Zebra ZE500-6 RH (300dpi)

[Back to Menu](#)

New devices in version 2012.00

Manufacturer	Model	
ARGOX	Argox A-2240 PPLA Argox A-2240 PPLB Argox A-2240Z PPLZ Argox A-2240E PPLA Argox A-2240E PPLB Argox A-2240ZE PPLZ Argox A-3140 PPLA Argox A-3140 PPLB Argox A-3140Z PPLZ Argox CP-2140 PPLA Argox CP-2140 PPLB Argox CP-2140E PPLA Argox CP-2140E PPLB Argox CP-2140Z PPLZ Argox OS-2140Z PPLZ Argox OS-2140DZ PPLZ Argox OS-2140 PPLA Argox OS-2140 PPLB Argox OS-2140D PPLA Argox OS-2140D PPLB Argox AME-3230 PPLZ Argox AME-3230B PPLZ Argox AME-3230W PPLZ Argox CP-3140 PPLA Argox CP-3140 PPLB	Argox CP-3140E PPLA Argox CP-3140E PPLB Argox OS-2130D PPLA Argox OS-2130D PPLB Argox OS-2130DE PPLA Argox OS-2130DE PPLB Argox R-400plus PPLZ Argox X-2000V Zip PPLZ Argox OS-214plus PPLA Argox OS-214plus PPLB Argox X-2300ZE PPLZ Argox X-2300E PPLA Argox X-2300E PPLB Argox X-1000VL PPLA Argox X-1000VL PPLB Argox X-2000V PPLA Argox X-2000V PPLB Argox X-3200 PPLA Argox X-3200 PPLB Argox X-3200E PPLA Argox X-3200E PPLB Argox X-3200ZE PPLZ Argox X-3200Z PPLZ
BRADY	Brady BBP72 Brady BBP16	

CARL VALENTIN	Dynacode 128/12i Dynacode 128/12c Flexicode 53/12	
DATAMAX-O'NEIL	Datamax-O'Neil I-4212e Mark II Datamax-O'Neil I-4310e Mark II Datamax-O'Neil I-4606e Mark II Datamax-O'Neil RL3	
ITW BETAPRINT	Betaprint 53LT Continuous Betaprint 53LT Intermitent Betaprint 53XL	
KBA-METRONIC	ttPRINT 107c ttPRINT 107i ttPRINT 128c ttPRINT 128i ttPRINT 53c ttPRINT 53i	ttPRINT ML 107 ttPRINT ML 128 ttPRINT ML 53 ttPRINT XS
SATO	Sato GZ 412e Sato HR 212 Sato HR 224 Sato CZ 408 Sato CZ 412	
TOSHIBA	B-EV4D GS B-EV4D TS B-EV4T GS B-EV4T TS	B-EX4T2-GS B-EX4T2-TS B-EX4T2-HS
TSC	TSC TTP 268M TSC TTP 366M	
ZEBRA	Zebra R110Xi4 (300dpi) Zebra R110Xi4 (600dpi) Zebra ZT220 ZPL (203dpi) Zebra ZT230 ZPL (300dpi) Zebra GT800 ZPL (203dpi) Zebra GT800 EPL (203dpi)	Zebra GC420d ZPL (203dpi) Zebra GC420t ZPL (203dpi) Zebra GC420d EPL (203dpi) Zebra GC420t EPL (203dpi)

[Back to Menu](#)

New devices in version 10.00.00

Manufacturer	Model
--------------	-------

BRADY	Brady BBP11 24L Brady BBP11 34L	
CAB EOS	EOS1 (200dpi) EOS1 (300dpi) EOS4 (200dpi) EOS4 (300dpi)	
DATAMAX-O'NEIL	Datamax-O'Neil I-4212e Mark II Datamax-O'Neil I-4310e Mark II Datamax-O'Neil I-4606e Mark II Datamax-O'Neil RL3	
ES TECHNO	ESCODE ESFLY ESPRINT	
LEGI	LEGI700-M4308-2 LEGI-812 LEGI-813 LEGI-816	LEGI-876M+ EUROPE 203 LEGI-876M+ EUROPE 300 LEGI-876M+ R LEGI-887 (203dpi) LEGI-887 (300dpi)
POSTEK	Postek TX2 PPLZ (200dpi) Postek TX2e PPLZ (200dpi) Postek TX200+ PPLZ (200dpi) Postek TX3 PPLZ (300dpi) Postek TX3e PPLZ (300dpi) Postek TX300+ PPLZ (300dpi) Postek TX6 PPLZ (600dpi) Postek TX6e PPLZ (600dpi) Postek TX600+ PPLZ (600dpi) Postek TX200+ Postek TZ2 Postek TZ2e Postek TZ2 lite Postek TC200i Postek X4000 Postek TX300+ Postek TZ3 Postek TZ3e Postek TZ3 lite Postek TC300i Postek X6000 Postek C168 200e Postek C168 200i Postek C168 200s Postek C168 300e	Postek G-200D Postek G-3106e Postek G-3106i Postek G-300D Postek I200 Postek I200e Postek I4208 Postek I300 Postek I300e Postek I4306 Postek Q8/200 Postek Q8/200i Postek Q8/300 Postek Q8/300i Postek T2 Postek T3 Postek V6 Postek G-2108+ Postek G-3106+ Postek C168 200+ Postek C168 300+ Postek TX6 Postek TX6e Postek TX600+ Postek TZ6

	Postek C168 300i Postek C168 300s Postek G-2108e Postek G-2108i	Postek TZ6e Postek TC600i Postek X8000
SATO	Sato TG308 Sato TG312	
ZEBRA	Zebra HC100 Zebra QLn220 Zebra QLn320 Zebra 110 PAX Zebra 170 PAX	

[Back to Menu](#)

New devices in version 9.10.00

Manufacturer	Model	
CAB	XC4 (300dpi) XC6 (300dpi)	
CARL VALENTIN	DPM III xi53/12 DPM III xi107/12 DPM III xi128/12	
DASCOM	Tally Dascom 7010 Tally Dascom 7010-300 Tally Dascom 7010R Tally Dascom 7106 Tally Dascom 7206 Tally Dascom 7206-300 Tally Dascom 7005 DT2 (203dpi) Tally Dascom 7005 DT4 (203dpi) Tally Dascom 7005 TT4 (203dpi) Tally Dascom 7006 DT2 (203dpi) Tally Dascom 7006 DT2 (300dpi) Tally Dascom 7006 DT4 (203dpi) Tally Dascom 7006 DT4 (300dpi)	Tally Dascom 7006 TT2 (203dpi) Tally Dascom 7006 TT2 (300dpi) Tally Dascom 7006 TT4 (203dpi) Tally Dascom 7006 TT4 (300dpi) Tally Dascom 7008 DT2 (203dpi) Tally Dascom 7008 DT2 (300dpi) Tally Dascom 7008 DT4 (203dpi) Tally Dascom 7008 DT4 (300dpi) Tally Dascom 7008 TT2 (203dpi) Tally Dascom 7008 TT2 (300dpi) Tally Dascom 7008 TT4 (203dpi) Tally Dascom 7008 TT4 (300dpi)
DATAMAX-O'NEIL	Datamax-O'Neil RL4 Datamax-O'Neil E-4204B Mark III Datamax-O'Neil E-4304B Mark III Datamax-O'Neil E-4205A Mark III Datamax-O'Neil E-4305A Mark III Datamax-O'Neil E-4206P Mark III	

	Datamax-O'Neil E-4305P Mark III Datamax-O'Neil E-4206L Mark III Datamax-O'Neil E-4305L Mark III	
IBM	IBM6500(PGL) IBM6500(VGL) IBM6700-R40(PGL)(203dpi) IBM6700-R40(PGL)(300dpi) IBM6700-R40(VGL)(203dpi) IBM6700-R40(VGL)(300dpi) IBM6700-R40(PGL)(203dpi)(RFID) IBM6700-R40(PGL)(300dpi)(RFID) IBM6700-R60(PGL)(203dpi) IBM6700-R60(PGL)(300dpi)	IBM6700-R60(VGL)(203dpi) IBM6700-R60(VGL)(300dpi) IBM6700-R80(PGL)(203dpi) IBM6700-R80(PGL)(300dpi) IBM6700-R80(VGL)(203dpi) IBM6700-R80(VGL)(300dpi) IBM6700-M40(PGL)(203dpi) IBM6700-M40(PGL)(300dpi) IBM6700-M40(PGL)(203dpi)(RFID) IBM6700-M40(PGL)(300dpi)(RFID)
INTERMEC	EasyCoder PM4i DP Mode (406dpi) EasyCoder PM4i IPL Mode (406dpi) EasyCoder PM4i FP Mode (406dpi)	
PRINTRONIX	Printronix P7000 (PGL) Printronix P7000 (VGL) Printronix T5204r (PGL) Printronix T5304r (PGL) Printronix T5204r (VGL) Printronix T5304r (VGL) Printronix SL5204r (PGL)(RFID) Printronix SL5304r (PGL)(RFID) Printronix T5206r (PGL) Printronix T5306r (PGL)	Printronix T5206r (VGL) Printronix T5306r (VGL) Printronix SL5206r (PGL)(RFID) Printronix SL5306r (PGL)(RFID) Printronix T5208r (PGL) Printronix T5308r (PGL) Printronix T5208r (VGL) Printronix T5308r (VGL)
SATO	Sato LM408e Sato LM412e	
ZEBRA	Zebra RZ400 (203dpi) Zebra RZ400 (300dpi) Zebra RZ600 (203dpi) Zebra RZ600 (300dpi)	Zebra P4T Zebra P4T EPL Zebra P4T ZPL Zebra RP4T ZPL

[Back to Menu](#)

New devices in version 9.00.02

Manufacturer	Model	
ARGOX	Argox R-400 PPLA Argox R-400 plus PPLA Argox R-600 PPLA	
BRADY	BradyPrinter BP-PR 360 Plus	
GODEX	EZ-1100Plus EZ-1200Plus EZ-1300Plus EZ-2200Plus EZ-2300Plus EZ-6200Plus EZ-6300Plus EZ-DT-2 EZ-DT-4 EZ-1105 EZ-1305 EZPi-1200 EZPi-1300 EZ-1100Plus GEPL EZ-DT-2 GEPL EZ-DT-4 GEPL	EZ-1105 GEPL EZ-1305 GEPL EZPi-1200 GEPL EZPi-1300 GEPL EZ-1100Plus GZPL EZ-2200Plus GZPL EZ-2300Plus GZPL EZ-6200Plus GZPL EZ-6300Plus GZPL EZ-DT-2 GZPL EZ-DT-4 GZPL EZ-1105 GZPL EZ-1305 GZPL EZPi-1200 GZPL EZPi-1300 GZPL
GPRINTER	GP-2120T GP-3120T GP-4120T	
PAXAR	Paxar Snap 700	
POSTEK	Postek e4 200dpi (2000-XP) Postek e4 200dpi (Server 2003) Postek e4 300dpi (2000-XP) Postek e4 300dpi (Server 2003)	
SATO	Sato M 8485S (RH) Sato M 8485S (LH)	
TSC	TSC TDP 225 TSC TDP 245 Plus TSC TDP 247 TSC TDP 345 TSC TDP 243E Plus TSC TDP 243 Pro TSC TDP 243E Pro TSC TDP 244	TSC TDP 246M Plus TSC TDP 247 TSC TDP 342 Pro TSC TDP 342M Plus TSC TDP 343C TSC TDP 343 Plus TSC TDP 344M Plus TSC TDP 345

	TSC TDP 244 Plus TSC TDP 244CE TSC TDP 244ME Plus TSC TDP 245C TSC TDP 245 Plus	TSC TDP 346M TSC TDP 644M TSC TDP 384M TSC TDP 2410M
ZEBRA	Zebra TLP-2824 Plus (EPL) Zebra LP-2824 Plus (ZPL) Zebra TLP-2824 Plus (ZPL)	

[Back to Menu](#)

New devices in version 9.00.01

Manufacturer	Model	
CITIZEN	Citizen CL-S700z Citizen CL-703z	
DATAMAX	Datamax A-4212 (LH) Mark II Datamax A-4212 (RH) Mark II Datamax A-4310 (LH) Mark II Datamax A-4310 (RH) Mark II Datamax A-4408 (LH) Mark II Datamax A-4408 (RH) Mark II Datamax A-4606 (LH) Mark II Datamax A-4606 (RH) Mark II	Datamax A-6212 (LH) Mark II Datamax A-6212 (RH) Mark II Datamax A-6310 (LH) Mark II Datamax A-6310 (RH) Mark II Datamax E-4205e Mark II Datamax E-4304e Mark II
EPSON	EPSON TM-C3400	
SATO	Sato M 8400Rve Sato CG208 Sato CG212	Sato CG412 Sato D508 Sato D512
ZEBRA	Zebra 110Xi4 (203dpi) Zebra 110Xi4 (300dpi) Zebra 110Xi4 (600dpi) Zebra 140Xi4 (203dpi)	Zebra 170Xi4 (203dpi) Zebra 170Xi4 (300dpi) Zebra 220Xi4 (203dpi) Zebra 220Xi4 (300dpi)

New devices in version 9.00.00

Manufacturer	Model	
CAB	Hermes A2 (300dpi) Hermes A2 (600dpi)	Hermes+ 4 (200dpi) Hermes+ 4 (300dpi)

	A2+ (600dpi) A4+ M (300dpi) A4+ M (600dpi) Hermes+ 2 (300dpi) Hermes+ 2 (600dpi)	Hermes+ 4 (600dpi) Hermes+ 4.3 (200dpi) Hermes+ 4.3 (300dpi) Hermes+ 6 (300dpi) XD4 (300dpi)
Gainscha	Gainscha GP3120T	

[Back to Menu](#)

New devices in version 8.51.02

Manufacturer	Model	
BRADY	BRADY BBP11-24L BRADY BBP11-34L	
INTERMEC	EasyCoder PD42 DP (203dpi) EasyCoder PD42 DP (300dpi) EasyCoder PD42 IPL (203dpi) EasyCoder PD42 IPL (300dpi) EasyCoder PD42 FP mode (203dpi) EasyCoder PD42 FP mode (300dpi) PB21 IPL mode (203dpi) PB22 IPL mode (203dpi) PB31 IPL mode (203dpi) PB32 IPL mode (203dpi) PB21 DP mode (203dpi) PB22 DP mode (203dpi) PB31 DP mode (203dpi) PB32 DP mode (203dpi)	PB21 FP mode (203dpi) PB22 FP mode (203dpi) PB31 FP mode (203dpi) PB32 FP mode (203dpi) Intermec PF8d Intermec PF8t (203dpi) Intermec PF8t (300dpi) PB50 FP mode (203dpi) PB50 DP mode (203dpi) PB50 IPL mode (203dpi) PB51 DP mode (203dpi) PB51 FP mode (203dpi) PB51 IPL mode (203dpi)

[Back to Menu](#)

New devices in version 8.51.01

Manufacturer	Model
BROTHER	Brother MW-140BT Brother MW-260 Brother QL-1060N Brother RL-700S
COGNITIVE	Cognitive AdvantageDLX DBD24-2085-xxx

	Cognitive AdvantageDLX DBT24-2085-xxx Cognitive AdvantageDLX DBD42-2085-xxx Cognitive AdvantageDLX DBT42-2085-xxx	
TALLYGENICOM	TallyGenicom 7005 DT2 (203dpi) TallyGenicom 7005 DT4 (203dpi) TallyGenicom 7005 TT4 (203dpi)	
ZEBRA	Zebra GK420d EPL Zebra GK420t EPL Zebra GX420d EPL Zebra GX420t EPL Zebra GX430t EPL	Zebra GK420d ZPL Zebra GK420t ZPL Zebra GX420d ZPL Zebra GX420t ZPL Zebra GX430t ZPL
VIDEOJET	VIDEOJET VJ2310 VIDEOJET VJ2320 VIDEOJET VJ2330	
ICE	ICE Torus 126 ICE Torus 380 ICE Torus 500	
MARSH	Marsh 1100 Marsh 2100 Marsh 3100	
LINX	Linx IJ350 Linx IJ370	

[Back to Menu](#)

New devices in version 8.50.08

Manufacturer	Model	
TALLYGENICOM	TallyGenicom MTP4P TallyGenicom MTP4P EPL TallyGenicom MTP4P ZPL TallyGenicom 7006 DT2 (203dpi) TallyGenicom 7006 DT2 (300dpi) TallyGenicom 7006 DT4 (203dpi) TallyGenicom 7006 DT4 (300dpi) TallyGenicom 7006 TT2 (203dpi) TallyGenicom 7006 TT2 (300dpi)	TallyGenicom 7006 TT4 (203dpi) TallyGenicom 7006 TT4 (300dpi) TallyGenicom 7008 DT2 (203dpi) TallyGenicom 7008 DT2 (300dpi) TallyGenicom 7008 DT4 (203dpi) TallyGenicom 7008 DT4 (300dpi) TallyGenicom 7008 TT2 (203dpi) TallyGenicom 7008 TT2 (300dpi) TallyGenicom 7008 TT4 (203dpi) TallyGenicom 7008 TT4 (300dpi)
BRADY	Brady BBP81 200 Brady BBP81 300	

	Brady BBP81 600	
ZEBRA	MZ 200 MZ320 Zebra RW 220 ZPL Zebra RW 420 ZPL	Zebra RW 220 EPL Zebra RW 420 EPL Zebra RW 220 Zebra RW 420
CITIZEN	CLP-521z CLP-621z CLP-631z	
IMAGE	Imaje 5000 53 mm Imaje 5000 107 mm	
MARKEM	Markem 9096 (Inkjet printer)	

[Back to Menu](#)

New devices in version 8.50.07.01

Manufacturer	Model
BRADY	BBP81 200 BBP81 300 BBP81 600
BETAPRINT	Betaprint 55SST Continuous Betaprint 55SST Intermittent Betaprint 128SST Continuous Betaprint 128SST Intermittent

[Back to Menu](#)

New devices in version 8.50.07

Manufacturer	Model
DOMINO	Domino CM5 Domino IM5 Domino V100 Domino V200 Domino V300+ 2" CM Domino V300+ 2" IM Domino V300+ 5" CM Domino V300+ 5" IM Domino V400 2" Domino V400 5"
SATO	CT408i CT412i

	CT424i	
ZEBRA	110XiIII Plus UHF (203dpi) 110XiIII Plus UHF (300dpi) 110XiIII Plus UHF (600dpi)	110XiIII Plus HF (203dpi) 110XiIII Plus HF (300dpi) 110XiIII Plus HF (600dpi)

New devices in version 8.50.06

Manufacturer	Model
SATO	GL408e GL412e

[Back to Menu](#)

New devices in version 8.50.05

Manufacturer	Model
DATAMAX	M-4206 Mark II M-4210 Mark II
SATO CX 410	Lt408 (RH) Lt408 (LH) MB400i MB410i
ZEBRA	ZM400 (203 dpi) ZM400 (300 dpi) ZM600 (203 dpi) ZM600 (300 dpi)

[Back to Menu](#)

New devices in version 8.10.04

Manufacturer	Model
DATAMAX	DATAMAX H CLASS
ITW BETAPRINT	TP2100 TP4000

SATO	S8408 (RH) S8408 (LH) S8412 (RH) S8412 (LH)	S8424 (RH) S8424 (LH) MB200i
ZEBRA	QL 220 Plus ZPL QL 320 Plus ZPL QL 420 Plus ZPL	QL 220 Plus EPL QL 320 Plus EPL QL 420 Plus EPL

New devices in version 8.10.02

Manufacturer	Model
DATAMAX	DATAMAX H CLASS

New devices in version 8.10

Manufacturer	Model
MARKEM	MARKEM 5000 MARKEM 5200 MARKEM 5400

[Back to Menu](#)

Known Limitations

- OLE DB Driver 19.0 for SQL Server: New security changes in v19 might cause issues with connections or the inability to save a connection. Clients can revert to v18 or change their configuration. See the Microsoft article for more information here <https://techcommunity.microsoft.com/t5/sql-server-blog/ole-db-driver-19-0-for-sql-server-released/ba-p/3170362>.
- For network license users, it is recommended to use the same version for Network Licence Manager (NLM) and Label Designer client.
- For Hasp protection type, Sentinel Hasp driver version 8.41 or higher are not compatible with LABELVIEW, version 8.31 must be used.
- Network port collusion:
The Network License Manager uses the network port 55174 by default. If this port is already used by other software, it causes one of the following abnormal behaviors:
 - Network License Manager installation fails with the following error message: Error 1920. Service TlxWebLicenseServer failed to start.
 - or
 - Network License Manager installation is successful. The License Server Controller indicates that The service is running, but the service status indicator is orange and the content of the License Server Controller is gray. Clients cannot connect to the License Service if using the web method.

Workaround:

- Ensure that the default port 55174 is not used during the installation of the Network License Manager.
- Install the Network License Manager
- Start the License Service Controller and press the Settings button
- Change the Port number setting to a different value which is not used by any software and press OK.
- Adjust the firewall settings to ensure that the newly selected port is accessible by other computers (exact method depends on Windows version, and type of antivirus software installed)
- Use the License Service Controller to Stop and Start the License Service
- Now it is possible to enable the use of port 55174 by another software
- If you have a LABELVIEW 10 version installed and activated, please ensure that you deactivate the license during the uninstallation of LABELVIEW 10. The deactivation of the LABELVIEW 10 licenses is not automatically deactivated upon uninstall/install.
- Execution of software not allowed under Guest account.
- The Windows system clock must be set to the correct date and time and should not be modified. If the system clock is incorrect then Subscription licenses and licenses requiring an internet connection might not function correctly. For example, a Software license might display a "Connection required" error even though an internet connection is available. To resolve this, you should correct the system clock and reactivate the license. (A quick workaround is to disable the "Check for server certificate revocation" option under Windows Internet Options.)
- Start menu shortcuts aren't immediately accessible in Windows Server 2016
This is a system issue, that is solved after reboot.(see [Microsoft support article](#))

- When application is used in RemoteApp it is displayed behind the main window.
This is a system issue (see [Microsoft support article](#)). The solution is to update to Windows 10 version 1807 with latest update (including [KB4284848](#)).
- After installation application might be slow to launch the first time, this is normal and the result of .NET optimization.
- Under Server 2008 R2, installation of Internet Explorer version 9 or higher is required to use help.
- After this product is installed, it is not recommended to install a previous version. The installation of two different versions of the same product can lead to instability and incorrect behavior.
- Updates KB4055994, KB4055237, KB4054022 and KB4078408 can lead to registry corruption and non-stable application work.
In such case reinstalling or repairing the product will fix the registry.
- Application and Device Control component of Symantec Endpoint Protection (version 12 or older) antivirus should be uninstalled (not just disabled) before product installation because this component could prevent installation.
- Counter used in Variable Pick List is not incremented while printing if target 'When Printed' variable is not placed on the label.
- Value from Database is not updated during printing if dynamic variable (When Printed, Counter) is used in WHERE clause (SQL Query)
- Database and Table lookup variables with query in SQL mode, do not support Stored Procedure with parameters based on document variables, only fixed parameters are supported.
- The Image transparency feature apply for input image that does not already have a transparency color defined.
- In order to connect to Access or Excel files in version 2007 or later on a system where Microsoft Office 64-bit is installed you will need to install Microsoft's AccessDatabaseEngine 32-bit.
<http://www.microsoft.com/en-us/download/details.aspx?id=13255>
- Software Key Protection does not support Proxy with authentication. A license that requires internet connection (Online/Platinum) will not be compatible in such case.
In case of Software Key Protection, IP Security Policy Management (IPsec) settings can create slow response time from Activation server if it is blocked.
- To use this product via RDP (remote application / remote desktop), a network license is required on environments such as Remote Desktop Services (formerly Terminal Services), Citrix,...
- Under Windows 8 and Windows Server 2012, if the dongle HASP is not recognized, install the driver manually from the DVD using the following command:
"<Drive>:\Software\Misc\Hasp_v6.51\Haspdinst.exe -i" (where <Drive> is to be replaced by the letter of the DVD drive).
- When upgrading LABELVIEW, we recommend uninstalling any previous versions before installing the new version.
- Shared counters are not incremented in preview mode, only at print time.
- RTF Field has a limitation when used with Fit to Frame option where the size and/or complexity of the RTF text in the input may cause the displayed text to be truncated.

- Text objects with composite data sources or different styles (font size or attributes) should be edited using the text properties dialogue only. If you use the text wizard, the text object becomes fixed with a uniform style.
- When importing an image from a network, a path like //MachineName/Path/Filename cannot be entered directly into the "Image Selection" dialog box. The workaround is to map the network drive, or to drag and drop from the explorer.
- While using the animation option in the wizards, performance may be slightly reduced. Turn off this option for faster performance if needed.
- With a hardware key license, when running LABELVIEW while system is not fully initialized, LABELVIEW may run in EVALUATION mode.
Make sure the system is fully loaded before running LABELVIEW.
- Please note that you may need Administrator's rights to perform some actions, such as adding a printer with non-direct access or creating a system DSN data source. Please verify that you have sufficient rights before performing these actions.
- Query definition only supports Tables within the default schema. If it is necessary to use a table from another schema, the SQL mode should be used, using a syntax like: `SELECT * FROM Schema.Table`.
- The Database Manager is a generic database tool that relies on OLE DB Provider (ODBC is not supported). OLE DB Provider or the DBMS itself can both have some limitations. For example, with an Access database, when you set 3 unique fields in Database Manager, only the first one will be set. The recommendation is to use the internal DBMS tools to modify database structure, especially when working on advanced actions (like multiple constraints and primary key modification). The same is true for big tables where the response time can be slow on some operations.
- A database connection must be linked to the DatabaseGrid control displayed in sample form "DBForm.xmlf" in order to show information (i.e.; identity.mdb).
- The ODBC driver has some limitation when used with files (xls, csv, txt...). It is recommended to use the OLE DB driver.
- ODBC drivers are recommended for PostgreSQL. With OLEDB drivers, fields may not be enumerated.
- Visual FoxPro OLEDB Provider v 9.0 is not supported.
- Layers are not managed in the Print Preview. All Layers are displayed at the same time.
- When using Layers (Footer/Header...) the quantities defines from control variable (i.e. @SERIALQTY) should not change during multiple records printing as it is not updated after first printed record. Labels with Layers are not optimized for performances.
- It is recommended to use the native Oracle OLEDB driver to access Oracle database instead of Microsoft OLEDB provider that have limitations
- The LABELVIEW installation may upgrade your system with 3rd-party components and files that are not yet Windows Server 2008 compliant because they may lack versioning information (like company name or version number) and/or they may lack a digital signature (please see the readme file for file names and locations).
- This product is not certified with any extended hardware device (such as Multiport serial cards and expansion ports). Tests and validation have to be performed with each piece of hardware in case of usage.

- Pocket printing supported data sources are: Fixed, When Printed, Database, Date/Time, and Counters. Only fixed graphics are supported. Data source maximum length is limited to 49 characters. For more information, see the help file.
- The SQL Query Builder does not support parameterized queries that have an object (table, view, etc.) defined with the same name as the database (for example, database_name=Product and table_name=Product).
- The SQL Query Builder does not support "System Objects" like system tables, views...
- Visual Basic Script Manager: user library module is a place where you can define your own global variables, methods, or classes. Note that you should not invoke other functions outside the definitions in your library. If you do then they will be executed every time the application interacts with the VBS Engine. This can lead to unexpected behavior."
- LABELVIEW Converter and LABELMATRIX Converter are not certified for BASIC range. It is recommended to use them with Pro and Gold range.
- Open/Save labels on Google Drive: Open/Save in Drive dialog box doesn't open the last used folder if its name contains special characters. In this case, the last used folder is the root folder. This is a limitation with Google Drive.
- The label version is guaranteed when using ascending version. When using a different a version, please check that all versions are in the same range:

Backward Compatibility Range	CD Masters	Serialization Version
9.00.00	LV900_XX_R1	1000
10.00.00-10.04.00	LV1000_XX_R1 - LV1002_XX_R2 LV1004_XX_R5	1001
2012.00.00-2014.00.00s	LV2012_XX_R1 - LV2012_XX_R2 LV2012_XX_R3 - LV2012_XX_R4 LV2014_XX_R1 - LV2014_XX_R2	1002
2015.00.00-2018.01.01s	LV2015_XX_R1 - LV2015_XX_R2 LV2015_XX_R3 - LV2015_XX_R4 LV2015_XX_R5 - LV2016_XX_R1 LV2018_XX_R1 - LV2018_XX_R2 LV2018_XX_R3 - LV2018_XX_R5	1004
2019.00.00-2019.02.00	LV2019_XX_R1 - LV2019_XX_R2 LV2019_XX_R3 - LV2019_XX_R4	1005
2021.00.00-2022.00.03	LV2021_XX_R1 - LV2022_XX_R1 LV2022_XX_R2 - LV2022_XX_R3	1006
2024.00.00	LV2024_XX_R1	1007
2025.00.00	LV2025_XX_R1	1008

[Back to Menu](#)

Appendix - LABELVIEW Electronic document licensing

TEKLYNX 2025 products version introduce new licensing model for PDF and Electronic document.

The license defines a quota for the Electronic Outputs license restricted activities. The unit of the licensing is the number of labels generated by the operation.

The quota applies for an interval of any consecutive 7-days.

For LABELVIEW the quota 5000 Electronic Outputs license units.

The following operations are subject of Electronic Outputs licensing:

- Printing via Windows drivers producing common document formats (PDF, XPS, image formats, etc.);
- Printing with any printer to ports capturing the printout electronically (FILE:, prompt for file, or fixed file ports);
- Exporting the document to PDF or image formats directly.

For some operations the **eOutput counting** will be effective and some will also require the **Output addons**.

Following table describes the different use cases and licensing requirements.

Review by feature / scenarios for LABELVIEW

	Feature details	Licensing
eOutput driver	Printing to a driver that has been identified as such. An eOutput driver is a driver that Teklynx products will identify as systematically producing electronic outputs. Examples: Microsoft Print to Pdf, Bullzip, PDF creator, printers that generate PDF, XPS, Postscript, PCL, image (PNG, JPG..), SVG, EMF, Text, XM, etc	eOutput counting => YES eOutput Addon required => NO

	Feature details	Licensing
Preview and Images	Through User Interface Menus: File > Export to an image file Edit > Copy to clipboard	eOutput counting => NO eOutput Addon required => NO

	Feature details	Licensing
Printer Command File	Through User Interface Printer command file can be generated though different methods: At print time using the "Printer code" button option (TEKLYNX Driver only). Using a file port (eg: C:\temp\print1.txt) for both TEKLYNX and Windows drivers	eOutput counting => NO eOutput Addon required => NO

	Feature details	Licensing
Internal PDF printer	Internal PDF printer - allows generate PDF without the <u>need of third-party driver</u>. - provide custom settings like possibility to name the PDF file as you want (important to associate the PDF file to the user request)	eOutput counting => YES eOutput Addon required => YES

The Trial version includes access to the native PDF/electronic output feature (**eOutput**).

The **eOutput** add-on is available for purchase with a production license.

Copyright 2025 TEKLYNX Corporation SAS. All rights reserved. TEKLYNX and its products are trademarks or registered trademarks of TEKLYNX Corporation SAS. All other brands and product names are the trademarks of their respective owners.

This release notes document is for informational purposes only. Product specifications are likely to change.



France
+33 (0) 562 601 080

Germany
+49 (0) 2103 2526 0

Singapore
+65 6908 0960

United States
+1 (414) 837 4800

Copyright 2025 TEKLYNX Corporation SAS. All rights reserved. LABEL MATRIX, LABELVIEW, CODESOFT, LABEL ARCHIVE, SENTINEL, PRINT MODULE, BACKTRACK, TEKLYNX CENTRAL, TEKLYNX, and Barcode Better are trademarks or registered trademarks of TEKLYNX Corporation SAS or its affiliated companies. All other brands and product names are trademarks and/or copyrights of their respective owners.

www.teklynx.com