



SENTINEL 2025 Release Notes

Version 2025.00.00

Table of Contents

System Requirements	3
Virtual Environment	3
SENTINEL 2025 New Features, Improvements and Fixes.....	4
SENTINEL 2024 New Features, Improvements and Fixes.....	7
SENTINEL 2022 New Features, Improvements and Fixes.....	9
SENTINEL 2021 New Features, Improvements and Fixes.....	11
SENTINEL 2019 New Features, Improvements and Fixes.....	13
SENTINEL 2018 New Features, Improvements and Fixes.....	16
SENTINEL 2016 New Features, Improvements and Fixes.....	19
SENTINEL 2015 New Features, Improvements and Fixes.....	21
SENTINEL 2014 New Features, Improvements and Fixes.....	23
SENTINEL 2012 New Features, Improvements and Fixes.....	25
SENTINEL 10 New Features, Improvements and Fixes	28
SENTINEL 6 New Features, Improvements and Fixes	29
SENTINEL 5 New Features, Improvements and Fixes	33
Known Limitations and remarks.....	40
Compatibility with other TEKLYNX Software.....	41
Appendix - SENTINEL Electronic document licensing.....	42

System Requirements

This product has been tested on the following Windows® operating systems:

- Windows®11 x64 Version 24H2 (Build 26100.3476)
- Windows® 10 x86/x64 Version 22H2 (Build 19045.5608)
- Windows® Server 2025 Version 24H2 (Build 26100.3476)
- Windows® Server 2022 Version 21H2 (Build 20348.3328)
- Windows® Server 2019 Version 1809 (Build 17763.7009)
- Windows® Server 2016 Version 1607 (Build 14393.7876)
- Windows® Server Core 2025 Version 21H2 (Build 26100.1742)
- Windows® Server Core 2022 Version 21H2 (Build 20348.2322)
- Windows® Server Core 2019 Version 1809 (Build 17763.5458)
- Windows® Server Core 2016 Version 1607 (Build 14393.5850)

Operating systems tested were up-to-date at the time of product release.

Installation requires **Administrator** privileges.

Before updating/upgrading a SENTINEL license you must quit the notification icon and stop the service.

Warning: The System must not be configured with automatic update of Windows printer drivers, as this entails the restart of the Windows spooler service. During that time, print jobs cannot be processed by the sentinels and an error is logged.

Virtual Environment

This product has been tested on the following Virtual Environment platforms:

- VMWare ESXi 8.0
- VMWare ESXi 6.0 vCenter 6.0 vSphere Client 6.0
- Citrix Hypervisor 8.2.0 Cumulative Update 1
- Microsoft Hyper-V Server 2022
- Oracle VM Virtual Box 7.1.6
- VMware Workstation 17.6.2

[Back to Menu](#)

SENTINEL 2025 New Features, Improvements and Fixes

SENTINEL 2025.00.00

New Features and Improvements	Version
NEW Electronic document licensing - Electronic document print is consumption-based and calculated per week - Consumption of electronic document volume is directly proportional to API printer licensing Refer to SENTINEL Electronic document licensing appendix for detailed information. The trial version includes access to the native PDF/electronic output feature (eOutput). The eOutput add-on and additional API printers are available for purchase with a production license.	2025.00.00
Kernel REST API: Adding a new REST API for the Kernel and providing new endpoints to get information about the sentinels defined in the application, and start/stop them	2025.00.00
CODESOFT plugin: displaying a new information in the SENTINEL Manager about the last date/time the printer was used	2025.00.00
CODESOFT plugin (native PDF printing): Adding new control options to remove borders in the PDFs generated using @PRINT_PDF control variable. - <PdfBorder>: to define the default parameter for the sentinel (1 or 0). - @PDF_BORDER: to dynamically set this option in the print request.	2025.00.00
CODESOFT Plugin REST API: Adding a new REST API for the CODESOFT plugin and providing an endpoint to get the status of the printer specified, if connected through direct port	2025.00.00
CODESOFT Plugin REST API: Adding a new REST API for the CODESOFT plugin and providing an endpoint to get information about the printers defined in the CODESOFT Plugin	2025.00.00
REST API plugin: Adding default route (0.0.0.0) as possible address for connection to provide additional flexibility of REST API Web Server configuration in order to listen to all incoming connections on the port specified. This can be useful when working in cloud environment.	2025.00.00
REST API plugin: Updating from .NET 6 to .Net 8.0 (LTS)	2025.00.00
REST API plugin: Adding support for basic authentication	2025.00.00

REST API plugin: Adding support for CORS settings (Cross-origin resource sharing) Specific entry, AllowedOrigins, must be added for the REST API plugin (TkxWebServerRestApi.xml) and for the Kernel REST API (Sentinel.xml) The value can contain several addresses separated by semicolon ";" and also can contain wildcard "*" for allowing any possible address eg: TkxWebServerRestApi.xml file <pre><TkxWebServerRestApi> <General> <Connections> <Connection> <AllowedOrigins>http://localhost:8891;http://localhost:4505</AllowedOrigins> </Connection> </Connections> </General> </TkxWebServerRestApi></pre> eg: Sentinel.xml file: <pre><kernel> <general> <AllowedOrigins>*</AllowedOrigins> </general> </kernel></pre>	2025.00.00
Kernel: Swagger documentation for REST API endpoints	2025.00.00
Kernel: Add ability to change address and port for Kernel REST API By default, Kernel REST API starts on localhost:4505. To customize this behavior, Sentinel.xml now can be adjusted via new nodes RestApiAddress and RestApiPort, located in the general section of the XML file: <pre><kernel version="25.00.00"> <general> ... <RestApiAddress>localhost</RestApiAddress> <RestApiPort>4505</RestApiPort> ... </general> </kernel></pre>	2025.00.00
Made "Access database engine 2010" installation as optional. Remove "Adobe Acrobat X" from the list of prerequisites.	2025.00.00

The binary files of the application are now signed with SHA-256 digital certification, rather than SHA1 that is now deprecated.	2025.00.00
SFTP plugin: Updates to improve the connection modes supported for better integration with any SFTP servers (support new private key formats)	2025.00.00
Database watch plugin: Adding support to native Oracle libraries to connect with latest Oracle versions as there is no OLEDB driver compatible for Oracle versions above Oracle11.	2025.00.00
Email process plugin: Adding control variable @EMAIL_SUBJECT to allow defining the subject for the email The value of the control variable supports template syntax, the next key tokens can be used: - (date) for short date - (time) for the long-time value - (sentinel) includes group and name of the current sentinel - (info) for the additional info (in the case of email process it will be localized "Process" string) The empty value of the variable is considered valid, if the variable is not presented the default template will be used.	2025.00.00

Defect ID	Fixes	Version
78948	SENTINEL gives "no error" message instead of "Invalid Data"	2025.00.00
81385	Unclear message when beta driver reaches time limit	2025.00.00
84968	SENTINEL 2021: Parsing problem	2025.00.00
85395	SFTP Capture Erasing Contents of Files	2025.00.00
86594	Local thermal printing produces invalid LABEL ARCHIVE history data	2025.00.00
86606	SENTINEL printer licensing ignored during true reprint	2025.00.00
88714	SENTINEL doesn't "see" new incoming files	2025.00.00
92515	SENTINEL generates an error even if the action is set to generate none	2025.00.00
92665	Printer license error when printing from Mapper, wrong secure object instantiation	2025.00.00
92767	Label contour is printed as rectangle around pdf or picture	2025.00.00
96206	SENTINEL 2024: RestApiSample does not work, files are missing	2025.00.00

[Back to Menu](#)

SENTINEL 2024 New Features, Improvements and Fixes

SENTINEL 2024.00.00

New Features and Improvements	Version
NEW German localization - SENTINEL is now translated in German	2024.00.00
Printing - Ahead of time print engine creation to increase the speed of the engine attachment process. It's not activated by default. The functionality works with any priority. For activation, set <AotPrintEnginePool>1</AotPrintEnginePool> in the general node of TkxCS.xml	2024.00.00
Printing - Associate print engine with sentinel with Real Time priority. It's not activated by default. It can be combined with Ahead of time print engine creation. For activation, set <OwnPrintEnginePool>1</OwnPrintEnginePool> in the general node of TkxCS.xml	2024.00.00
REST Web Server API input plugin improvements: - Add the ability to send synchronous requests - Implement 'assign and return files' (with new endpoints)	2024.00.00
Email plugin - To extend the Email plugin to work as a Process and a Transfer plugin for sending files by email	2024.00.00
Updating .NET 6.0 (LTS) - Moving existing .NET Core 3.1 server application to .NET 6.0	2024.00.00
Label Print Module - Add the ability to open a .ULD file from the label print module (CODESOFT Runtime)	2024.00.00
Miner - Improving work with XML namespaces, adding filtration for avoiding default and named namespaces	2024.00.00

Defect ID	Fixes	Version
72648-72647	SBS with webservice configuration synchronizes IP ports	2024.00.00
76451-76449	SENTINEL 2018 lost tray settings	2024.00.00
77646-77633	SBS & REST API, copies wrong address to backup server	2024.00.00
77767-77766	SENTINEL 2022 Swagger page: Not possible to test the API key or usage of url parameter	2024.00.00
78406-78405	Random order of group names in SENTINEL manager	2024.00.00
72764-72745	SENTINEL Data Exchange and Oracle issue	2024.00.00
73446-73331	SENTINEL 2022 message not clear when printer name surrounded by quotes	2024.00.00
74807-74782	Mapper wizard screen is not correctly placed in the mapper window	2024.00.00
76637-76636	TEKLYNX CENTRAL 6.0: Database data missing when printing via SENTINEL	2024.00.00

78442-78441	Test map does not work with 2019 map file	2024.00.00
81033-80941	TEKLYNX CENTRAL 6.0 - SENTINEL 2021 - "Open merge database with the documents" gets switched off automatically	2024.00.00
81689-81688	SENTINEL 2023: TCP/IP port listening error	2024.00.00
83432-83404	Top Semence - Sentinel stop too many times - Request log analysis	2024.00.00
83480-83477	SENTINEL 2022: Print rotation set under Sentinel not correctly applied	2024.00.00
85547-85546	SENTINEL 2022: Screenshots are missing in the English user guide	2024.00.00

[Back to Menu](#)

SENTINEL 2022 New Features, Improvements and Fixes

SENTINEL 2022.00.03

New Features and Improvements	Version
Compatibility with CODESOFT 2022.00.03 and LABEL ARCHIVE 2022.00.03	2022.00.03

SENTINEL 2022.00.00

New Features and Improvements	Version
NEW Windows 11 Support - SENTINEL 2022 can be run on the Windows 11 and Windows 2022 Server operating systems	2022.00.00
NEW Print to PDF - ability to generate a printout as a PDF file without the need to print the label on a third-party PDF printer driver. This feature is available through a license add-on Use the new control variable @PRINT_PDF to specify the PDF file to generate, taking care to indicate the printer name to use in CODESOFT to display the label. Eg: @LABEL_NAME = xxxxxxxxxxxx @PRINTER_NAME = xxxxxxxxxxxx @PRINT_PDF = C:\Temp\xxxxxxxxx.pdf ... Please look at the help and documentation to get more information about this feature.	2022.00.00
About dialog - To extend About dialog functionality with few links	2022.00.00
REST Web Server improvement: - Add 'After processing' clearing method. - Make it possible using 'localhost' instead of the IP Address in the configuration of the plugin.	2022.00.00
Extended @LAB_VARS output - To extend @LAB_VARS control variable output with next properties: Label name, Picklist file path, Picklist values	2022.00.00
Printer dialog box - Printer search improvement includes family name in search pattern	2022.00.00
Printing - Change Print Engines Pool to solve several issues and increase stability	2022.00.00

Defect ID	Fixes	Version
64315-64311	SBS switches primary server's Label Print manager service to manual start up mode	2022.00.00

64831-64572	TCP/IP port listening: TkxKernel.exe crashes during long processing of sentinel with TCP/IP input plugin	2022.00.00
65168-65166	SENTINEL keeps draft version opened when validated version is needed	2022.00.00
65177-64572	Modbus server: TkxKernel.exe crashes during long processing of SENTINEL with Modbus input plugin	2022.00.00
65488-65487	Mapper crash when comments in xml file	2022.00.00
65489-64701	Help file error on Sentinel tcp/ip pipe answer	2022.00.00
65739-65731	Mapper can't handle correctly { in a JSON element	2022.00.00
66027	CODESOFT Printing: Blank PDF is generated with ListField object in the label	2022.00.00
67002-66968	SENTINEL Retry print does not send variable values	2022.00.00
67428	Connection loss error occur if print on TCPreview printer when label is already closed by timer	2022.00.00
67441	TCP/IP port listening: Sometimes new connection refused due "too many client" error when no socket client is connected	2022.00.00
68332	Print Capture: SENTINEL hangs in Waiting mode when the job file is available in the used spool	2022.00.00
70123-70120	No message when SENTINEL does not start if spooler is down	2022.00.00
70294	Kallik solution does not work with ' in O'Niel printers	2022.00.00
70349	CODESOFT Printing: The printers aren't synchronized after the adding from the TEKLYNX CENTRAL	2022.00.00

[Back to Menu](#)

SENTINEL 2021 New Features, Improvements and Fixes

SENTINEL 2021.00.01

New Features and Improvements	Version
Operating System - Updated Operating System controls	2021.00.01

SENTINEL 2021.00

New Features and Improvements	Version
NEW Windows Server Core Support - SENTINEL 2021 can be run on Windows Server Core 2016 and Windows Server Core 2019 operating systems	2021.00.00
NEW REST Web Server input plugin - The new plugin allows to send and get jobs by the REST API server	2021.00.00
NEW Modbus Server input plugin - The new plugin allows to exchange data between PLCs and computers	2021.00.00
XML XPath combined search method - Extends XML XPath search method. The result contains all matching nodes concatenated with Separator.	2021.00.00
Using Google authentication for Email plugin - To accept working with the new security policy of Google accounts	2021.00.00
SBS switching back to primary server as soon as it was restored - "Run only as main server" and "Run only as backup server" options implementation	2021.00.00
No longer supported - Discontinued support for Windows Server 2008 R2 and Windows 7	2021.00.00

Defect ID	Fixes	Version
53233-53232	Incomplete analysis with Mapper	2021.00.00
53573	SFTP Plugin won't capture file after changing the owner or the access permissions on the file	2021.00.00
54116-54115	Empty printer list in SENTINEL Manager	2021.00.00
54268	Job is failed during processing in case of Print Engine failure	2021.00.00
54475-54466	SENTINEL emailing report only works with unknown user login	2021.00.00
54717-54715	Markoprint driver cannot be configured in SENTINEL	2021.00.00
55223	Mapper: oracle XML files can't be opened as XML structure in the Mapper	2021.00.00

55275	Sentinel hangs processing when a lot of zero files are located in the captured folder	2021.00.00
55361	Database Watch: The handling of the new record is slower for v2019 than for v2014 (3-4 seconds vs 0.5-1 seconds)	2021.00.00
56659-56658	Mapper saves label file when selecting "create target"	2021.00.00
56849-56847	SENTINEL does not update Shared counters in the preview	2021.00.00
59781-59777	Query Manager issue with French display	2021.00.00

[Back to Menu](#)

SENTINEL 2019 New Features, Improvements and Fixes

SENTINEL 2019.02

New Features and Improvements	Version
NEW New SFTP file capture input plug-in – The new SFTP file capture input plug-in captures the directory on SFTP server	2019.02.00
NEW New @DELETE_SPOOL_JOBS control variable - When this control variable is set in the block, this would entail the sentinel to delete all the jobs in the spool of the printer on which the label must be printed. The goal is to be able to manage infinite print jobs made through a spool.	2019.02.00
Open merge database improvement – The OpenMergeDatabase option has been moved from General to the Specific node (for each sentinel)	2019.02.00
Printing process – Improvement of the printing process to be more faster	2019.02.00
User interface - 'Email report' plugin User interface has been redesigned	2019.02.00

Defect ID	Fixes	Version
52344	File Capture: Sentinels hang in waiting mode when lot of sentinels capture common folder with 'Check at fixed time interval" watch method	2019.02.00
52259	SENTINEL tries to open the label from the local folder in case it can't be open from LABEL ARCHIVE	2019.02.00
51451-51447	Driver settings was displayed in Italian while SENTINEL was in Spanish	2019.02.00
51326-51324	Cannot select target in Mapper	2019.02.00
51158-51157	SENTINEL Webserver cannot receive Chinese characters	2019.02.00
50884-50883	Exception of type 'system.xml.xpath.spathexception' occurred : expression must evaluate to a node-set	2019.02.00
50849-50819	Sentinel with database connected label didn't update fields	2019.02.00
50848-50840	Underscore was not accepted in field name of XML MAP	2019.02.00
50068- 50065	SENTINEL Manager didn't start up when strong file name was corrupted	2019.02.00
49200- 49188	Mapper wizard generated wrong variable names when variables end with a digit	2019.02.00
46707-46703	Some database field names or aliases were not accepted by SENTINEL	2019.02.00

SENTINEL 2019.01

New Features and Improvements	Version
NEW True reprint for TEKLYNX CENTRAL - Obtain original label/data from LABEL ARCHIVE history	2019.01.00
Printer drivers - New protection system for Markoprint printers	2019.01.00

Defect ID	Fixes	Version
48479 - 8478	SENTINEL 2019 Mapper does not transform CRLF as carriage return/line feed	2019.01.00
48891 - 48889	DB Watch plug-in: Field/Alias values were reset to empty after switching on SQL mode	2019.01.00
49201 - 9189	Text replacement did not work when the replacement text was control characters	2019.01.00

SENTINEL 2019.00

New Features and Improvements	Version
NEW User interface language - Added Spanish localization for the Mapper	2019.00.00
NEW Installation - Added Programmer plugin to the installation	2019.00.00
NEW Launch - Show SENTINEL tray icon right after launch	2019.00.00
Mapper User interface - Updated UI style for the Mapper	2019.00.00
@LAB_VARS control variable - Extend @LAB_VARS control variable output. Add OutputMask, Prefix and Suffix properties	2019.00.00

Defect ID	Fixes	Version
42550	French Translation issue	2019.00.00
44042	MAIL FROM information is not available with Sentinel mail alert system	2019.00.00
44061	Batch printing not possible when @LABEL_NAME is not set with relative path	2019.00.00
45523	Log file settings not kept with Sentinel label Print module	2019.00.00

47234	Mapper cannot get link with CODESOFT when CODESOFT session is already open	2019.00.00
47995	CODESOFT Printing: Printers list is loaded several minutes when more than 1000 printers were added	2019.00.00
TKX-152487-P5T4 (48093)	Database Watch dealing with Equal sign in the string	2019.00.00
48157	Print Capture: The delays occurs between jobs processing when a lot of sentinels with Print Capture plugin running	2019.00.00
47235	Default map folder not used by Mapper	2019.00.00

[Back to Menu](#)

SENTINEL 2018 New Features, Improvements and Fixes

SENTINEL 2018.01.01s

New Features and Improvements	Version
NEW USB Protection - Compatibility with SD dongles	2018.01.01s (aka 2018.02)

SENTINEL 2018.01.01

New Features and Improvements	Version
File Capture plugin - File Capture plugin optimization for common folder	2018.01.01
Label Printing Module - "Label Printing Module" menu item of the SENTINEL launcher is now always available, whatever the login that has been used to open the session	2018.01.01

Defect ID	Fixes	Version
42412	Sentinel 's label print module not accessible	2018.01.01
42411	Sentinel file input filter issue on filter with extension	2018.01.01
42414	Miner: Accented characters aren't printed using XML input files	2018.01.01
43869	File Capture: Invalid files processed by sentinel that used question mark in the filter	2018.01.01

SENTINEL 2018.00.00

New Features and Improvements	Version
NEW Sentinel option - Implemented an ability to set the priority for each sentinel: 0 - Real Time: Sentinel Service will process data in the separate thread and won't be blocked by other sentinels 1 - High: Sentinel Service will process high priority sentinels at first. 2 - Medium: Sentinel Service will process medium priority sentinels after high priority sentinels 3 - Low: Sentinel Service will process low priority sentinels after medium priority sentinels	2018.00.00

NEW File Capture plugin option - Added <NonStopDelay> option for File Capture plugin. Option can be defined in TlxInput.xml configuration file, this setting is specific for each sentinel. When NonStop processing mode activated the sentinel will wait for a time defined in <NonStopDelay>(milliseconds) before next processing. The minimum(default) value: 0, the feature is disabled. The maximum value: 14400000 (4 hours).	2018.00.00
NEW Database Watch and Print Capture plugin option - For Database Watch and Print Capture plugin the <MaxConcurrencyLevel> option was implemented. It defines the maximum number of threads that SENTINEL will use for the parsing. The minimum(default) value: 5 The maximum value: 150 If <MaxConcurrencyLevel> value less than the maximum number of print engines, the value would be raised automatically. To define the new value just add <MaxConcurrencyLevel> into general section for appropriate plugin.	2018.00.00
NEW WebServer plugin option - Implemented ability do define multiple ports for WebServer plugin. Each sentinel can have the own Port value and watch the defined port	2018.00.00
NEW SENTINEL Manager option - Added the ability to define specific default labels folder for each sentinel in SENTINEL Manager. The LABEL ARCHIVE directories could be defined as well	2018.00.00
NEW SENTINEL Manager option - The <jobErrors> option is implemented in the SENTINEL Manager. It is possible for the users to enable this option and specify the location of job errors log file	2018.00.00
NEW Tray selection - Implemented ability to select the tray (paper source) for the printer. Control variable @PRINTER_TRAY is implemented. The value must be real tray name (e.g. "Cassette 1", "Manual Feed", "Auto"). This way the custom tray can be specified in the job. The @PRINTER_TRAY control variable is ignored if the printer is set in @PRINTER_NAME by alias where tray is specified. The 'Tray...' button is added to CODESOFT Printing Plug-in, Printers tab (right below 'Rename' button). It will call dialog where the user is able to see the list of trays and set aliases. The 'Tray...' button is enabled if the selected printer has trays. More than one alias can be set and alias has to be unique.	2018.00.00
NEW About box - Added deactivation count for the license to the About dialog	2018.00.00
NEW Page orientation - Added @PAGE_ORIENTATION control variable that defines portrait or landscape page orientation. 1 - Portrait 0 - Landscape	2018.00.00
NEW User Interface language - Added Spanish localization	2018.00.00
NEW Label rotation - @LABEL_ROTATION control variable allows to set the rotation for the label at the time of print. Available values: 0, 90, 180, or 270 degrees. In case of incorrect value, the rotation would be taken from the settings	2018.00.00

NEW Order by option - ORDER BY feature allows processing records by order. When the "ORDER BY" checkbox is set, SENTINEL will extend its "Update" query with ORDER BY, a space, and the text as exactly typed in the ORDER BY textbox. The user interface will display a checkbox and a textbox in the Detection Method group, only when the method is "Status"	2018.00.00
<OwnPrintEngine> tag - <OwnPrintEngine> tag was removed. After upgrade to SENTINEL 2018.00.00 in case of enabled the Real Time processing priority will be set	2018.00.00
SENTINEL Launcher - "Label Printing Module" menu item from the SENTINEL Launcher is disabled if the current session (user name) is different from the one set for the Label Print Manager service	2018.00.00
Label Printing Module - Label Printing Module now shows the data sources and the objects	2018.00.00
User interface - Updated UI style for the Sentinel Manager	2018.00.00

Defect ID	Fixes	Version
34999	DB Watch: Time for detection changes in the table is increased with number of sentinels when STATUS method is used	2018.00.00
34735	Print Capture: It is impossible to process XML files using Print Capture input plugin	2018.00.00
TKX-98276-L7Z2 (30090)	@PRINT_IMAGE does not work as in version 10	2018.00.00
30069	XML settings is written in one line for the new created sentinel if XML header contains 'xml:space="preserve"' string	2018.00.00
TKX-99184-M4Z9 (30093)	Sentinel stops monitoring shared AS/400 directory	2018.00.00
34103	CODESOFT Printing plug-in: Incorrect FormFeed is invoked with Adobe PDF	2018.00.00
32432	CODESOFT Printing plug-in: TCP/IP printers isn't displayed in the printer's list when Print Spooler service is stopped	2018.00.00
TKX-105964-C8J6 (32463)	Sentinel hangs in parsing or waiting state	2018.00.00
TKX-106076-V0G5 (32590)	Randomly, customer get error on job during processing	2018.00.00
35534	Sentinels do not start automatically after Windows reboot	2018.00.00
36795	Relative path for map files not accepted anymore in sentinel configuration	2018.00.00

[Back to Menu](#)

SENTINEL 2016 New Features, Improvements and Fixes

SENTINEL 2016.00.00

New Features and Improvements	Version
NEW Print Capture plug-in setting - A new setting is available for the Print Capture plug-in. This is a time in milliseconds to tell SENTINEL at which interval to look for pending jobs. The default value is 250ms and it is global: it affects all sentinels. To change the default value, edit the TkxSpool.xml file and modify the value below the node <Interval> . The node should appear only once under the root node <TKXSpool> as: <pre><?xml version="1.0" encoding="UTF-16"?> <TKXSpool xml:space="preserve"> ... <Interval>250</Interval> ... <Sentinel name="xxx"> <Printer>yyy</Printer> </Sentinel> ... </TKXSpool></pre> Then recycle the SENTINEL service to take the new settings into effect. The minimum allowed value is 50ms. Reduce the value to have a faster responding system. Increase the value to reduce the stress on the CPU and lower the power consumption.	2016.00.00
CODESOFT Printing plugin timeout settings - <OperationTimeout> setting sets timeout(in minutes) for all operations with CODESOFT via ActiveX except printing. The default value is 1. <PrintingTimeout> setting sets timeout(in minutes) for printing. The default value is 240. Sentinel will check the print engine state each minute, once the timeout is exceeded then Sentinel will shut down the print engine if it is not responding. If the print engine stopped responding before printing started then sentinel will try to print the job with a new print engine, otherwise the job will be marked as error. The number of tries can be defined by the <RetryPrint> setting (default value is 1 retry). These settings can be defined in TkxCS.xml <General> section. They are global settings for all sentinels.	2016.00.00
Extend @LAB_VARS control variable - Add 'DisplayInForm' value to variables' description in the output file	2016.00.00

Defect ID	Fixes	Version
33194	TCP/IP port listening plug-in: Sometimes it is impossible to use Socket client due to error that 'target machine is actively refused'	2016.00.00
33195	Print Capture: Incorrect order of files processing	2016.00.00
33196	Print Capture: Handle count for TKXKernel process are rapidly increased during start/stop of multiple (~350) sentinels with Print Capture plug-in	2016.00.00
33197	Print Capture: Some job/jobs processed twice when spool in an error state	2016.00.00
33198	Miner conversion "from UTF-8" fails on Arab characters	2016.00.00
33199	TkxProgrammer script targeted in the map definition takes precedence over the script defined for the sentinel	2016.00.00
33242	Web Server, ENHANCEMENT: Improve Err_Process status with details about error	2016.00.00
33200	Private Bytes counter is increased for TkxKernel.exe with remote workfiles usage and unstable network connection	2016.00.00
33201	CODESOFT Printing: Printers font is changed to graphic in case of unsuccessful label opening in the previous job	2016.00.00
33202	SENTINEL Launcher: Unexpected message is occurred after PC restart if Label Print Manager has Automatic Startup type	2016.00.00
33193	CODESOFT Printing plug-in: Close label is asynchronous if a VBS event is implemented with Lppa print engine	2016.00.00
33351	Sentinel.xml tag: It is impossible to write .log files to a custom folder	2016.00.00
33350	Mapper: Namespaces from XML files aren't handled by Mapper	2016.00.00

[Back to Menu](#)

SENTINEL 2015 New Features, Improvements and Fixes

SENTINEL 2015.01.01s

New Features and Improvements	Version
NEW USB Protection - Compatibility with SD dongles	2015.01.01s (aka 2015.02)

SENTINEL 2015.01.00

New Features and Improvements	Version
NEW <Timeout> setting - it is now possible to define the maximum time in seconds that the WebServer waits for the processing to complete before it returns. In previous version this value was 20 seconds. The default value is 140 if omitted or outside of the range 20~3600. This setting can be defined in TkxWebServer.xml for all sentinels. Example: <pre><TKXWebServer> <General> <Port>8080</Port> <Address>172.21.161.166</Address> <Timeout>140</Timeout> </General> </TKXWebServer></pre>	2015.01.00
NEW Open merge database option - The Open merge database option is now available in SENTINEL Manager UI	2015.01.00
NEW Control variable - A new control variable @START_LABEL allows to specify the index number of the label to start printing from on the first page	2015.01.00
Printer settings - The Load the printer saved in the label and Load the printer settings saved in the label options are unchecked by default now	2015.01.00
XML job file - The XML job file processing will be failed in case of incorrect XML format of job file or incorrect XPath format in map file. Log file will contain details on XML or XPath error	2015.01.00
<OwnPrintEngine> setting - if the option is enabled the sentinel will use its own dedicated instance of the print engine for printing. This setting can be defined in TkxCS.xml for any sentinel separately. Note that this will create an additional instance of the print engine.	2015.01.00

Defect ID	Fixes	Version
TKX-89400-C4Q9 (25058)	@label_name issue in S/2 map type	2015.01.00

TKX-84834-L3N4 (25059)	duplicate variables in S2 map type generate data assignment errors	2015.01.00
25709	Calling WebServer plugin through the service interface returns value "WasOk" not defined in the WSDL	2015.01.00
TKX-89400-C4Q9 (25034)	Mapping, Assignments and tables: 'End of process' field with 'None' value is processed in different way	2015.01.00
TKX-94566-Z7P0 (25546)	Event Scripts not executed with version 2015	2015.01.00
TKX-94818-W5R5 (25574)	Not possible to select printers with "enable printer pooling"	2015.01.00
TKX-94628-L1Y0 (25544)	@LABEL_QUANTITY is set correctly when printing via SENTINEL	2015.01.00
TKX-53466-P4J3 (25760)	SBS fails to replicate printer ports and logs an error "#13 invalid data"	2015.01.00

SENTINEL 2015.00.00

New Features and Improvements	Version
NEW Windows 10 support - SENTINEL has been ported to Windows 10	2015.00.00
<RetryPrint> setting: In case of failed label print, CODESOFT Printing plugin will wait 500ms then try to print again. Number of retries is set by RetryPrint value, which is a global setting for all sentinels. Default is 1.	2015.00.00

Defect ID	Fixes	Version
24290	The Query Manager kept trying to connect to an unreachable DB each time it was selected. Now If the Query Manager fails once to connect to a DB server it will not retry. So if this DB server has resumed normal operation, close and re-open Query Manager to let it try the connection again. On the other hand, if this DB connection is deprecated you should correct/delete it and change the related tasks accordingly.	2015.00.00
24293	The Query Manager displayed all records for the select table; with millions of rows this could take a while. Now it will not display more than 10 000 rows	2015.00.00

[Back to Menu](#)

SENTINEL 2014 New Features, Improvements and Fixes

SENTINEL 2014.01.00

New Features and Improvements	Version
NEW Web Manager - New redesigned "Web Manager"	2014.01.00
NEW File capture plugin option - New setting option for File capture plugin: <joblistupdatelimit> . This value sets the threshold below which SENTINEL refreshes the list of pending jobs. This setting has no effect for sentinels that don't have a lot of pending jobs.	2014.01.00
"Sentinel Controller" functionality moved to "Sentinel Manager"	2014.01.00
Stable under high work load with large number of printers and sentinels	2014.01.00
Now the user can activate/deactivate the tracing without having to stop/restart Label Print Service	2014.01.00

Defect ID	Fixes	Version
TKX-80450-Y4B5 (25060)	SBS Backup starts and stop instead of taking over	2014.01.00
18676	SF12586 Modify w/o confirmation is possible under User/Guest accounts in Win2008	2014.01.00
18681	SF12871 Sentinel Manager cannot quit on logoff with some plug-ins settings opened	2014.01.00
19237	SENTINEL 2012, Database watch: connection to excel becomes inaccessible after processing, file locked	2014.01.00
19456	SENTINEL 2012: CODESOFT Printing plugin – Default values – Document – dialog opening takes a long time, CPU is fully loaded	2014.01.00
20048	Input plug-in hangs when scanning a folder with several thousands files.	2014.01.00
20051	SENTINEL 2012: sentinels are not processed while properties are opened	2014.01.00
20143	TKXDatabase fails to insert value in query when value placeholder is combined with literal	2014.01.00
20474	SENTINEL 2012.00.02 : Sentinel handles increase when internet connexion is blocked with IPSEC	2014.01.00
21498	Sentinel service cannot be started after Repair if application was installed to non-default directory	2014.01.00
19988	SENTINEL 2012: hostname is not accepted as Server name in "Socket client example", only IP	2014.01.00

SENTINEL 2014.00.00

New Features and Improvements	Version
NEW SBS option - An option is now available within the SBS to specify that file dates must be kept when synchronizing files between primary and secondary server	2014.00.00
Database Watch Plugin - The PlugIn, "Database Watch", has been extended to allow working with a Polyzone field in a database. With this feature it is now possible in one column, to specify the variable names and their values that will be used for the data processing. For example a column of the Table could be used to specify the following data for Label Printing : VARNAME0 = VARVALUE0 VARNAME1 = VARVALUE1 VARNAMEN = VARVALUEN.	2014.00.00
SBS's performances - The SBS's performances on backup phases have been greatly improved. This is particularly visible when the system needs to backup a large amount of files.	2014.00.00
About box - The about dialog box has been changed in order to display the same Licensing information that is used in the context of the SENTINEL service, if it is running. In such case the information is displayed in blue. If the service is not running, the Licensing information read by the starter module is displayed in black.	2014.00.00

Defect ID	Fixes	Version
TKX-53940-Q2Y2 (20980)	Sentinel service crashes on sending email if sender is not properly defined.	2014.00.00
TKX-44872-Z2K6 (20321)	SBS 2012 doesn't work when large number (>1000) of files must be transferred to the secondary server	2014.00.00
TKX-39674-N1Z1 (20087)	SBS 2012 : An option is now available to specify that file dates must be kept when synchronizing files between primary and secondary server	2014.00.00
TKX-51341-F8Y6 (20805)	Validation box for email is not correct	2014.00.00

[Back to Menu](#)

SENTINEL 2012 New Features, Improvements and Fixes

SENTINEL 2012.00.02

New Features and Improvements	Version															
NEW Windows Server 2012 and Windows 8 support - SENTINEL has been ported to Windows Server 2012 and Windows 8	2012.00.02															
dbWatch plug-in - The dbWatch plug-in has been made compatible with the ORACLE database. Note: when SENTINEL is installed on a x64 system (Windows 2012 / Windows 2008 R2 / Windows 2003 R2 ...), it is required to install both the 64 bits and 32 bits versions of the ORACLE client. Also the 64 bits version must be installed first.	2012.00.02															
TRIAL mode - SENTINEL allows for a TRIAL period of 30 days without limitation . 3 printers can be used at that time. When the trial period is over, all the sentinels will stop running.	2012.00.02															
License options – - Without a valid license it is not possible to start the sentinels. 45 days before a license expires – at the end of a trial period or end of a subscription period - the sentinels will start issuing : 1) a simple log and report entry every hour, that can be activated or not in the report plug-ins, using the option: “Detailed events” 2) a new entry every hour, within the Windows Event System, that can be used to monitor License expiry warnings. The event is registered in the Event Log named: “Label Printing Service”. The following errors/warnings can be tracked:<table><tr><th>EventID</th><th>Type</th><th>Meaning</th></tr><tr><td>1</td><td>Error</td><td>No Valid License found</td></tr><tr><td>2</td><td>Error</td><td>An error has been found when reading the License (see message to get more information)</td></tr><tr><td>3</td><td>Warning</td><td>The internet connection for checking the online License seems to be broken.</td></tr><tr><td>4</td><td>Warning</td><td>The License is going to expire soon.</td></tr></table>	EventID	Type	Meaning	1	Error	No Valid License found	2	Error	An error has been found when reading the License (see message to get more information)	3	Warning	The internet connection for checking the online License seems to be broken.	4	Warning	The License is going to expire soon.	2012.00.02
EventID	Type	Meaning														
1	Error	No Valid License found														
2	Error	An error has been found when reading the License (see message to get more information)														
3	Warning	The internet connection for checking the online License seems to be broken.														
4	Warning	The License is going to expire soon.														
3) a special "License expiry" report every day. This special “License expiry” report is always active in the File Report plug-in. It can be activated in the E-Mail Report plug-in by configuring the email recipient address. The frequency of this report increases as the term approaches (12 hours from 10 days left, 6 hours from 5 days left, 3 hours from 2																

days left).	
Online license - Likewise, when a running SENTINEL using an Online license fails to connect to Internet to verify the license during more than 24 hours, a 5-day countdown starts during which special "License expiry" reports are generated. If the Internet connection is still not fixed at the end of this 5-day period, the sentinels stop running. . Note: this situation can be tracked using the email plug-in and/or by monitoring the records that are created within the Windows event system as mentioned above.	2012.00.02
The dbWatch plug-in now validates the more obvious parameters before start (missing table or field names)	2012.00.02
Third party software - Third party software submitting a job can now check if it caused an error. When a path to a folder is defined in a <jobErrors> entry of a sentinel in Sentinel.xml, the sentinel produces a one line log file named after @JOB_NAME if the job fails. This file is created before the actual submitted file is deleted. So the third party software can check if the error log is there (there was an error) or not (no error) at the time its submitted file disappears. Note: by default, @JOB_NAME equals the submitted file name. But it can be changed at each analyzed bloc by matching some unique ID to @JOB_NAME in the map.	2012.00.02
File Report plug-in - The maximum size of the log file produced by the File Report plug-in can now be selected as up to 10240 Kb. <u>Note</u>: this is a about 10 Mb for the log file (+10 Mb for its back-up). With 50 sentinels, this would end up with 1 Gb of reports (double that if tracing is also activated with the same value for the filesize parameter). This should be taken into account if SENTINEL is running in a somewhat limited disk space system.	2012.00.02
Sentinel Backup Server - Some minor optimizations were introduced in Sentinel Backup Server : - File sync is optimized to use less memory: the actual file content is only loaded at the time the TCP/IP message is sent to the secondary server, not when preparing the list of messages to be sent. - When SBS is stopped during a file synchronisation it will prompt a message to inform it is busy and it will complete the sync. - When it is stopped at another time, it will respond faster.	2012.00.02

Defect ID	Fixes	Version
20063	The SENTINEL service could fail to stop properly from the Windows control panel when the sentinels had to process some files.	2012.00.02
	The dbWatch plug-in would stop the sentinel when an error was reported by any process plug-in ; without consideration for the "Stop on error" setting.	2012.00.02

19137	In the Web Manager with passwords shorter than 6 characters, several values would be considered valid if they had the same pattern (i.e. logging with password "abcabc" would be considered correct for the password defined as "abc"). Input of new passwords enforces that it be at least 6 characters long; but it won't affect older passwords. So it is recommended to change existing passwords if they are shorter.	2012.00.02
19064	Double-clicking a map file in a shared folder would open the Mapper but would not open the map automatically.	2012.00.02
18783	The data mapping failed for zones having a name starting with a number.	2012.00.02
18663	Mapper removes @SERIALQTY formula after "Update target" operation	2012.00.02
18561	In the Web Manager, when trying to connect to a SENTINEL server advertising several IP address, the manager would only test the first address; it would not test the following addresses in case of failure.	2012.00.02
18541	When migrating from older SENTINEL version to SENTINEL 10 whilst installing in a new folder, the SENTINEL service - having kept the previous path to the plug-ins folder - would now report finding none of them.	2012.00.02

[Back to Menu](#)

SENTINEL 10 New Features, Improvements and Fixes

SENTINEL 10.00.00

New Features and Improvements	Version
NEW Installation - SENTINEL automatically installs the correct version of CODESOFT	10.00.00
NEW Activation - SENTINEL now requires only one activation code (there is no need to activate a CODESOFT Runtime License)	10.00.00
NEW New licensing model - Four types of license are now available - Software-Offline - Software-Online - Software-Platinum - Hardware	10.00.00
The SENTINEL installation has been simplified so you are no longer required to select between the two product ranges: SENTINEL Print Pack and SENTINEL Data Exchange. Based on your license, the software automatically activates the correct features.	10.00.00
SENTINEL prerequisites (.NET framework 3.5 SP1, MDAC 2.8, Adobe ReaderX, Windows Installer 4.5) are now automatically installed if necessary	10.00.00

Defect ID	Fixes	Version
	Some printer errors that occurred during the closure of a print job were not caught by the SENTINEL process.	10.00.00
	Upon a custom configuration of the dbWatch plug-in, some input jobs were misdirected to the correct sentinel when two sentinels were targeting the same input table.	10.00.00
16945	The Mapper application was crashing when defining more than 600 actions.	10.00.00
15827	With CODESOFT and LABEL ARCHIVE (using the three states approval rules), new labels in the "in approval" state could not be printed, even when SENTINEL was configured with administrator rights regarding LABEL ARCHIVE. The previous state of the label ("draft") was printed.	10.00.00

[Back to Menu](#)

SENTINEL 6 New Features, Improvements and Fixes

SENTINEL 6.10.00

New Features and Improvements	Version
NEW New input plug-in - A new input plug-in called dbWatch can retrieve data from an existing database. This feature is only available in the Data Exchange version of SENTINEL. The plug-in can catch either all records from a table, only newly added records, or only some records based on a value of a dedicated Status field. See the plug-in help for available features and configuration tips.	6.10.00
NEW New options in the Sentinel Backup Server (SBS) allows a notification email to be sent upon server switching. See the SBS manual for configuration procedure	6.10.00
NEW New options in the Sentinel Backup Server (SBS) allows strict synchronisation of Secondary server files. For example, to: - delete the files on the Secondary when deleted from the Primary, - overwrite files modified directly on the Secondary with files of the Primary, independently of the file modification date. See the SBS manual for configuration procedure	6.10.00

Defect ID	Fixes	Version
12870 (TFS:14493)	In the Mapper, when selecting the same Web method target but with modified parameter names, the Mapper would not update its list of available variable names. As a consequence, the "rename zone" list and the zone icons in the tree area may have shown the wrong symbol (green/red flag). Now, even if the selected target seems the same (same name), the Mapper asks the plug-in to refresh their list of target variable to compute a correctly updated list.	6.10.00
12869 (TFS:14492)	In the Web Service plug-in window, the Window Close button from the window caption bar would have unexpected result. The button has been removed.	6.10.00
12578 (TFS:14483)	In the Query Manager, a single space could be entered as table, field, query or task name.	6.10.00
12392 (TFS:14482)	Non valid character could be input as spool name when creating a new spool in the Spool Capture plug-in. Forbidden characters are: ./\! :;%<>?*	6.10.00
12868 (TFS:14475)	In the Mapper, the command Update Target for a Database Task could not have the Query Manager open the right task definition file (XDB) if it was different than default (or the last open one).	6.10.00

12867 (TFS:14474)	Database and Web Service plug-in windows were wrongly displaying the “minimize” button on their window caption bar. Since the function was not implemented, using the button would generate an exception.	6.10.00										
12783 (TFS:14470)	The Mapper would hang on selection of a new DB task target if the current target file (XDB file) was not found (moved or deleted).	6.10.00										
12769 (TFS:14469)	In the Query Manage direct SQL command window, the list of available connections to select from is now a non-editable kind. This avoids trying to execute a query with an inconsistent connection string.	6.10.00										
12755 (TFS:14467)	With the TkxDatabase plug-in, SQL queries were not correctly computed for missing fields. The token ?<field name>? would remain and the query would fail. Now unassigned query tokens are replaced by the keyword NULL. Warning: the table will not accept a NULL whatsoever if the field is designed as “no null allowed”.	6.10.00										
12753 (TFS:14456)	SQL tables of type “View” where displayed in the Query Manager even when the corresponding option was unchecked.	6.10.00										
11223 (TFS:14452)	After adding a CODESOFT printer through the Labeling plug-in window, the plug-in would also display any spool created for the Spool input plug-in. They should never be listed there because they do not need to be selected and must never be used as print target or an infinite loop may occur.	6.10.00										
11189 (TFS:14446)	Selecting twice the same Label target in the Mapper would have the background CODESOFT become visible.	6.10.00										
10928 (TFS:14441)	The Manager would hang when opening CODESOFTs’ Printer settings from the Labeling plug-in window for any Eltron printer.	6.10.00										
9729 (TFS:14434)	Control variable values passed through the TCP/IP plug-in were not trimmed and leading/ending padding spaces would prevent the processing plug-in to find correct values (for label name, printer name, etc).	6.10.00										
9880 (TFS:14432)	CODESOFT user interface font was modified by SENTINELS’ after adding a printer through the Labeling plug-in window.	6.10.00										
20030 (TFS:12896) and 20565 (TFS:14498)	In the Miner, a zone B depending of another zone A location is now marked as “found” even if zone A has no data (as long as zone A start location can be evaluated). Truth table (newly changed rule highlighted): <table><tr><td>Start of A is...</td><td>B searched ?</td></tr><tr><td>...not found</td><td>NO</td></tr><tr><td>...found, no data (end location=start)</td><td>YES</td></tr><tr><td>...found, explicit empty (through pair of quotes)</td><td>YES</td></tr><tr><td>...found, data</td><td>YES</td></tr></table>	Start of A is...	B searched ?	...not found	NO	...found, no data (end location=start)	YES	...found, explicit empty (through pair of quotes)	YES	...found, data	YES	6.10.00
Start of A is...	B searched ?											
...not found	NO											
...found, no data (end location=start)	YES											
...found, explicit empty (through pair of quotes)	YES											
...found, data	YES											
19671 (TFS:12891)	Secondary SBS will now filter out from configuration file sent by the Primary SBS all parameters pertaining only to the Primary.	6.10.00										

SENTINEL 6.00.00

New Features and Improvements	Version
NEW Windows 7 and Server 2008 R2 - SENTINEL is fully compatible with Windows 7 and Server 2008 R2	6.00.00
NEW A new control variable @WATERMARK allows you to automatically add a watermark to the next printed label. The value that is set in this variable is simply used as a watermark message printed on the label. Note: This feature is only available with CODESOFT 9.00.02.	6.00.00
NEW A new control variable @IMAGE_MODE allows you to dynamically change the configuration of the sentinel for the next print job. - If set to 0, the sentinel prints a label. - If set to 1, the sentinel generates a preview image of the label but does not print it. - If set to 2, the sentinel prints the label and generates a preview image of the label.	6.00.00
NEW A new control variable @IMAGE_SIZE allows you to specify the zoom factor of the image preview.	6.00.00
NEW A new control variable @IMAGE_FORMAT allows you to specify the format of the image preview. The value for this variable can be one of the following: BMP, JPG, PCX, PNG, EPS, TIF, DCX.	6.00.00
NEW A new control variable @LAB_VARS allows you to output in an xml file with the description of the form and free variables of the label. To output this file, set this control variable with the value of the file name.	6.00.00
NEW New control variables are available with this version that allows you to change the object properties on the label. After printing, the object properties automatically revert back to their initial value. @PROP_Printable : Indicates if the object will be printed or not. The value can be 0 (Not Printable) or 1 (Printable). @PROP_Rotation: Sets the rotation of the object. The value can be one of the following: 0, 900, 1800, 2700. @PROP_BackColor: Sets the background color of the object. @PROP_ForeColor: Sets the foreground color of the object. @PROP_Width: Sets the width of the object (in millimeter x 100 or inch x 100 depending on the designer's configuration). @PROP_Height: Sets the height of the object (in millimeter x 100 or inch x 100 depending on the designer's configuration). @PROP_Top: Sets the distance between the top edge of the anchor point of the object and the top edge of the document (in millimeter x 100 or inch x 100 depending on the designer's configuration). @PROP_Left: Sets the distance between the left edge of the anchor point of the object and the left edge of the document (in millimeter x 100 or inch x 100 depending on the designer's configuration). @PROP_MarginLeft: Sets the internal left margin of the object.	6.00.00

@PROP_MarginRight: Sets the internal right margin of the object. @PROP_MarginTop: Sets the internal top margin of the object. @PROP_MarginBottom: Sets the internal bottom margin of the object. @PROP_AnchorPoint: Sets the anchor point of the object. The assignment to these variable use the following syntax: @PROP_XXXXXX = <Object name on the label>,<Value> <Object name on the label> ,<Value> ... For example: @PROP_Printable = Address,1 MyBarcode13,1 MyBarcode128,0 The wildcard character * can be used to modify the same property for a group of objects. For example: @PROP_Printable = HRTText*,0 ...will prevent printing of all objects having a naming starting with HRTText for this time.	
It is possible to specify a waiting time before the SENTINEL service actually starts. This allows the service to wait for other applications to be ready when experiencing long boot sequences on a server. The waiting period can be defined in the <code>sentinel.xml</code> file under the <code><general></code> node. For example: <code><waitatstartup>30</waitatstartup></code> to wait 30s before the service starts	6.00.00
In the file input plug-in, a setting allows the application to check incoming files' signature with certificates. See the SENTINEL Plug-in Help file for more information. Checking for the digital signature of the captured files ensures that the sentinel is not processing a file that has been altered or modified since it was first generated. This provides a high level of security for the data printed on the labels.	6.00.00
In the CODESOFT Printing plug-in, a parameter can be set to accommodate for printers having trouble handling large amount of labels. It can be set by modifying the TKXCS.xml plug-in file in the General section by adding a MaxQuantity element with the desired label quantity. Print jobs where the label quantity exceeds this value will be split into several print commands. For example: if MaxQuantity = 1000, a job asking for 2500 labels will issue three printer jobs, containing 1000, 1000, and 500 labels respectively. TKXCS.xml element syntax for this example would be ...<code><MaxQuantity>1000</MaxQuantity></code>... The default value is the maximum value for a 32-bit integer (2 147 483 647). The minimum value is 1.	6.00.00

Defect ID	Fixes	Version
	In the Miner, the search method 'Cascading string' has been secured for missing string cases.	6.00.00

[Back to Menu](#)

SENTINEL 5 New Features, Improvements and Fixes

SENTINEL 5.10.00

New Features and Improvements	Version
NEW Printing plug-in - A new CODESOFT Printing plug-in is introduced to accommodate for CODESOFT 9 changes. This plug-in does not work with CODESOFT 8. That is, upgrading to SENTINEL 5.10 requires upgrading the CODESOFT Runtime application used by SENTINEL to version 9.	5.10.00

Defect ID	Fixes	Version
17680	The SENTINEL User Manager (S-Admin.Exe) allowing to define users and rights for the WEBMANAGER site was missing from some installation configurations.	5.10.00
16850	When the Microsoft system file MSSTDFMT.dll was missing from the system the Report plug-in would not display its settings window. The reference to the library has been removed from the Report plug-in. It is now able to run without MSSTDFMT.dll.	5.10.00

SENTINEL 5.06.00

New Features and Improvements	Version
NEW New File Capture plug-in option - A new option for the File Capture plug-in allows sorting files by name instead of sorting them by date. This is useful if file groups are created so rapidly that they have the same creation date and time. To use this option, the generated file names must follow a strict convention. For example, they could use a counter on 8 digits (with padding zero) like 0000001.txt, 0000002.txt, and so on. To activate the alphabetical sort, open the TKXINPUT.xml file and set the SortAlpha node to -1 instead of 0.	5.06.00
NEW New control variable @PAGE_BREAK - By setting a value in the @PAGE_BREAK control variable, the next print job will be followed by an End of Page command. It allows reproducing of the side-effect of the @FORMFEED control variable that was part of previous versions of SENTINEL. -1 : force the ending of the print job before printing 1 : force the ending of the print job after printing 2 or -2 : force the ending of the print job without printing	5.06.00

The CODESOFT Printing plug-in will now automatically restart the print engine if it was unloaded from memory for any reason. This feature is enabled by default. It can be disabled by modifying the TKXCS.xml plug-in file in the General section by setting the RestartPE node to 0 instead of 1. This feature was introduced to avoid the propagation of an error from one failing sentinel to the other sentinels through a defective print engine. After a print failure, the error was correctly reported for the sentinel trying to print but after that, other sentinels would get the hanged shared print engine and would also fail.	5.06.00
When issuing many print commands for a single label, the printer can waste approximately half a second in communication and memory management between printing each label. If you are printing many labels, the overall printing time increases greatly. A new option in the CODESOFT Print plug-in allows buffering all the print orders of one job (same incoming file, same label on same printer). The group of print commands is sent in one message to the printer. To test if this option can speed up your printings, modify the TKXCS.xml plug-in file in the General section by setting the JobBuffering node to -1 instead of 0.	5.06.00
In Sentinel Backup Server (SBS), when the communication between the two SENTINEL servers was lost due to network failure (not server failure), the backup server correctly switched to primary mode. But on returning to the network, it would stay in this mode, leaving two primary servers running. Now, the backup server continues to test the main server to detect the return of network communications. When the main server is detected running in primary mode, the backup server automatically returns to secondary mode. When the main server is detected running in secondary mode, the backup server stays in primary mode until manual action is taken. While network communication is down, the backup server displays that it is in backup primary mode instead of primary mode.	5.06.00

Defect ID	Fixes	Version
16304	In the Manager, after validating one sentinel's settings, clicking New Sentinel, then closing the window from the control box (X button), an Evaluation Mode message was displayed.	5.06.00
	Activation of the newly installed software protected SENTINEL is now possible from a remote console. The console must be started with the command that get the already open server session (not creating a new session). To do this, run: Mstsc /console, or Mstsc /admin(under Windows XP SP2 and later)	5.06.00
16272	In the Mapper, when switching language with a map already open, some global settings like input file conversions were lost.	5.06.00
16240	When SENTINEL is uninstalled and reinstalled to a different path, plug-ins are unavailable.	5.06.00
16230	In the Web Manager, it is possible to set the same alias to more than one printer.	5.06.00
16194	When starting the service from the tray icon and quitting right away, the executable sentinel.exe stays locked in memory. It cannot be restarted without terminating the task or closing the Windows session.	5.06.00

16155	It is possible to input a negative value in the Interval field of the File Watch input plug-in.	5.06.00
16150	It is possible to input only separators (;) in the Filter field of the File Watch input plug-in.	5.06.00
15423, 15577, 15578, 15579	See new feature: Restart Print Engine.	5.06.00
15250	Mapper freezes when opening an XML map without a work file.	5.06.00
15253	SBS runs with two primary servers when a network issue happens.	5.06.00
15254	Execution error N°5 with Mapper.	5.06.00
15266	Mapper and field selection after modifying a parameter is lost.	5.06.00
15380	Execution error N°11 with Mapper.	5.06.00
15383	Execution error N°9 with Mapper.	5.06.00
	The control variable @FORMFEED is no longer supported in Sentinel 5. See new feature: @PAGE_BREAK.	5.06.00
	When using the TCP/IP plug-in as input and report with several clients connected to receive reports, the plug-in would enter an infinite loop and keep processing the same data over and over again.	5.06.00

SENTINEL 5.05.00

New Features and Improvements	Version
NEW Windows Server 2008 support - SENTINEL is now certified for the Works With Windows Server 2008 designation	5.05.00
In the Mapper Test window, the control variable @JOB_NAME now has its own column. It is no longer mixed with dynamically generated values in the column labeled *	5.05.00
During data mining, the control variable @JOB_NAME now always retains its value across blocs. This overrides the Keep Value setting	5.05.00
The control variables @OFFSETX and @OFFSEY now accept relative values: if the value begins with a plus (+) sign, the value is added to the print offset saved in the label. Without a plus sign, the offset is absolute and overrides the print offset saved in the label. For example, if a horizontal print offset of 100 is saved in the label: - a value of 20 for @OFFSETX gives a final offset of 20. - a value of +20 gives a final offset of 120. - a value of -20 gives a final offset of -20. - a value of +-20 gives a final offset of 80.	5.05.00

Defect ID	Fixes	Version
	CODESOFT Printing plug-in: Having two labels with the same name in two different folders would give unpredictable results if they also had different variables (one could be re-used instead of loading the other).	5.05.00
	The print offset was set to zero when no value was passed to control variables @OFFSETX and @OFFSETY (overriding offset saved in the label).	5.05.00

SENTINEL 5.04.00

New Features and Improvements	Version
NEW Windows Vista support - SENTINEL is now compliant with the Windows Vista security system. No user file or setting is written in the Sentinel program file folder. All settings are stored in the Document folder common to all users.	5.04.00
The Mapper conversion method "replace string" has been extended to allow for multiple replacements. If the search string starts with ((list;))= it defines a list of strings separated by a semi-colon. To use another separator, modify the character following the "list" keyword. For example, ((list+))= uses the + sign as separator. The idea is to use a character that never appears in the listed strings. To do multiple replace, use the list keyword in the 'search string' parameter and a plain string in the 'replace with' parameter. Example 1: - Search ((list,))=\, : , < , > - Replace with _ > Means: characters 'back slash', 'colon', 'less than', 'greater than' are all replaced by an underscore. To do parallel replace, use the list keyword in both parameters. Example 2: - Search ((list,))=à, â, ä, é, è, ê, ë, î, ï, ô, ö, û, ü, ÿ - Replace with ((list,))=a, a, a, e, e, e, e, i, i, o, o, u, u, y > Means: accentuated characters are replaced by their non-accentuated form. Example 3: - Search ((list:))=commande:archive:client:€:{EOF} - Replace with ((list:))=order::customer:\$:<END> > Means: French word 'commande' and 'client' are translated to English. The 'archive' word is replaced by nothing (dropped). The euro sign is replaced by the dollar sign. The end of file is replaced by the string <END> (i.e. the string is appended to the end of file). To achieve a string swap, you have to use a temporary string (not appearing in your data). For example, to swap characters 'a' and 'b' use the setting: - Search ((list,))=a,b,???? - Replace with ((list,))=????,a,b	5.04.00

Defect ID	Fixes	Version
	If the assistant is cancelled during a substructure definition, the zone containing the current substructure will be removed.	5.04.00
	An empty zone name is no longer allowed in the New Zone Assistant.	5.04.00
	In the New Map Assistant, the filename is checked. It cannot be empty, point to a folder instead of a file, contain invalid characters, or be located in an unreachable/read only folder.	5.04.00
	Under some rare occasions, while creating a new sentinel, the Print Image option introduced in version 5.03 would be set by default and then image files would generate during prints.	5.04.00
	In some case, a new incoming job would not be detected. It was processed only when another job would trigger the job detection mechanism.	5.04.00
	In some case, the plug-in was using 100% of the CPU time while waiting for new jobs. It was resuming normal wait state after a new job was processed.	5.04.00

SENTINEL 5.03.00

New Features and Improvements	Version
NEW New control variable: @JOB_NAME - The @JOB_NAME control variable gives a name to the transaction or group of transactions executed by the process plug-in. If the variable is not explicitly assigned, the file name will be used as the job name. This information is used for the archiving system's print history log to help you to quickly find and retrieve a print job.	5.03.00
NEW New control variable: @PRINT_IMAGE - A new feature of the plug-in allows generating a bitmap image of your labels using the data provided by the analyzing process. This feature can be used to display the image of the label into your application before it is printed. Warning: This feature slows down the SENTINEL printing process and is not recommended in massive label production environments. To activate this feature you need to assign a filename to the @PRINT_IMAGE variable. In addition you may also modify the sentinel settings in the TKXCS xml file to define how the image generation should work. Here is the description of the settings: <ImagePath>C:\Output image</ImagePath> Allows you to specify the default directory where to store the images if the control variable @PRINT_IMAGE doesn't provide this information. <ImageName>0</ImageName> 0: The image filename uses the value in @JOB_NAME variable followed by date and hour. 1: The image filename uses the value in @LABEL_NAME followed by date and hour. 16: The image filename uses the value in @JOB_NAME variable only (files are overwritten if the Job Name is identical between two image output).	5.03.00

17: The image filename uses the value in @LABEL_NAME. The same label always output the same image filename. <ImageMode>0</ImageMode> 0 (auto): The sentinel outputs an image if a value is assigned to @PRINT_IMAGE. If this variable is not set, then the sentinel works normally and prints a label. 1 (image): The sentinel never prints any label but only outputs images. 2 (both): The sentinel prints a label and outputs an image according to its settings or/and the @PRINT_IMAGE variable. 3 (print): The sentinel always prints a label and does not use image settings or the value of @PRINT_IMAGE. New control variables: @OFFSETX and @OFFSETY. The numerical values in these variables will introduce a print shift in tenth of millimetres (the value for one inch would be 254). Allowed values range from -32768 to 32767. Note: These variables may not be available depending of your label design software.	
The CODESOFT Printing plug-in is able to connect to LABEL ARCHIVE Server. You can then print the labels that are stored into the central database of the LABEL ARCHIVE Server and keep track of the printing history of your labels.	5.03.00

Defect ID	Fixes	Version
	Some memory leak has been detected on the 5.02 version that could lead to the instability of the label printing system in the long term.	5.03.00

SENTINEL 5.02.00

New Features and Improvements	Version
A new setting can be set for the File Capture plug-in. It introduces a delay between file detection and file opening. This is useful when several files are dropped in the watched folder. Without this delay, the first copied file is open before the end of the copy and then the order in which files are processed does not follow date and time. This setting is only accessible by edition of the TKXINPUT xml file by adding a node called Retention in the sentinel node. The value is in milliseconds. Example: To wait 1 second : ...<Retention>1000</Retention>...	5.02.00
A new setting can be set for the File Capture plug-in. It uses a temporary file naming to avoid locking the original file name. In detail, the incoming ready file is renamed to <sentinels name>.tmp before processing. That way, the sending application can reuse the same filename without having to wait for the file to be deleted at the end of processing. This setting is only accessible by edition of the TKXINPUT xml file by adding a node called UseTemp in the sentinel node. Value is 0 for Off and 1 for On. Example : ...<UseTemp>1</UseTemp>...	5.02.00

A new setting can be set for the File Capture plug-in. It forces continuous processing of the same file data until a new file is received (then the printing can be remotely controlled from the printer 'online' button). If the newly received file is 1 to 4 octect's long, the processing stops. This setting is only accessible by edition of the TKXINPUT xml file by adding a node called NonStop in the sentinel node. Value is 0 for Off and 1 for On. Example: ...<NonStop>1</NonStop>... Note: This setting only works if the UseTemp setting is activated.	5.02.00
A new setting can be set for the CODESOFT Print plug-in when using direct mode printing (serial, parallel or TCP/IP). It defines a timeout delay for aborting printing. This setting is only accessible by edition of the TKXCS xml file by adding a node called PrintTimeout in the sentinel node. Value is in seconds. Example : ...<PrintTimeout>30</PrintTimeout>...	5.02.00
A new setting can be set for the CODESOFT Print plug-in. It allows for a designated printer to override the label orientation saved in the label file. This is useful when printing the same label on printers physically facing different directions. This setting is available for each printer in the printer list of the plug-in window.	5.02.00

[Back to Menu](#)

Known Limitations and remarks

- SENTINEL requires Print Spooler service to be running for the printing functionality to be available. On Windows Server Core 2025 this service may not be active by default. Please ensure that it is running prior to SENTINEL installation. Otherwise it can be activated later, but in this case Print Capture plugin may not work. To fix that, execute C:\Program Files (x86)\Teklynx\SENTINEL\Spool\SentInstall.exe to install the needed spooler driver after product installation completes (installation path may be different).
- Please be aware of the limitation of the file attachment functionality in the Email Process plugin while using it with the CODESOFT plugin that generates PDF printout natively. The CODESOFT plugin executes the form-feed after processing the entire job, so PDF output will not be available when the email is sent. To avoid such situations, you can force form-feed by using @PAGE_BREAK control variable with value "1" or by using Email Output plugin.
- On Windows Server Core 2022, the option "Server Core App Compatibility Feature on Demand (FOD)" need to be activated to run SENTINEL.
- For Hasp protection type, Sentinel Hasp driver version 8.41 or higher are not compatible with SENTINEL, version 8.31 must be used.
- If you have a SENTINEL 10 version installed and activated, please ensure that you deactivate the license during the uninstallation of SENTINEL 10. The deactivation of the SENTINEL 10 licenses is not automatically deactivated upon uninstall/install.
- The SENTINEL must be restarted if LABEL ARCHIVE was reconfigured
- STRICT XPATH: During its execution SENTINEL now uses Microsoft's built-in XML system (also known as MSXML) for reading the file and interpreting the XPath. This system imposes a more strict XPath syntax so some maps may work fine while edited in the Mapper but report errors later during analysis of real input. These errors shown in sentinel will mention the actual error message given by MSXML (actual message varies but it might refer to invalid tokens). For example, the previous system allowed the shortcut syntax .. followed by a condition in square brackets like: ..[@printer] , meaning "select parent node value if it has an attribute named "printer". The new system requires a fully qualified "XPath axe" in front of a conditional part, as in : parent::node[@printer] . To verify your XPath syntax against the actual XPath convention please check online sites like W3School (<http://www.w3schools.com/xpath>). There are also numerous online tools (search for "online XPath checker").
- Several instances of the manager can run at the same time (to allow monitoring of several sentinels / visual comparison of settings). Tip: since each manager has a small impact on overall performance, it is better to close any unused manager, or even better close the user session when possible.
- Software Key Protection does not support Proxy with authentication. A license that requires internet connection (Online/Platinum) will not be compatible in such case.
- SDP printers can be added from the Sentinel interface as normal, however they can only be removed from the CODESOFT interface (by launching the Label Printing Module).
- After this product is installed, it is not recommended to install a previous version. The installation of

two different versions of the same product can lead to instability and incorrect behavior

- If no file conversion (UTF or Unicode) is defined in the map, SENTINEL will try to detect the job files encoding (through its BOM) and convert it accordingly. To force a file conversion, define it explicitly in the map.
- The Windows system clock must be set to the correct date and time and should not be modified. If the system clock is incorrect then Subscription licenses and licenses requiring an internet connection might not function correctly. For example, a Software license might display a “Connection required” error even though an internet connection is available. To resolve this, you should correct the system clock and reactivate the license. (A quick workaround is to disable the “Check for server certificate revocation” option under Windows Internet Options.)

[Back to Menu](#)

Compatibility with other TEKLYNX Software

SENTINEL 2025.00.00 is compatible and fully tested to work with the following TEKLYNX software packages:

- CODESOFT 2025.00.00
- LABEL ARCHIVE 2025.00.00

Appendix - SENTINEL Electronic document licensing

TEKLYNX 2025 products version introduce new licensing model for PDF and Electronic document.

The license defines a quota for the Electronic Outputs license restricted activities. The unit of the licensing is the number of labels generated by the operation.

The quota applies for an interval of any consecutive 7-days.

The quota is proportional to the number of printers allowed by the license

- 5000 Electronic Outputs license units are provided per printer in the license.

The following operations are subject of Electronic Outputs licensing:

- Printing via Windows drivers producing common document formats (PDF, XPS, image formats, etc.);
- Printing with any printer to ports capturing the printout electronically (FILE:, prompt for file, or fixed file ports);
- Exporting the document to PDF or image formats directly.

For some operations the **eOutput counting** will be effective and some will also require the **Output addons**.

Following table describes the different use cases and licensing requirements.

Review by feature / scenarios for SENTINEL

	Feature details	Licensing
eOutput driver	Printing to a driver that has been identified as such. An eOutput driver is a driver that Teklynx products will identify as systematically producing electronic outputs. Examples: Microsoft Print to Pdf, Bullzip, PDF creator, printers that generate PDF, XPS, Postscript, PCL, image (PNG, JPG..), SVG, EMF, Text, XM, etc	eOutput counting => YES eOutput Addon required => NO

	Feature details	Licensing
Preview and Images	Whenever an image of a label is generated by the application using a specific configuration or through a control variable.	eOutput counting => YES eOutput Addon required => NO

	Feature details	Licensing
Printer Command File	Whenever printing to a file port (eg: FILE:, C:\Temp\Print.txt, ...) for both TEKLYNX and Windows drivers.	eOutput counting => YES eOutput Addon required => YES

	Feature details	Licensing
Internal PDF printer	Internal PDF printer using @PRINT_PDF control variable - allows generate PDF without the <u>need of third-party driver</u> . - provide custom settings like possibility to name the PDF file as you want (important to associate the PDF file to the user request)	eOutput counting => YES eOutput Addon required => YES

The Trial version includes access to the native PDF/electronic output feature (**eOutput**).

The **eOutput** add-on and additional API printers are available for purchase with a production license.

Copyright 2025 TEKLYNX Corporation SAS. All rights reserved. TEKLYNX and its products are trademarks or registered trademarks of TEKLYNX Corporation SAS. All other brands and product names are the trademarks of their respective owners.

This release notes document is for informational purposes only. Product specifications are likely to change.

[Back to Menu](#)



France
+33 (0) 562 601 080

Germany
+49 (0) 2103 2526 0

Singapore
+65 6908 0960

United States
+1 (414) 837 4800

Copyright 2025 TEKLYNX Corporation SAS. All rights reserved. LABEL MATRIX, LABELVIEW, CODESOFT, LABEL ARCHIVE, SENTINEL, PRINT MODULE, BACKTRACK, TEKLYNX CENTRAL, TEKLYNX, and Barcode Better are trademarks or registered trademarks of TEKLYNX Corporation SAS or its affiliated companies. All other brands and product names are trademarks and/or copyrights of their respective owners.

www.teklynx.com